

TECHNICAL MANUAL

**OPERATOR'S, ORGANIZATIONAL, DIRECT SUPPORT,
AND GENERAL SUPPORT MAINTENANCE MANUAL
INCLUDING REPAIR PARTS AND SPECIAL TOOLS LISTS**

MULTIPLEXER SET AN/FCC-18(V)

TECHNICAL MANUAL
 No. 11-5805-368-14/6



HEADQUARTERS
 DEPARTMENT OF THE ARMY
 WASHINGTON, D.C., 30 March 1972

**Operator's, Organizational, Direct Support, and General
 Support Maintenance Manual Including Repair Parts and
 Special Tools Lists**

MULTIPLEXER SET AN/FCC-18(V)

Current as of 29 September 1970

SECTION		Paragraph	Page
212.1	INTRODUCTION		
	Scope.....	1	212.1-1
	Explanation of sections	2	212.1-1
	Explanation of columns	3	212.1-1
	Parts for maintenance	4	212.1-2
	Additional repair parts authorization	5	212.1-3
	Requisitioning information (organizational)	6	212.1-3
	Requisitioning information (direct and general support)	7	212.1-3
	Reference publications	8	212.1-3
	Recommendations for maintenance publications improvements.....	9	212.1-3
213.	MUX SYSTEM 19D4053967A		213-1
214.	MUX SYSTEM 19D4053967B		214-1
215.	MUX SYSTEM 19D405396.7C		215-1
216.	MUX SYSTEM 19D4053968E		216-1
217.	MUX SYSTEM 19D4053969.....		217-1
218.	MUX SYSTEM 19040539610B		218-1
219.	MUX SYSTEM 1904053969A		219-1
220.	MUX SYSTEM 19040539611		220-1
221.	MUX SYSTEM 19D40539650.....		221-1
222.	MUX SYSTEM 19D40539650A		222-1
223.	MUX SYSTEM 19D40539650E		223-1
224.	MUX SYSTEM 19D40539650X		224-1

SECTION 212.1

INTRODUCTION

1. Scope

a. This manual contains a list of repair parts and special tools required for the performance of organizational maintenance and a list covering the corresponding requirements for direct support, general support, and depot maintenance of the AN/FCC-18(V).

b. There are five separate volumes that provide organizational, direct support, general support, and depot maintenance repair parts and special tools for the AN/FCC-18(V). These manuals are numbered TM 11-5805-368-14/2 through TM 11-5805-368-14,/6.

2. Explanation of Sections

This repair parts and special tools list is divided into sections. Each section is divided as follows:

a. *Repair Parts for Organizational Maintenance.* The organizational maintenance repair parts and special tools list lists the quantities of repair parts authorized for organizational maintenance and is a basis for requisitioning by organizations which are authorized the major item of equipment. End items of equipments are issued on the basis of allowances prescribed in equipment authorization tables and other documents that are a basis for requisitioning.

b. *Federal Manufacturing Code to Name Index.* This index contains the five-digit Federal supply code and the manufacturers name.

c. *Repair Parts for Direct Support, General Support, and Depot Maintenance.* The direct and general support and depot maintenance repair parts and special tools list lists the quantities of repair parts authorized for direct and general support maintenance and is a basis for requisitioning authorized parts. It is also a guide for depot maintenance in establishing initial levels of spare parts.

d. *Numerical Parts Index.* This index contains a list of manufacturers part numbers cross-referenced to item number and Federal stock number.

3. Explanation of Columns

An explanation of columns is given below.

a. *Item Sequence Number.* This column is for sequential line item control, commencing with the first line item on the first page of the list, and continuing numerically to the last item on the page of the list.

b. *For Authorized Allowances, See Sequence Number.* This column lists the numerical sequence number for items that have more than one occurrence throughout the list and refers to the first occurrence for authorized allowance.

c. *Source, Maintenance, and Recoverability Code.* Source, maintenance, and recoverability codes indicate the commodity command responsible for supply, the maintenance category at which an item is stocked, categories at which an item is installed or repaired, and whether an item is repairable or salvageable.

(1) The first letter indicates the point within the maintenance system where the part is available. "P" applies to repair parts that are stocked in or supplied from the GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories. "M" applies to repair parts that are not procured or stocked but are to be manufactured at indicated maintenance categories. "A" applies to assemblies that are not procured or stocked as such but are made up of two or more units, each of which carry individual stock numbers and descriptions and are procured and stocked and can be assembled by units at indicated maintenance categories. "X" applies to parts and assemblies that are not procured or stocked; the mortality of which normally is below that of the applicable end item; and the failure of which should result in retirement of the end item from the supply system. "I" applies to repair parts which are not procured or stocked, the requirement of which will be supplied by the use of next higher assembly or component. "X2" applies to repair parts which are not stocked. The indicated maintenance category requiring such

repair parts will attempt to obtain them through cannibalization; if not obtainable through cannibalization, such repair parts will be requisitioned with supporting justification through normal supply channels. "C" applies to repair parts authorized for local procurement. If not obtainable from local procurement, such repair parts will be requisitioned through normal supply channels with a supporting statement of nonavailability from local procurement. "G" applies to major assemblies that are procured with PEMA funds for initial issue only to be used as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DSU and GSU level or returned to depot supply level.

(2) The second letter indicates the lowest maintenance category authorized to install the part.

<i>Code</i>	<i>Explanation</i>
O -	Organizational maintenance
F -	Direct support maintenance
H -	General support maintenance
D -	Depot maintenance

(3) The third letter indicates whether the item is repairable or salvageable, as follows:

- R - Applies to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.
- T - Applies to high-dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance.
- U - Applies to repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, high-dollar value reusable casings and castings.

d. Federal Stock Number. This column lists the 11-digit Federal stock number.

e. Indent Code. This column indicates the breakdown of each given part or assembly. Components, assemblies, and subassemblies are listed in top-down order. That is, the assemblies which are part of a component are listed immediately below that component, and the subassemblies which are part of an assembly are listed immediately below that assembly.

f. Description. This column indicates the Federal item name, any additional description of the item required, and a five-digit Federal supply code for the manufacturer followed by a part number or other reference number.

g. Unit of Issue. The unit of issue is each unless otherwise indicated and is the supply term by which the

individual item is counted for procurement, storage, requisitioning, allowances, and issue purposes.

h. Expendability. Nonexpendable items are indicated by NX. Expendable items are not annotated.

i. Quantity in Use. This column lists the quantity of each part found in a given assembly or component.

j. Quantity for Equipment. This column lists the total quantity of each part, assembly, or component required for use in the overall equipment. Subsequent appearances of the same item are indicated by the letters "REF."

k. Organizational. The quantities indicated in this column are maximum levels of repair parts authorized to be kept on hand by units performing organizational maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

l. Direct Support (DS). This column indicates quantities of repair parts authorized for initial stockage for use in direct support maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

m. General Support (GS). This column indicates quantities of repair parts authorized for initial stockage for use in general support maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

n. Depot (DM). The numbers in this column indicate quantities of repair parts authorized for depot maintenance and for initial stockage for maintenance, and for supply support to lower categories. The entries are based on the quantity required for rebuild of 100 equipments.

- o. Illustrations.*
- (1) Figure number. Not used.
 - (2) Item number. Not used.
 - (3) Reference symbol. This column lists the reference symbols used for the identification of the items.

4. Parts for Maintenance

When this equipment is used by electronic service organizations organic to the theater headquarters or communication zones to provide theater communications, these repair parts authorized up to and including general support are authorized for stockage by the organization operating this equipment.

5. Additional Repair Parts Authorization

An asterisk indicates that an item is not authorized for stockage but if required, may be requisitioned for immediate use only.

6. Requisitioning Information (Organizational)

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for the specific number of equipments supported, the following formula will be used and carried out to the decimal places.

Specific number of equipment supported x

$$\frac{\text{allowance factor}}{100} = \text{number of parts authorized}$$

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

(1) When the total number of parts authorized is less than one, the quantity authorized will be one.

(2) For all values above one, fractional values below 0.5 will revert to the next lower number, fractional values of 0.5 or larger will advance to the next higher whole number.

c. The number of parts authorized, determined after application of a and b above, represents one prescribed load for a 15-day period. The items and computed quantities thereof must be on hand or on order at all times.

d. Major commanders will determine the number of prescribed loads organizational units will carry. Units and organizations authorized additional prescribed loads will utilize the formula explained in a above but will multiply the number of equipments supported by the number of authorized prescribed loads before completing the formula. Fractional values will be rounded to whole numbers as described above.

7. Requisitioning Information (Direct and General Support)

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for initial stockage for the specific number of equipments supported, the following formula will be used and carried out to two decimal' places.

$$\text{Specific number of equipment supported} \times \frac{\text{Allowance factor}}{100}$$

= 100 number of parts authorized for initial stockage.

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

(1) When the total number of parts authorized is less than 0.5, the quantity authorized will be zero.

(2) When the total number of parts authorized is between 0.5 and 1.0, the quantity authorized will be one. (3) For all values above one, fractional values below 0.5 will revert to the next lower whole number and fractional value 0.5 and above will advance to the next higher whole number.

c. The quantities determined in accordance with the above computation represent the initial stockage for a 15-day period.

8. Reference Publications

The following publications pertain to the AN/ FCC-18(V) and its components:

TM 11-5805-368-14/1	---	Operator, Organizational, Direct Support, and General Support Maintenance Manual Including Repair Parts and Special Tools Lists for Multiplexer Set AN/FCC-18 (V).
TM 11-58905-36814/2	---	Operator, Organizational, Direct Support, and General Support Maintenance Manual Including Repair Parts and Special Tools Lists for Multiplexer Set AN/FCC-18 (V).
TM 11-5805-368-14/3	---	Operator, Organizational, Direct Support, and General Support Maintenance Manual Including Repair Parts and Special Tools Lists for Multiplexer Set AN/FCC-18 (V).
TM 11-5805-368-14/4	---	Operator, Organizational, Direct Support, and General Support Maintenance Manual Including Repair Parts and Special Tools Lists for Multiplexer Set AN/FCC-18 (V).
TM 11-5805-36814/5	---	Operator, Organizational, Direct Support, and General Support Maintenance Manual Including Repair Parts and Special Tools Lists for Multiplexer Set AN/FCC-18 (V).

9. Recommendations for Maintenance Publications Improvements

The reporting of errors, omissions, and recommendations for improving this manual by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, US Army Electronics Command, ATTN: AMSEL-ME-NMP-EM, Fort Monmouth, N.J. 07703.

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	SOURCE MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW. PER 100 EQUIP. (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
CBUTM		A FR	58201798487	A	MUX SYSTEM 19D405396-7A 117 VAC, 60 CY, 1 PHASE, 48 CHAN EACH DIR	08771	EA	1	1				
CBUY	1819-28V	P 0	62401558707	D	LAMP, INCAND 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5			11
CBZY		P 0	53409446037	B	KNOB 19C310121P1 PHEN.0.317X0.470 X 1.030 IN. O/A DIM	08771	EA	60	60	14.6			

DATE 04-24-69

REVISION NO.

213-1

DATE: 04-24-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-7A

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONQUIN RD DES PLAINES ILL	81349	MILITARY SPECIFICATIONS
03508	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	84411	TRW CAPACITOR DIV OGALLALA NEBR
04713	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIZONA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEV RARRISON N J
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	95076	GANDE MFG CO 53 JOHN ST CUMBERLAND R I
08106	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95354	METHUDE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13141	UNITRODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	96906	MILITARY STANDARDS
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF		
70309	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK N Y		
71785	CINCH MFG CO AND HOWARD B JONES DIV 1026 S HOMAN AVE CHICAGO ILL		
80311	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBUT M		A FR	58201798487	A	MUX SYSTEM 19D405396-7A 117 VAC. 60 CY, 1 PHASE, 48 CHAN EACH DIR	08771	EA	1	1							
CBUU		A FR		B	CHANNEL RACK 19D405396P39 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
CBUV		X 2F		C	PANEL,FRONT 5493030G1	08771	EA	24	49							
CBUW		A FR		C	RACK,ASSY 19E500088G9 115 VAC. 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1							
CBUX		P F	62109261323	D	ALARM ASSEMBLY 5496133G1 28 VDC. 0.90 IN. X 0.90 IN. X 4.30 IN. O/A	08771	EA	1	3	4.9	4.9	90				21.7
CBUY		P 0	62401558707 D		LAMP,INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5	17.5	200.0		11		117.9
CBUZ		X 2F		D	RACK,EL EOUIP 5496857G3	06771	EA	1	3							

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBVA		A FR		D	RELAY ASSY 5496216G2 STL, CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN.	08771	EA	1	3							
CBVB		P F	59352370456	E	CONN,PLUG,ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1.2	71785	EA	1	3	2.7	2.7	3.0		P1		10.3
CBVC		P F	59358929607	E	CONN,REC.ELEC 261-31-12-010 PHEN, 12 PH BRZ HALE CONT, 7.5A RATED	71785	EA	1	3	2.7	2.7	3.0		J2		
CBVD		P F	59459230411	E	RELAY,ARMATURE T154X101 115 VDC, 6 PDT, 1.5W 0.013A, 9000 OHM RES	70309	EA	2	6	1 7.7	7.7	18.0		K1,K2		38.9
CBVE		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TERM,. 921IN	70309	EA	2	6	3.9	3.9	18.0		XK1,XK2		16.5
CBVF		A F	58209074748	D	TERMINAL BOARD 549292901 PHENOLIC, 0.062 IN. X 3.500 IN. X 3.875 IN.	08771	EA	1	3							
CBVG		P F	59051712003	E	RES,FXD,COMP RC20GF204J 200000 OHM, 5 PCT. 1/2W	81349	EA	1	3	3.9	3.9	9.0		R1		16.5

DATE 04-24-69

REVISION NO.

213-4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBVM		P F	59051858510	E	RES,FXD.COMP RC20GF103J 10000 OHMS, 5 PCT, 1/2	81349	EA	1	3	3.9	3.9	9.0			R3	16.5
CBVJ		P F	59051712006	E	RES,FXD, COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R6,R9	23.3
CBVK		P F	59052793496	E	RES,FXD,COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R2,R4	23.3
CBVL		P F	59192792019	E	RES,FXD,COMP RC20GF512J 5100 OHM, 5 PCT, 1/2 W	81349	EA	2	6	5.2	5,2	18.0			R7,R8	23.3
CBVM		P F	59052793499	E	RES,FXD,COMP RC20GF273J 27000 OHM, 5.PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R5	16.5
CBVN		P F	5910566403	E	SEMICOND,DIODE UT66 SILICON, RECTIFIER, 100 PIV, 0.600 MAX DCA	13141	EA	1	7	7.7	7.7	35.0			CR4	38.9
CBVP		P r	59&18920748	E	SEMICOND,DIODE 1N979B ZENER, 56V. 2,2 HA. 150 OHM MAX, 5 PCT	81349	EA	1	4	5.2	5.2	20.0			VR1	23.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBVR		P F	59610601689	E	SEMICOND,DIODE SSD753 SILICON, NPN. 300 A AT 25 C, FAST RECOVERY	13715	EA	3	9	8.7	8.7	45.0			CRITHHUCR3	46.2
CBVT		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.25IN	08771	EA	2	6	7.7	7.7	30.0			Q2,Q3	38.9
CBVU		P F	59619859073 E		TRANSISTOR 2N3053 SILICON, NPN. 60V. 100 MC, 5W. 1A	86684	EA	1	3	4.9	4.9	15.0			Q1	21.7
CBVV		X 2F		C	SHELF ASSY 19D401607G66	08771	EA	1	1							
CBVW		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	1							
CBVX		X 2F		C	SHELF ASSY 19D401607G65	08771	EA	1	1							
CBVY		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	1							

DATE 04-24-69

REVISION NO.

213-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBVZ		X 2F		C	SHELF ASSY 19D401607G64	08771	EA	1	1							
CBWA		x 2F		C	SHELF ASSY 19D401607G70	08771	EA	1	1							
CBWB		X 2F		C	SHELF ASSY 19D401607G68	08771	EA	1	1							
CBWC		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	1							
CBWD		A FR		B	COM EQUIP RACK 190405396P37 115 VAC. 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
CBWE		X 2F		C	PANEL BLANK 5496139G8	08771	EA	2	8							
CEWF	CBUV			C	ANEL_FRONT 5493030G1	08771		25	REF							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CBWG		A FR		C	RACK ASSY 19E500088G8 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
CBWW	CBUX			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
CBWJ		A FR	58209074749	D	ALARM BD,MAJ 5492680G1 PHENOLIC, 0.500 IN. X 3.500 IN. X 4.77 IN.	08771	EA	1	1								
CBWK		P F	59108468098	E	CAP,FXD,ELECT CS13AF220M 22 MFD, 20 PCT. 35 VDCW	81349	EA	2	2	3.2	3.2	6.0			C3,C8	12.4	
CBWM		P F	59109040519	E	CAP,FXD,LECT CS13BF1O5M 1 PF, 10 PCT. 500 VOCW	81349	EA	1	1	2.2	2.2	3.0			C6		
CBWP		P F	59100500086	E	CAP,FXD.MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C1		
CBWR		P f	59109641345	E	CAP,FXD,PLSTC 601PE2240-5w 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2,C5		

DATE 04-24-69

REVISION NO.

213-8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBWS		P F	59100852730	E	CAP,FXD.PLSTC 601PE3340-5W 33000 PF, 20 PCT, 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8
CBWT		PF	59500852525	E	COIL,RF 5495589G182 7/16 X 9/16 IN. O/Am 74.5 NH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
CBWU		P F	59059905023	E	RES,FXD,FILM RN65D3480F 348 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
CBWV		P F	59059936012	E	RES,FXD,FILM RN65D1471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
CBWW		P F	59059884710	E	RES,FXD,FILM RN65D2372F 23700 OHM, 1 PCT. 1/2w	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
CBWX		P F	59058839198	E	RES,FXD,FILM RN65DJ001F 1000 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6			R22,R29	12.4
CBWY		P F	59850602484	E	RES,FXD,FILM RN65D2612F 26100 OHM. 1 PCT, 1/2W	81349	EA	1	R4	2.2	2.2	3.0				6.8

DATE 04-24-69

REVISION NO.

213-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBWZ		P F	59058138640	E	RES,FXD,FILM RN65D5111F 5110 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8
CBXA		P F	59059936341	E	RES,FXD,FILM RN65D7500F 750 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
CBXB		P F	59050880987	E	RES,FXD.FILM RN65D2610F 261 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,R14	12.4
CBXC		P r	59059932268	E	RES,FXD,FILM RN65D2152F 21500 OHM, 1 PCT, 1/2w	81349	EA	2	2	3.2	3.2	6.0			R20,R21	12.4
CBXD		P r	59059903029	E	RES,FXD.FILM RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
CBXE		P F	598059529435	E	RES,FXD.FILM RN65D9092F 90900 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8
CBXF		P F	59050620537	E	RES,FXD.FILM RN65D1102F 11000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8

DATE 04-24-69

REVISION NO.

213-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBXG		P F	59052258175	E	RES,FXD.FILM RN65D1961F 1960 OHM, 1 PCT, 1/2W	81349	EA	1		2.2	2.2	3.0		R10		6.8
CBMH		P F	59059932267	E	RES,FXD.FILM RN65D5112F 51100 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0		R1		6.0
CBXJ		P F	59059932261	E	RES,FXD,FILM RN65D4642F 46400 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0		R28		6.8
CBXK		P F	59059895580	E	RES,FXD7FILM RN65D5110F 511 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0		R13		6.11
CBXL		P F	59059936975	E	RES,FXD,FILM RN65D1781F 1780 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0		R31		6.5 6.1
CBXM		P F	59059931363	E	RES.FXD,FILH RN65D3481F 3480 OHM, 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0		R19,R24		12.4
CBXN		P F	59050640555	E	RES.FXD,FILH RN65D1002F 10000 OHM, 1PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0		R5,R11,R17		16.5

DATE 04-24-69

REVISION NO.

213-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBXP		P F	59057620663	E	RES,FXD,FILM RN65D1334F 1330000 OHM, I PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8
CXOQ		P F	59059931362	E	RES,FXD,FILM RN65D3161F 3160 OHMS, IPCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R7,R23	12.4
CBXR		P F	59159932271	E	RES,FXD.FILM RN65D31R6F 3 1,6 OHM, I PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
CBXS		P F	59050601481	E	RES,FXD,FILM RN65D6811F 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6.8
CBXT		P F	59618547455	E	SEMICOND DIODE 1-5M56Z5 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.5
CBXY		P F	59614460270	E	SEMICOND,DIODE 1N198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5,CR6	16.5
CBXW	CBVP			E	SEMICOND.DIODE 1N9799	81349		1	REF						VR1	

DATE 04-24-69

REVISION NO.

213-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CBXX	CBVN			E	SEMICOND,DIODE UT66	13141		4	HEF								
COXY		P F	59618266631	E	SEMICOND,DIODE 1N712 ZENER, 8.2V, 25 MA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2		10.3
CBWZ		P F	5961677487	5 E	SEMICOND,DIODE 1N91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1		10.3
CBYB		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM, PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5 THRU Q7		21.7
CBYC		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			Q2,Q3		16.5
CBYD		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE, 3 MHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1		10.31
CBYE		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC, 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4		10.3

DATE 04-24-69

REVISION NO.

213-13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CBYF	CBUY			D	LAMP,INCAND 08806 1819-28V			2	REF								
CBYG	CBUZ			D	RACK,EL EOUIP 5496857G3			1	REF								
CBYH	CBVA			D	RELAY ASSY 08771 5496216G2			1	REF								
CBYJ	CBVF		58209074748	D	TERMINAL BOARD 5492929G1			1	REF								
CBYK		X 2F		C	SHELF ASSY 190401607G84	EA		1	1								
CBYL		X 2F		C	SHELF ASSY 190401607G8	EA		1	1								
CBYM 1		X 2F		C	SHELF ASSY 90401607G82	EA		1	1								

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBYN		X 2F		C	SHELF ASSY 19D401607G72	08771	EA	1	1							
CBYP		X 2F		C	SHELF ASSY 19D401607G83	08771	EA	1	1							
CBYQ		X 2F		C	SHELF ASSY 190401607G77	08771	EA	1	1							
CBYR		A FR		B	GP REG INT RACK 19D405396P38 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
CBYS	CBWE			C	PANEL BLANK 5496139G8	08771		6	REF							
CBYT		A FR		C	RACK ASSY 19E500088G7 115 VAC, 19.5 X 20.5 IN, X 7 FT O/A	08771	EA	1	1							
CBYU	CBUX			D	ALARM ASSEMBLY 5496133G1	08771		1	REF							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CBYV	CBUY			D	LAMP,INCAND 1819-28V	08806		1	REF								
CBYW	CBUZ			D	RACK,EL EQUIP 5496857G3	08771		1	REF								
CBYX.	CBVA			D	RELAY ASSY 5496216G2	08771		1	REF								
CBYY	CBVF		58209074748	D	TERMINAL BOARD 5492929G1	08771		1	REF								
CBYZ		X 2F		C	SHELF ASSY 190401607G87	08771	EA	1	1								
CBZA		X 2F		C	SHELF ASSY 190401607G88	08771	EA	1	1								
CBZB		X 2F		B	BLOCK 198200642P3	08771	EA	6	6								

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CBZC		X 2F		B	BLOCK 198201599P1	08771	EA	2	2								
CBZD		X 2F		B	BRACKET 5492908P1	08771	EA	3	3								
CBZE		X2F		B	BRKT.DBL.NGLE 492901P1	08N77	EA	3	3								
CBZF		X2F		B	EIUS BAR 5496651G1	08771	EA	1	1								
CBZG		P F	61309419731	B	BUS BAR,48KC 5493567G1 48 KHZ, COPPER, IN, LG	08771 2.500	EA	1	1	2.7	2.7	4.0					10.3
CBZGA		X1F		C	R[S,FXD,FILM I	08771	EA	1	1								R1
CBZGB		X1F		C	BRKT,DBL.ANGLE 5493566P1	08771	EA	1	1								

DATE 04-24-69

REVISION NO.

213-17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBZGC		X1F		C	SHLD,ELEC CONN 4038477G1	08771	EA	1	1							
CBZGD		X1F			CONN,RECP,ELEC 5496078P3	08771	EA	7	7							
CBZGE		X1F		C	INSULATOR,PLATE 5492713P1	08771	EA	1	1							
CBZGF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1							
CBZGG		C F		C	TERMINAL,LUG 4035338P1	08771	EA	1	1							
CBZH		X 2F		B	BUTTON,PLUG N529P18C13	08771	EA	12	12							
CBZJ		X 2F	53400850856	B	BUTTON,PLUG 207-360231'00	02768	EA	60	60							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T O R	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CBZK		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	16	16								
CBZL		P F		B	CONN-SPT 198202.603G1 STL, 0.090 IN. X 0.090 IN. X 4.810 IN. O/A	08771	EA	17	17	6.5	6.5	17.0					31.4
CBZLA		X1F		C	BRKT,DBL,ANGLE 198202566P1	08771	EA	1	17								
CB2LB		XIF		C	SNELL,ELEC,CONN 19D0401142P2	08771	EA	1	17								
CBZLC		C F		C	WASER.NH 4035306P63	08771	EA	2	34								
CBZLD		C F		C	WASHER,FLAT 19A101105P1	08771	EA	2	34								
CBZM		P F	58959420941	B	CONN-SPT 198202230G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	106	106	21.0	21.0	106.0					154.4

DATE 04-24-69

REVISION NO.

213-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBZMA		X1F	59350442707	C	CONN.RECP(ELEC FD630S	95354	EA	1	111							
CBZMB		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	212							
CBZMC		X1F		C	BRACKET.ANGLE 198202181P1	08771	EA	1	106							
CBZN		P F		B	CONN-SPT 198202230G5 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4
CBZP		P F	58209228702	B	CONN-SPT 19B202230G4 ALUMINUM, 2.50 X 4992 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4
CBZPA		C F	59406659962	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	5						W1	
CBZPB		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	2	10						E2,E3	

DATE 04-24-69

REVISION NO.

213-20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS					
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL			
CBZPC		X1F		C	TRANSFORMER,RF 5498921P1	08771	EA	1	5									
CBZPD		X1F		C	RES.FXD.FILM RN20X69R8F	81349	EA	1	5									
CBZPE		X1F		C	BRACKET,ANGLE 4034495G3	08771	EA	1	5									
CBZPF				C	CONN,RECP,ELEC FD630S	95354		1	REF									
CBZPG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	10									
CBZQ		P F		B	CONN-SPT 198202620G2 ALUMINUM, 2.50 X 4.92 X 6.75 IN. 0/A	08771	EA	36	36	10.6	10.6	36.0						
CBZQA		X1F		C	BRACKET,ANGLE 198202181P3	08771	EA	1	36									

B
D
E
S
E
P
O
T

60.0

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CBZQB		XIF		C	CONN.RECP.ELEC 1982090t4P1	08771	EA	1	36								
CBZR		A F	59359995880	B	COVER,ALARM 5492912G1 AL, CADMIUM PLATED, 2 X 4.500 IN. O/A	08771	EA	6	6								
CBZRA		X 2F		C	RET,ELEC CONN 5492910G1	08771	EA	1	6								
CBZRB		P F	59359228133	C	CONN,RECP.ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	6	3.9	3.9	6.0					
CBZRC		X 2F		C	POST,ELEC-HECW 5491541P204	08771	EA	2	12								
CBZRD		C F	53107235414	C	WASNER,FLAT N402P7C13	08771	EA	2	12								
CBZRE		C F	53050597679	C	SCREW,MACHINE	08771	EA	2	12								

B
D
A
S
E
P
O
T

16.5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CBZS		X 2F		B	EXTRUSION 4034526G1	08771	EA	2	2								
CBXT		X 2F		B	EXTRUSION 4034526G7	08771	EA	34	34								
CBZU		C F		B	GROMMET,RUBBER 5490407P56	08771	EA	6	6								
CBZV		C F		B	GROMMET,RUBBER 5490407P50	08771	EA	6	6								
CBZW		X 2F		B	GUIDE,SHELF P50741A	02768	EA	404	404								
CBZX		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2								
CBZY		P 0	53409446037	B	KNOB 19C310121P1 PHEN.0.317 X 0.470 X 1.030 IN. O/A UIM	08771	EA	60	60 14.6	14.6	60.0						

B
D
E
S
E
P
O
T

92.8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CBZZ		C F	53109585209	B	NUT,PLAIN,HEX N210P19C13	08771	EA	60	60							
CCAA		C F		B	NUT,PLAIN,HEX 7141225P2	08771	EA	120	120							
CCAB		C F		B	NUT,PLAIN,HEX 7141225P3	08771	EA	60	60							
CCAC		X 2F		B	PLATE 5492521P2	08771	EA	2	2							
CCAD		X 2F		B	PLATE 5492521P12	08771	EA	15	15							
CCAE		X 2F		B	PLATE 5498720G16	08771	EA	60	60							
CCAF		M W		B	PLATE,IDENT NP238814	08771	EA	3	3							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CCAG		M H		B	PLATE,IDENT NP238847	08771	EA	16	16								
CCAN		P F		B	PRINTED CKT 80 198202667P1 PHENOLIC, 0.062 IN. X 3.070 IN. X 3.500 IN.	08771	EA	1	1	2.7	2.7	3.0					10.3
CCAJ		C F		B	SCREW,DRIVE N539P103	08771	EA	120	120								
CCAK		C F	53159844983	B	SCREW,MACHINE MS35206-226	96906	EA	34	34								
CCAL		C F		B	SCREW,MACHINE N37P9021C13	08771	EA	120	120								
CCAM		C F	53058892997	B	SCREW,MACHINE MS35206-215	96906	EA	2	14								
CCAN		C F		B	SCREW,MACHINE N80P19006C13	08771	EA	60	60								

DATE 04-24-69

REVISION NO.

213-25

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CCAP		C F		B	SCREW,MACHINE N82P13010D	08771	EA	60	60							
CCAQ	CCAM			B	SCREW,MACHINE MS35206-215	96906		12	REF							
CCAR		C F	53059576636	B	SCREW,MACHINE MS35190-223	96906	EA	6	6							
CCAS		X 2F		B	SHELF 190401943G 2	08771	EA	2	2							
CCAT		X 2F		B	SHELF 19D405255G1	08771	EA	1	1							
CCAU		X 2F		B	SHELF 5498699G32	08771	EA	12	12							
CCAV		X 2F		B	SHELF 5498699G34	08771	EA	1	1							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CCAW		C F	53108505723	B	SPACER,SLEEVE 5491541P106	08771	EA	4	4							
CCAX		X 2F		B	SPRING 5492956P1	08771	EA	60	60							
CCAY		X 2F		B	SPRING 5492956P2	08771	EA	60	60							
CCAZ		X 2F		B	STRIP 198203025P5	08771	EA	60	60							
CCBA		X 2F		B	STRIP,FOIL 198203072P1	08771	EA	60	60							
CCBB		X 2F	53409994353	B	STUD 5492731P2	08771	EA	32	32							
CCBC		X 2F		B	STUD 5492731P9	08771	EA	34	34							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CCBD		X 2F		B	SUPPORT,CABLE 5492920P1	08771	EA	1	1								
CCBE		P F	59359420103	B	SUPPORT,CONN 198202620G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	10	10	5.2	5.2	10.0					23.3
CCBF		A F		B	TERMINAL BLK 5496135G24 AL, CHROMATE FINISH, 5.200 X 58.875 IN.	08771	EA	3	3								
CCBFA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	24								
CCBFB		X1F		C	CHAS.ELEC EQUIP 5496862G2	08771	EA	1	3								
CCBG		A F		B	TERMINAL BLK 5496356G3 AL, CHROMATE FINISH, 5.200 X 58.875 IN. O/A	08771	EA	1	1								
CCBGA		X1F		C	CHAS,ELEC,EQUIP 5492483G1	08771	EA	1	1								

DATE 04-24-69

REVISION NO.

213-28

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CCBGB		X 2F		C	SHLD.ELEC CONN 4034205P1	08771	EA	20	20							
CCBGC		C F		C	TERMINAL LUG 5491581P1	08771	EA	20	20							
CCBGD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	10							
CCBGE		X 2F		C	TERMINAL BOARD 4034193G5	08771	EA	10	10							
CCBH		X 2F		B	TERMINAL BOARD 198203067P1	08771	EA	3	3							
CCBJ		X 2F	58050857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							
CCBK		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							

B
D
A
E
S
P
O
T

DATE 04-24-69

REVISION NO.

213-29

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CCBL		C F		B	WASHER,FLAT N402P5C13	08771	EA	210	210							
CCBM		C F	53102090940	B	WASHER,LOCK N403P21C13	08771	EA	60	60							
CCBN		C F	53105790079	B	WASHER,LOCK MS35333-37	96906	EA	34	34							
CCBP		C F		8	WASHER,NM 4035306P51	08771	EA	4	4							
CCBQ		C F		B	WASHER,NM 4035306P51	08771	EA	4	4							
CCBR		C F	58050857218	B	WASHER,NM 4036555P1	08771	EA	10	10							

B D
A E
S P
O T

EQUIPMENT: 19D405396-7A
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	CBUY	62401558707	1N19B	CBXU	59614460270
1819-28V	CBYF	6240	1N712	CBXY	59618266631
1819-28V	CBYV	6240	1N91	CBXZ	59616774875
19A101105P1	CBZLD		1N979B	CBVP	59618920748
19A115562P2	CBVT	59610601655	1N979B	CBXW	5960
19B200642P3	CBZB	5805	207-360231-00	CBZJ	53400850856
19B201599P1	CBZC	5805	261-31-12-010	CBVC	59358929607
19B202181P1	CBZMC		261-32-12-030	CBVU	59352570456
19B202181P3	CBZQA		2N1039	CBYB	59618218977
19B202230G1	CBZM	58959420941	2N1302	CBYE	59618507646
19B202230G4	CBZP	58209228702	2N1395	CBYD	59610505233
19B202230G5	CBZN	5805	2N1614	CBVC	59610560040
19B202566P1	CBZLA		2N3053	CBVU	59619859073
19B202603G1	CBZL	5805	30054-1	CBVE	59357336326
19B202620G1	CCBE	59359420103	4034193G4	CCBGD	
19B202620G2	CBZQ	5805	4034193G5	CCBGE	
19B202667P1	CCAH	5999	4034205P1	CCBGB	
19B203025P5	CCAZ	5805	4034495G3	CBZPE	
19B203067P1	CCBH	5999	4034526G1	CBZS	5805
19B203072P1	CCBA	9535	4034526G7	CBZT	5805
19B209014P1	CBZQB		4035306P21	CCBP	5330
19C010121P1	CBZY	53409446037	4035306P51	CCBQ	5330
19D401142P2	CBZLB		4035306P63	CBZLC	
19D401607G4	CBVZ	5805	4035338P1	CBZGG	
19D401607G65	CBVX	5805	4036150P1	CBZX	5970
19C401607G66	CBVV	5805	4036555P1	CCBR	58050857218
19D401607G67	CBVW	5805	4038477G1	CBZGC	
19D401607G68	CBWB	5805	5490407P50	CBZV	5325
19D401607G69	CBVY	5805	5490407P56	CBZU	5325
19D401607G70	CBWA	5805	5491541P106	CCAW	53108505723
19D401607G71	CBWC	5805	5491541P204	CBZRC	
19D401607G72	CBYN	5805	5491581P1	CCBGC	
19D401607G77	CBYQ	5805	5492483G1	CCBGA	
19D401607G82	CBYM	5805	5492521P12	CCAD	5805
19D401607G83	CBYP	5805	5492521P2	CCAC	5805
19D401607G84	CBYK	5805	5492680G1	CBWJ	58209074749
19D401607G87	CRYZ	5805	5492713P1	CBZGE	
19D401607G88	CBZA	5805	5492731P2	CCBB	53409994353
19D401607G8	CBYL	5805	5492731P9	CCBC	5325
19D401943G2	CCAS	5805	5492750P3	CBZMB	
19D405255G1	CCAT	5805	5492750P3	CBZPG	
19D405396-7A	CBUT M	58201798487	5492901P1	CBZE	5805
19D405396P37	CBWD	5805	5492908P1	CBZD	5805
19D405396P38	CBYR	5805	5492910G1	CBZRA	
19D405396P39	CBUU	5805	5492912G1	CBZR	59359995880
19D5000B8G7	CBYT	5805	5492920P1	CCBD	5805
19E500088G8	CBWG	5805	5492929G1	CBVF	58209074748
19E500088G9	CBUW	5805	5492929G1	CBYJ	58209074748
1-5M56Z5	CBXT	59618547455	5492929G1	CBYY	58209074748

EQUIPMENT: 19D05396-7A
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5492937G1	CBZK	5805	MS35333-37	CCBN	53105790079
5492956P1	CCAX	5805	N210P19C13	CBZZ	53109585209
5492956P2	CCAY	5805	N37P9021C13	CCAL	5305
5493830G1	CBUV	5805	N402P5C13	CCBL	5310
5493030G1	CBWF	5805	N402P7C13	CBZRD	53107235414
5493566P1	CBZGB		N403P21C13	CCBM	53102090940
5493967G1	CBZG	61309419731	N529P18C13	CBZW	5340
5495589G182	CBWT	59500852525	N539P103	CCAJ	5305
5495948P125	CBZGA		N80P13010C13	CBZRE	53050597679
5496078P3	CBZGD		N80P19006C13	CCAN	5305
5496085P1	CBZRB	59359228133	N82P13010D	CCAP	5305
5496133G1	CBUX	62109261323	NP238814	CCAF	5805
5496133G1	CBWW	6210	NP238847	CCAG	5805
5496133G1	CBYU	6210	P50741A	CBZW	5805
5496135G24	CCBF	5940	RC20GF103J	CBVW	59051858510
5496139G8	CCWE	5805	RC20GF204J	CBVG	59051712003
5496139G8	CBYS	5805	RC20GF271J	CBVJ	59051712006
5496216G2	CBVA	5945	RC20GF273J	CBVM	59052793499
5496216G2	CBYH	5945	RC20GF512J	CBVL	59052792019
5496216G2	CBYX	5945	RC20GF513J	CBVK	59052793496
5496356G3	CCBG	5940	RN20X69R8F	CBZPD	
5496651G1	CBZF	5805	RN65D1001F	CBWX	59058839198
5496735P1	CCBJ	58050857236	RN65D1002F	CBXN	59050640555
5496857G3	CBUZ	5805	RN65D1102F	CBXT	59050620537
5496857G3	CBYG	5805	RN6501334F	CBXP	59057620663
5496857G3	CBYW	5805	RN65D1471F	CBWV	59059936012
5496862G2	CCBFB		RN65D1781F	CBXL	59059936975
5498699G32	CCAU	5805	RN65D1961F	CBXG	59052258175
5498699G34	CCAV	5805	RN65D2152F	CBXC	59059932268
5498720G16	CCAE	5805	RN65D2372F	CBWW	59059884710
5498921P1	CBZPC		RN65D2610F	CBXB	59050880987
601PE2240-5W	CBWR	59109641345	RN65D2612F	CBWY	59050602484
601PE3340-5W	CBWS	59100852730	HN65D3161F	CBXQ	59059931362
7141225P2	CCAA	5310	RN65D31R6F	CBXR	59059932271
7141225P3	CCAB	5310	RN65D3480F	CBWU	59059905023
7491823P4	CBZGF		RN65D3481F	CBXM	59059931363
7774524P3	CCBFA		RN65D4642F	CBXJ	59059932261
7878455P1	CCBK	59403084357	RN65D5110F	CBXK	59059895580
CM07F512J03	CBWP	59100500086	RN65D5111F	CBWZ	59058138640
CS13AF220M	CBWK	59108468098	RN65D5112F	CBXH	59059932267
CS13BF105M	CBWM	59109040519	RN65D6811F	CBXS	59050602481
FD630S	CBZMA	59350442707	RN65D7500F	CBXA	59059936341
FD630S	CBZPF		RN65D7502F	CBXD	59059903029
M3449-5CHTC	CBZPA	59406659982	RN65D9092F	CBXE	59059529435
M3449-5CHTC	CBZPB	59406659982	SSD753	CBVR	59610601689
MS35190-223	CCAR	5305957 6636	T154X101	CBVD	59459230411
M535206-215	CCAM	53058892997	UT66	CBVN	59610566403
MS35206-215	CCAQ	5305	UT66	CBXX	5960
MS35206-226	CCAK	53059844983			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INVENTORY CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BZWPM		A FR	58201798492	A	MUX SYSTEM 19D405396-7B 117 VAC, 60 CY, 1 PHASE, 60 CHAN EACH DIR	08771	EA	1	1				
BZWT		P 0	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5			11
CABT		P 0	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	30	30	9.7			

DATE 04-23-69

REVISION NO.

214-1

DATE: 04-23-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: XXXXXXXXX-XX

02768.	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONOUIN RD DES PLAINES ILL	80131	ELLCTRONIC INDUSTRIES ASSOCIATION WASHINQTON D C
03508	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	81349	MILITARY SPECIFICATIONS
04713	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIZONA	84411	TRW CAPACITOR DIV OGALLALA NEBR
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HARRISON N J
08806.	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95076	GARDE MFG CO 53 JOHN ST CUMBERLAND R I
131411	UNITRODE TRANSISTOR PRODUCTS INC CALARASAS CALIF	95354	METHODE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906	MILITARY STANDARDS
70309	ALLIED CONTROL CB INC 2 LAST END AVE NEW YORK N Y		
71785	CINCH MFG CO AND HOWARD B JONES DIV 1026 S WOMAN AVE CHICAGO ILL		
78153	TINNERMAN PRODUCTS INC CLEVELAND OHIO		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZWP M		A FR	58201798492	A	MUX SYSTEM 19D405396-7B 117 VAC, 60 CY, 1 PHASE, 60 CHAN EACH DIR	08771	EA	1	1							
BZWQ		A FR		B	CHANNEL RACK 19D405396P110 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1							
BZWR		A FR		C	RACK,ASSY 19E5000R8G9 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
BZWS		P F	62109261323	D	ALARM ASSEMBLY 5496133G1 28 VDC. 0.90 IN. X 0,90 IN. X 4.30 IN, O/A	08771	EA	1	3	4.9	4.9	9.0				21.71
BZWT		P O	62401558707	D	LAMP,INCAND 1819-28V 2BV, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5	17.5	200.0		11		117.9
BZWU		X 2F		D	RACK,EL EOUIP 5496857G3	08771	EA	1	3							
BZWV		A FR		D	RELAY ASSY 5496216G2 STL. CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN.	08771	EA	1	3							

DATE 04-23-69

REVISION NO.

214-3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZWW		P F	59352370456	E	CONN,PLUG,ELEC 261-32-12-030 PWEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1.2	71785	EA	1	3	2.7	2.7	3.0			P1	10.3
BZWX		P F	59358929607	E	CONN,REC,ELEC 261-31-12-010 PHEN, 12 PH BRZ MALE CONT, 7.5A RATED	71785	EA	1	3	2.7	2.7	3.0			J2	10.3
BZWY		P F	59459230411	E	RELAY,ARMATURE T154X101 115 VDC 6 PDT, 1.5W, 0.013A, 9000 OHM RES	70309	EA	2	6	7.7	7.7	18.0			K1,K2	38.9
BZWZ		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TERM.0.921IN	70309	EA	2	6	3.9	3.9	18.0			XK1,XK2	16.5
BZWA		A F	58109074748	D	TERMINAL BOARD 5492929G1 PHENOLIC, 0.062 IN, X 3,500 IN. X 3,875 IN.	08771	EA	1	3							
BZWB		P F	59051712003	E	RES,FXD,COMP RC20GF204J 200000 OHM, 5 PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R1	16.5
BZXC		P F	59051658510	E	RES,FXD,COMP RC20GF103J 10000 OHMS, 5 PCT, 1/2 W	81349	EA	1	3	3.9	3.9	9.0			R3	16.5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZND		P F	598517120&6	E	RES,FXD,COMP RC20GFZ71J 270 OHM, 5 PCT. 1/2W	81349	EA	2	6	5.2	5.2	180			R6,R9	23.3
BZXE		P F	5952793t496	E	RES,FXD,COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R2,R4	23.3
BZXF		P F	59052792019	E	RES,FXD,COMP RC20GF512J S100 OHM, 5 PCT, 1/2 W	81349	EA	2	6	5.2	5.2	18.0			R7,R8	23.3
BZXG		P F	59152793499	E	RES,FXD,COMP RC20GF273J 27000 OWM, 5 PCT, 1/2w	81349	EA	1	3	3.9	3.9	9.0			R5	16.5
BZWW		P F	59610566403	E	SEMTCOND.DIODE UT66 SILICON, RECTIFIER, 100 PIV, 0,600 MAX DCA	13141	EA	1	7	7.7	7.7	35.0			CR4	38.9
BZXJ		P F	59618920748	E	SEMICON,DIODE 1N979B ZENER. 56V, 2,2 HA 150 OHM MAX, 5 PCT	81349	EA	1	4	5.2	5.2	20.0			VR1	23.3
BZXL		P F	59610601689	E	SEMICON,DIODE SSD753 SILICON, NPN, 300 MA AT 25 C,FAST RECOVEHY	13715	EA	3	9	8.7	8.7	45.0			CR1 THRU CR3	46.2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZKN		P F	59650601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C O038 X 0.25IN	08771	EA	2	6	7.7	7.7	30.0			Q2,Q3	38.9
BZXP		P F	59619859073	E	TRANSISTOR 2N3053 SILICON, NPN, 60V. 100 MC. 5W. 1A	86684	EA	1	3	Q1 4.9	4.9	15.0				21.7
BZXQ		X 2F		C	SHELF ASSY 19D401607G66	08771	EA	1	1							
BZXR		X 2F		C	SHELF ASSY 19D401607G64	08771	EA	1	1							
BZXS		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	1							
BZXT		X 2F		C	SHELF ASSY 190401607G65	08771	EA	1	1							
BZXU		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	1							

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZXV		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	1							
BZXW		X 2F		C	SHELF ASSY 190401607G68	08771	EA	1	1							
BZXX		X 2F		C	SHELF ASSY 19D401607G70	08771	EA	1	1							
BZWY		A FR		B	CHANNEL RACK 19D405396P108 115 VAC. 19.5 X 20.5 IN, X 7 FT O/A	08771	EA	1	1							
BZXZ		X 2F		C	PANEL BLANK 5496139G8	08771	EA	2	8							
BZYA		X 2F		C	PANEL,FRONT 5493030G1	08771	EA	25	34							
BZYP		A FR		C	RACK ASSY 19E500088G8 115 VAC. 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZYC	BZWS			D	ALARM ASSEMBLY 5496133G1			1	REF							
BZYD		A FR	58209074749	D	ALARM BD,MAJ 549268001 PWENOLIC, 0.500 IN, X 3.500 IN. X 4,77 INR	EA		1	1							
BZYE		P F	59108468098	E	CAP,FXD,ELECT CS13AF220M 22 MFD, 20 PCT, 35 VDCW	EA		2	2	3.2	3.2	6.0			C3,C8	12.4
BZYG		P F	59109040519	E	CAP,FXD,ELECT CS13BF105M 1 PF, 10 PCT1 500 VDCW	EA		1	1	2.2	2.2	3.0			C6	6.8
BZYL		P F	59109641345	E	CAP,FXD,MICA CMO7F512JO3 5100 PF, 5PCT., 500 VDCW	EA		1	1	2.2	2.2	3.0			C1	6.8
BZYL		P F	59109641345	E	CAP,FXD,PLSTC 601PE2240-5W 220000 PF, 20 PCT, 50 VDCW	EA		2	2	3.2	3.2	6.0			C2,C5	12.4
BZYM		P F	59100892730	E	CAP,FXD,PLSTC 601PE3340-5W 33000 PF, 20 PCT, 50 VDCW	EA		1	1	2.2	2.2	3.0			C4	6.8

DATE 04-23-69

REVISION NO.

214-8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZYN		P F	59500852525	E	COIL,RF 5495589G182 7/16 X 9/16 IN. O/A, 74.5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			I1	6.8
BZYP		P F	5915990S023	E	RES.FXD,FILM RN65D3480F 348 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BZYQ		P F	59159936012	E	RES.FXD,FILM RN65D1471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
BZYR		P F	59159884710	E	RES.FXD,FILM RN65D2372F 23700 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BZYS		P F	59058839198	E	R(S,FXD,FILM RN65D1001F 1000 OHM. 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R22,R29	12.4
BZYT		P F	59150602484	E	RES,FXD.FILM RN65D2612F 26100 OHM, 1PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R4	6.8
BZYU		P F	59058138640	E	RES,FXD,FILM RN65D5111F 5110 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8

DATE 04-23-69

REVISION NO.

214-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZVY		P F	59059936341	E	RES,FXD.FILM RN65D7500F 750 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BZYW		P F	59050880987	E	RES,FXD.FILM RN65D2610F 261 OHM, 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,R14	12.4
BZYX		P F	59059932268	E	RES,FXD.FILM RN69D2152F 21500 OHM. 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20R21	12.4
BZYY		P F	59059903029	E	RES,FXD.FILM RN65D7502F 75000 OHM. 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BZYZ		P F	59959529435	E	RES,FXD.FILM RN65D9092F 90900 OHM. 1 PCT 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8
BZZA		P F	59950620537	E	RES,FXD.FILM RN65D1102.2 11000 OHM. PCT,1/2w	81349	EA	1	1	2.2	2.2	3.0			R10	6.8
BZZB		P F	59052258175	EA	RES,FXD.FILM RN65D1961F 1960 OHM, 1 PCT 1/2W	81349 EA		1	1	2.2	2.2	3.0			R10	6.8

DATE 04-23-69

REVISION NO.

214-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZZC		P F	59059932267	E	RES,FXD,FILM RN65D5112F 51100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BZZD		P F	59159932261	E	RES,FXD,FILM RN65D4642F 46400 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BZZE		P F	59059895580	E	RES,FXD,FILM RN65D51100F 511 OHM,1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BZZF		P F	59859936975	E	RES,FXD,FILM RN65D1781F 1780 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R31	6.8
BZZG		P F	59059931363	E	RES,FXD,FILM RN65D3481F 3480 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19,R24	12.4
BZZH		P F	59050640555	E	RES,FXD,FILM RN65DIO02F 10000 OHM, 1 PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0			R5,R11,R17	16.5
BZZJ		P F	59857620663	E	RES,FXD,FILM RN65D1334F 1330000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8

DATE 04-23-69

REVISION NO.

214-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZZK		P F	59059931362	E	RES.FXD,FILM RN65D3161F 3160 OHMS, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R7,R23	12.4
BZZL		P F	59059932271	E	RESFXDI,FILM RN65D31R6F 31.6 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BZZM		P F	59050602481	E	RES.FXD,FILM RN65D6811F 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6.8
BZZN		P F	59618547455	E	SEMICOND DIODE 1-5M56Z5 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BZZP		P F	59614460270	E	SEMICOND,DIODE 1N198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	LA	2	2	3.9	3.9	10.0			CR5,CR6	16.5
BZZR	BZXJ			E	SEMICOND,DIODE 1N979B	81349		1	REF						VR1	
BZZS	BZXH			E	SEMICOND,DIODE UT66	13141		4	REF						CR2,CH3,CR4,CR7	

DATE 04-23-69

REVISION NO.

214-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZZT		PF	59618266631	E	SEMICOND, DIODE 1N712 ZENIER, 8.2V, 25 MA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2 10.3	
BZZU		P F	59616774875	E	SEMICOND,DIODE IN91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1	10.3
BZZW		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM, PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRUQ7	21.7
BZZX		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0.5 MC	03508	EA	2	2	3.9	3.9				Q2,Q3	10.0
BZZY		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE , 3 MHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1	10.3
BZZZ		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM,MEDIUM POWER, ROUND 20 PC, 3 IC	81349	EA	3	3	2.7	2.7	5.0			Q4	10.3
CAAA	BZWT			D	LAMP, INCAND 1819-28V	08806		2	REF						11,12	

DATE 04-23-69

REVISION NO.

214-13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CAAB	BZWU			D	RACK.EL EOUIP 5496857G3	08771		1	REF							
CAAC	BZVW			D	RELAY ASSY 5496216G2	08771		1	REF							
CAAD	BZXA			D	TERMINAL BOARD 5492929G1	08771		1	REF							
CAAE		X 2F		C	SHELF ASSY 190401607G8	08771	EA	1	1							
CAAF		X 2F		C	SHELF ASSY 19D401607G72	08771	EA	1	1							
CAAG		X 2F		C	SHELF ASSY 19D401607G77	08771	EA	1	1							
CAAH		X 2F		C	SHELF ASSY 19D401607G82	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

214-14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CAAJ		X 2F		C	SHELF ASSY 19D401607G83	08771	EA	1	1							
CAAK		X 2F		C	SHELF ASSY 19D401607G84	08771	EA	1	1							
CAAL		A FR		B	CHANNEL RACK 190405396P109 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
CAAM	BZXZ			C	PANEL BLANK 5496139G8	08771		6	REF							
CAAN	BZYA			C	PANEL,FRONT 5493030G1	08771		9	REF							
CAAP		A FR		C	RACK ASSY 19E500088G7 115 VAC. 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1							
CAAQ	BZWS			D	ALARM ASSEMBLY 5496133G1	08771		1	REF							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CAAR	BZWT			D	LAMP,INCAND 1819-28V	08806		1	REF							11
CAAS	BZWU			D	RACK,EL EQUIP 5496857G3	08771		1	REF							
CAAT	BZ WV			D	RELAY ASSY 5496216G2	08771		1	REF							
CAAU	BZXA			D	TERMINAL BOARD 5492929G1	08771		1	REF							
CAAV		X 2F		C	SHELF ASSY 19D401607G87	08771	EA	1	1							
CAAW		X 2F		C	SHELF ASSY 19D401607G88	08771	EA	1	1							
CAAX		X 2F		B	BLOCK 198200642P3	08771	EA	6	6							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CAAY		X 2F		B	BLOCK 19B201599P1	08771	EA	2	2								
CAAZ		X 2F		B	BRACKET 5492908P1	08771	EA	3	3								
CABA		X 2F		B	BRKT,DBL,ANGLE 5492901P1	08771	EA	3	3								
CABB		X 2F		B	BUS BAR 5496651G1	08771	EA	1	1								
CABC		P F	61309419731	B	BUS BAR,48KC 5493567G1 48 KHZ, COPPER, 2,500 IN, LG	08771	EA	1	1	2.7	2.7	4.0					
CABCA		X1F		C	RES,FXD,FILM 5495948P125	08771	EA	1	1							R1	
CABCB		X1F		C	BRKT,DBL,ANGLE 5493566P1	08771	EA	1	1								

B
D
A
S
E
P
O
T

10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CABCC		X1F		C	SHLD,ELEC,CONN 4038477G1	08771	EA	1	1							
CABCD		X1F		C	CONN,RECP,ELEC 5496078P3	08771	EA	7	7							
CABCE		X1F		C	INSULATOR,PLATE 5492713P1	08771		1	1							
CABCF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1							
CABCG		C F		C	TERMINAL,LUG 4035338P1	08771	EA	1	1							
CABD		X 2F	53460050856	B	BUTTON,PLUG 207-360231-00	02768	EA	30	30							
CABE		X 2F		B	BUTTON,PLUG N529P18C13	08771	EA	12	12							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CABF		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	16	16								
CABG		P F		B	CONN-SPT 198202620G2 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	36	36	10.6	10.6	36.0				60.0	
CABGA		X1F		C	BRACKET,ANGLE 198202181P3	08771	EA	1	36								
CABGB		X1F		C	CONN,RECP,ELEC 199209014P1	08771	EA	1	36								
CABN		P F	58959420941	B	CONN-SPT 198202230G1 ALUMINUM 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	97	97	19.5	19.5	97.0				136.2	
CABHA		X1F	59352442707	C	CONN,RECP,ELEC FD630S	95354	EA	1	102								
CABHB		X1F		C	TERMINAL,LUG 5492750P3	08771	EA	2	194								

DATE 04-23-69

REVISION NO.

214-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CABHC		X1F		C	BRACKET ANGLE 198202181P1	08771	EA	1	97								
CABJ		P F	58209226702	S	CONN-SPT 198202230G4 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0					14.4
CABJA		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	5						W1		
CABJB		C F	59406659982	C	TERMINAL, STUD M3449-5CHTC	95076	EA	2	10						E2,E4		
CABJC		X1F		C	TRANSFORMER,RF 5498921P1	08771	EA	1	5						WY1		
CABJD		X1F		C	RES,FXD,FILM RN20X69R8F	81349	EA	1	5						R1		
CABJE		P F	58209228702	C	BRACKET, ANGLE 4034495G3	08771	EA	1	5								

DATE 04-23-69

REVISION NO.

214-20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CABJF	CABHA			C	TERMINAL,ELEC FD6305	95354		1	REF								
CABJG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	10								
CABK		P F		B	CONN-SPT 198202230G5 ALUMINUMD 2.50 K 4,92 X 6,75 IN O/A	08771	EA	5	5	3,6	36	50				14,4	
CABL		P F		B	CONN-SPT 19S202603G1 STL, 0,090 ZN. X 0,090 IN. X 4.810 IN. O/A	08771	EA	26	26	8,7	8,7	26.0				46,2	
CABLA		X1F		C	BRKT,DBL,ANGLE 198202566P1	08771	EA	1	26								
CABLB		X1F		C	SHELL,ELEC,CONN 19D401142P2	08771	EA	1	24								
CABLC		C F		C	WASHER,NM 4035306P63	08771	EA	2	52								

DATE 04-23-69

REVISION NO.

214-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CABLD		C F		C	WASHER,FLAT 19A101105P1	08771	EA	2	52								
CABM		A F	5995995S880	B	COVER,ALARM 5492912G1 AL, CADMIUM PLATEED, 2 X 4.500 IN. O/A	08771	EA	6	6								
CABMA		X 2F		C	RET,ELEC,CONN 5492910G1	08771	EA	1	6								
CAIMB		P F	59359228133	C	CONN,RECP,ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	6	3,9	39	6.0					16.5
CABRC		X 2F		C	POST,ELEC-HECH 5491541P204	08771	EA	2	12								
CABMD		C F	93107235414	C	WASHER,FLAT N402P7C13	08771	EA	2	12								
CABME		C F	53050597679	C	SCREW,MACHINE N8OP13010C13	08771	EA	2	12								

DATE 04-23-69

REVISION NO.

214-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CABN		X 2F		B	EXTRUSION 4034526G7	08771	EA	30	30								
CABP		C F		B	GROMMET,RUBBER 5490407P50	08771	EA	6	6								
CABQ		C F		B	GROMMET,RUBBER 5490407P56	08771	EA	6	6								
CABR		X 2F		B	GUIDE,SHELF P50741A	02768	EA	400	400								
CABS		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2								
CABT		P 0	53409446037	B	KNOB 19C310121P1 PWEN,0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	30	30	9,7	9,7	3.0					
CABU		C F		B	NUT,PLATN,HEX 7141225P3	06771	EA	30	30								

B
D
A
S
E
O
T

53.11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CABN		C F	53109585209	B	NUT,PLAIN,HEX N210P19C13	08771	EA	30	30								
CABW		C F		B	NUT,PLAIN,HEX 714I225P2	08771	EA	60	60								
CABX		X 2F		C	PLATE 5492521P12	08771	EA	30	30								
CABV		X 2F		B	PLATE 5498720G16	08771	EA	30	30								
CABZ		M W		B	PLATE,IDENT NP248814	08771	EA	3	3								
CABA		P F		B	PRINTED CKT BO 19B202667P1 PHENOLIC, 0.062 IN, X 3,070 IN. X 3.500 IN.	08771	EA	10	10	9.7	9.7	30.0					
CACB		C F		B	SCREW,DRIVE N539P103	08771	EA	60	60								

B D A S P E O T

53.1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CACC		C F	53059576636	B	SCREW,MACHINE MS35190-223	96906	EA	6	6							
CACD		C F		B	SCREW,MACHINE N37P9021C13	08771	EA	60	60							
CACE		C F		B	SCREW,MACHINE NIOP19006C13	08771	EA	30	30							
CACF		C F	53509144983	B	SCREW,MACHINE M135206-226	96906	EA	64	64							
CACG		C F	53158893116	B	SCREW,MACHINE MS35206-213	96906	EA	2	2							
CABH		C F	53158892997	B	SCREW,MACHINE MS35206-215	96906	EA	12	12							
CACJ		C F		B	SCREW,MACHINE N82P13010D	08771	EA	30	30							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CACK		X 2F		B	SHELF 5498699G32	08771	EA	12	12							
CACL		X 2F		B	SHELF 19D401943G2	08771	EA	2	2							
CACM		X 2F		B	SHELF 5496699834	08771	EA	1	1							
CACN		X 2F		B	SHELF 19D40525561	08771	EA	1	1							
CACP		C F	53108505723	B	SPACER,SLEEVE 5491541PL06	08771	EA	4	4							
CACO		X 2F		B	SPRING 9492956P1	08771	EA	30	30							
CACR		X 2F			SPRING 5492956P2	08771	EA	30	30							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CACS		X 2F		B	STRIP 198203025PS	08771	EA	30	30								
CACT		X 2F		B	STRIP,FOIL 199203072P1	08771	EA	30	30								
CACU		X 2F		B	STUD, FRICTION P101-499-248	78553	EA	60	60								
CACV		X 2F		B	SUPPORT.CABLE 5492920P1	08771	EA	1	1								
CACW		P F	59359420103	B	SUPPORT,CONN 198202620G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	10	10	5,2	5.2	10.0					23,3
CACX		A F		B	TERMINAL BLK 5496135G24 AL& CHROMATE FINISH, 5.200 X 58.875 IN.	08771	EA	3	3								
CACXA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	24								

DATE 04-23-69

REVISION NO.

214-27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
.CACXB		X 2F		C	CHAS,ELEC EQUIP 5496862G2	08771	EA	1	3							
CACY		A F		B	TERMINAL BLK 5496356G3 AL, CHROMATE FINISH# 59200 X 58.879 IN. O/A	08771	EA	1	1							
CACYA		X 1F		C	CHAS,ELEC,EQUIP 5492483G1	08771	EA	1	1							
CACYB		X 2F		C	SHLD,ELEC CONN 4034205P1	08771	EA	20	20							
CACYC		C F		C	TERMINAL,LUG 5491581P1	08771	EA	20	20							
CACYD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	10							
CACYE		X 2F		C	TERMINAL BOARD 4034193G5	0B771	EA	10	10							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
CACZ		X 2F	58850857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							
CADA		X 2F		B	TERMINAL BOARD 198203067P1	08771	EA	6	6							
CADB		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							
CADC		C F		B	WASHER, FLAT N402P5C13	08771	EA	60	60							
CADD		C F	53102090940	B	WASHER, LOCK N403P21C13	08771	EA	30	30							
CADE		C F	53105790079	B	WASHER, LOCK MS35333-37	96906	EA	30	30							
CADF		C F	58050857218	B	WASHER, NM 4036555P1	08771	EA	25	25							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
CADQ		C F		B	WASHER,NM 4035306P21	08771	EA	4	4								
CABW		C F		B	WASHER,NM 4035306P51	08771	EA	4	4								

DATE 04-23-69

REVISION NO.

214-30

EQUIPMENT: 19D405396-7B
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BZWT	62401558707	1N19	BP	59614460270
1819-28V	CAAA	6240	1N712	82T	59618ZZ6631
1819-28V	CAAR	6240	1N91	BZZU	59616774875
19A101105P1	CABLD		1N9798	BZXJ	5961892B741
19A1155e2P2	BZXN	59610601655	1N979B	BZZR	5961
19B200642P3	CAAX	5805	207-360231.00	CABD	53400650856
198201599P1	CAAY	5805	261-31-12-010	BZWX	59358929607
199202181P1	CABHC		261-32-12-030	BZWW	59352370459
19B202181P3	CABGA		2N1039	BZZZ	59618218977
198202230G1	CABW	58959420941	2N1302	BZZY	59618507646
198202230G4	CABJ	58209228702	2N1395	BZZW	59610605233
198202230G5	CABK	5805	2N1614	BZZX	59610860040
199202566P1	CABLA		2N3053	BZX3	59619659073
19820260341	CABL	5805	30054-1	BZWZ	59357336326
19B202620o1	CACW	59359420103	4034193G4	CACYD	
198202620U2	CABG	5805	4034193G5	CACYE	
198202667P1	CACA	5999	4034205P1	CACVB	
198203025PS	CACS	5805	403449503	CABJE	
198203067P1	CADA	5999	4034526G7	CABN	5805
198203072P1	CACT	9535	4035306P21	CADG	5330
199209014P1	CABG0		4035306P51	CADW	5330
19C310121P1	CABT	53409446037	4035306P63	CABLC	
19D401142P2	CABLB		4035338P1	CABCO	
19D401607064	BZXR	5805	4036150P1	CAB1	5970
19D401607065	BZXT	5805	4036555P1	CAD1	58050857218
190401607G66	BZX0	5805	403847701	CABCC	
19b401607067	BZXU	5805	5490407P50	CABP	5325
190401607068	BZXW	5805	5490407P56	CABQ	5325
19D401607069	BZXS	5805	9491541P106	CACP	53108505723
19D401607i 70	BZXX	5805	5491541P204	CABMC	
19D401607071	BZXV	5805	5491581P1	CACYC	
19D401607Q72	CAAF	5805	5492483G1	CACYA	
19D401607077	CAAG	5805	5492521P12	CABX	5805
19D401607U82	CAAH	5805	549268001	BZY0	58209074749
19D401607083	CAAJ	5805	5492713P1	CABCE	
19D401607U 84	CAAK	5805	5492750P3	CABWB	
19D401607G87	CAAV	5805	5492750P3	CABJG	
19D401607U80	CAAW	5805	5492901P1	CABA	5805
19040160708	CAAE	5805	5492908P1	CAA2	5805
19D401943U2	CACL	5805	5492910G1	CABMA	
19D40525501	CACN	5805	549291201	CABG	59359995880
t9D405396079	BZWP M	58201798492	5492920P1	CACV	5805
190405396P108	BZXY	5805	5492929G1	BZXA	58209074748
19D405396P109	CAAL	5805	549292901	CAAD	5820G
190405396P110	BZWQ	5805	549292901	CAAU	5820
19e50008807	CAAP	5805	5492937G1	CAB!	5805
19E500088G8	8ZYB	5805	5492956P1	CAC0	5885
19E50008809	BZWR	5805	5492956P2	CACR	5808
1-5M56Z5	BZZN	59618547455	549303001	BZYA	5805

EQUIPMENT: 19D405396-7B
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5493030G1	CAAN	5805	N402P7C13	CABHD	p3107235414
5493566P1	CABCS		N403P21C13	CADD	53102090940
5493567G1	CABC	61309419731	N529P18C13	CA8E	5340
5495589G182	OZYN	59500852525	N539P103	CACB	5395
5495948P129	CABCA		N80P13010C13	CABNE	53050597679
5496078p3	CABCD		N80P19006C13	CACE	5305
5496085P1	CABMB	59359228133	N82P13010D	CACJ	5305
5496133G1	BZWS	62109261323	NP248814	CABZ	5805
5496133G1	BZYC	6210'	P101-499-24B	CACU	5325
9496133G1	CAA0	6210	PS0741A	CABR	5805
5496135G24	CACX	5940	RC206F013J	BZXC	590518S8510
5496139G8	BZXZ	5805	RC20F204J	BZX9	590S1712003
5496139G8	CAAM	5805	RC20GF271J	BZXD	59051712010
5496216G2	BZVV	5945	RC200F27JJ	BZXG	59052793499
5496216G2	CAAC	5945	RC206F512J	BZXF	59052792019
5496216G2	CAAT	5945	RC20GF513J	BZXE	5905279349w
949635663	CACY	5940	RN20X69R8F	CABJD	
549665161	CABB	5805	RN6901001F	BZYU	59058639198
5496735P1	CACZ	58050857236	RN65U1002F	BZZH	5905064055
5906857G3	BZVU	5805	RN6501102F	BZZA	59050620537
549665793	CAAB	5805	RN65U1334F	BZZJ	59057620663
5496857G3	CAAS	5805	RN65D1471F	BZYZ	59059936012
5496862G2	CACXB		RN65D1781F	BZZZ	59059936975
5498699932	CACK	5805	RN6501961F	BZZZ	59052258175
5498699G34	CACM	5805	HN65D2152F	BZYK	59059932268
5498720G16	CABY	5805	RN65U2372F	BZYR	59059884710
5498921P1	CABJC		RN65D2610F	8ZYW	59050880967
601PE2240=5W	BZYL	59109641345	RN6502612F	BZYT	59050602484
60P1E3340=5W	OZYM	59100852730	RN65D3161F	9ZZK	59059931362
714122SP2	CABW	5310	RN6SD31R6F	BZZL	59059932271
7141225P3	CABU	5310	RN6503480F	BZYP	59099905023
7491823P4	CABC		RN6503481F	BZZG	59059931363
7774524P3	CACXA		RN65b4642F	BZZD	59059932261
7878455P1	CADB	59403084357	RN6505110FP	BZZ	59059895580
CM07F512J03	BZYZ	59100500086	RN6SUS111F	BZYU	59058138640
CSt3AF220N	BZYE	59108468098	RN6SU5112r	BZZC	59059932267
CS13BF100g	BZYG	59109040519	RN65U6811F	BZZM	59050602481
FD630S	CABHA	59352442707	HN65D7500F	8ZYV	59059936341
FP630S	CABJF		RN6507502F	BZYY	59059903029
M3449-5CHTC	CABJA	59406659982	RN65U9092F	BZYZ	59059529435
M3449-5CHTC	CABJB	59406699982	SS0753	BZXL	59610601689
M8351900223	CACC	53059576636	T1S4X101	BZWY	59459230411
NS35206-213	CACG	53058893116	UT66	BZXN	59610566403
MS35206-215	CACH	53058892997	UT66	8ZZS	5961
S1G5206-226	CACF	53059844983			
N835333-37	CADE	53105790079			
N210P19C13	CABV	53109585209			
N37P9021C13	CACD	5305			
N402P5C13	CADC	5310			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTH ORIZED ALLOW ANCES SEE SEQ. NO.	MAINTA INABILITY AND RECO VERAB ILITY CODE	FEDERAL STOCK NUMBER	IND ENT CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGAN IZATION 15 DAY MAINT. ALLOW PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BYUPM		A FR	58201798496	A	MUX SYSTEM 19D405396-7C 117 VAC, 60 CY, 1 PHASE, 24 CHAN EACH DIR	08771	EA	1	1				
BYUT		P 0	62401558707	D	LAMP,INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5			11
BYZT		P 0	53409446037	B	KNOB 19C310121P1 PHEN,0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	103	103	20.0			

DATE 04-23-69

REVISION NO.

215-1

DATE: 04-23-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-7C

02768,	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONOUIN RD DES PLAINES ILL	80131,	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C
03508,	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	81349,	MILITARY SPECIFICATIONS
04113,	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIZONA	84411,	TRW CAPACITOR DIV OGALLALA NEBR
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	86684,	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HAHRISON N J
08806,	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95076,	GARDE MFG CO 53 JOHN ST CUMBERLAND R I
13141,	UNITRODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	95354,	METHUDE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13715,	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906,	MILITARY STANDARDS
70309,	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK N Y		
71785,	CINCH MFG CO AND NOWARD I JONES DIV 1026 S HOMAN AVE CWICAGO ILL		
78553,	TINNERMAN PRODUCTS INC CLEVELAND OHIO		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVUP M		A FR	58201798496	A	MUX SYSTEM 19D405396-7C 117 VAC. 60 CYV 1 PHASE, 24 CHAN EACH DIR	08771	EA	1	1								
BYUPB		X 2F		B	CHANNEL RACK 19D405396P113	08771	EA	1	1								
BYUO		X 2F		C	PANEL,FRONT 5493030G1	08771	EA	103	146								
BYUR		A FR		C	RACK,ASSY 19E500088G9 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BYUS		P F	62109261323	D	ALARM ASSEMBLY 5496133G1 28 VDC, 0.90 IN. X 0.90 IN. X 4.30 IN. O/A	08771	EA	1	3	4.9	4.9	9.0					21.7
BYUT		P O	62401558707	D	LAMP,INCAND 1819-28V 28V. 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5	17.5	200.0			11		117.9
BYUU		X1F		D	RACK,EL EQUIP 5496857G3	08771	EA	1	3								

DATE 04-23-69

REVISION NO.

215-3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYUV		A FR		D	RELAY ASSY 5496216G2 STL. CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN,	08771	EA	1	3								
BYUW		P F	59352370456	E	CONN,PLUG,ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1.2	71785	EA	1	3	2.7	2.7	3.0			P1	10.3	
BYUX		P F	59358929607	E	CONN,REC.ELEC 261-31-12-010 PWEN, 12 PH 8RZ MALE CONT, 7.5A RATED	71785	EA	1	3	2.7	2.7	3.0			J2	10.3	
BYUY		P F	59459230411	E	RELAY,ARMATURE T154X101 115 VDC, 6 PDT, 1.5W.,, 0.013A, 9000 OHM RE'S	70309	EA	2	6	5.2	5.2	18.0			K1,K2	23.3	
BYUZ		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TERM,0.921IN	70309	EA	2	6	3.9	3.9	18.0			XK1,XK2	16.5	
BYVA		A F	58209074748	D	TERMINAL BOARD 5492929G1 PHENOLIC, 0.062 IN, X 3.500 IN. X 3.875 IN.	08771	EA	1	3								
BYVB		P F	59051712003	E	RES,FXD,COMP RC20GF204J 200000 OHM, 5 PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R1	16.5	

DATE 04-23-69

REVISION NO.

215-4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYVC		P F	59051858510	E	RES.FXD,COMP RC20GF103J 10000 OHMS, 5 PCT, 1/2	81349	EA	1	3	3.9	3.9	910			R3	16,5
BYVD		P F	59051712006	E	RES FXD,COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R6,R9	23.3
BYVE		P F	59052793496	E	RES,FXD,COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R2,R4	23,5
BYVF		P F	59052792019	E	RES,FXD,COMP RC20GF512J 5100 OHM, 5 PCT, 1/2 W	81349	EA	2	6	5.2	5.2	18.0			R7,R8	23.3
BYVG		P F	59052793499	E	RES,FXD,COMP RC20GF273J 27000 OHM, 5 PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R5	16.5
BYVH		P F	59610566403	E	SEMICOND,DIODE UT66 SILICON, RECTIFIER, 100 PIV, 0.600 MAX DCA	13141	EA	1	7	7.7	7.7	35.0			CR4	38,9
BYVJ		P F	59618920748	E	SEMICOND,DIODE 1N979P ZENER, 56V, 2.2 MA# 150 OWH MAX, 5 PCT	81349	EA	1	4	5.2	5.2	20.0			VR1	23.3

DATE 04-23-69

REVISION NO.

215-5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYVL		P F	59610601689	E	SEMICOND,DIODE SSD753 SILICON, NPN, 300 MA AT 25 C. FAST RECOVERY	13715	EA	3	9	8,7	8,7	45.0			CR1THHUCR3	46.2
BYYN		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.251N	08771	EA	2	6	5,2	5,2	30.0			Q2,Q3	23.3
BYVP		P F		E	TRANSISTOR 2N3053 SILICON, NPN, 60V, 100 MC, 5W, 1A	86684	EA	1	3	4,9	4,9	15.0			Q1	21.7
BYVQ		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	1							
BYVR		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	1							
BYVS		X 2F		C	SHELF ASSY 19D401607G65	08771	EA	1	1							
BYVT		X 2F		C	SHELF ASSY 190401607G70	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

215-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYVU		X 2F		C	SHELF ASSY 19D401607064	08771	EA	1	1							
BYVV		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	1							
BYVW		X 2F		C	SHELF ASSY 190401607G66	08771	EA	1	1							
BYVX		X 2F		C	SHELF ASSY 19D401607G68	08771	EA	1	1							
BYVY		A FR		B	COM EQUIP RCK 19D405396PIII 115 VAC. 19.5 X 20.5 IN, X 7 FT O/A	08771	EA	1	1							
BYVZ		X 2F		C	PANEL BLANK 5496139G8	08771	EA	2	8							
BYWA		BYUQ		C	PANEL,FRONT 5493030G1	08771		28	REF							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYWB		A FR		C	RACK ASSY 19E500088G8 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BYWC	BYUS			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BYWD		A FR	58209074749	D	ALARM BD,MAJ 5492680G1 PHENOLIC, 0.500 IN, X 3.500 IN. X 4.77 IN,	08771	EA	1	1								
BYWE		P F	59108466098	E	CAP,FXD.,LECT CS13AF220M 22 MFD. 20 PCT. 35 VDCW	81349	EA	2	2	3.2	3.2	6.0			C3,C8	12.4	
BYWG		P F	59109040519	E	CAP,FXD.ELECT CS13BF105M 1 PF, 10 PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C6	6.8	
BYWJ		P F	59100500066	E	CAP,FXD,MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C1	6.8	
BYWL		P F	59109641345	E	CAP,FXD.PLSTC 601PE2240-5W 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2,C5	12.4	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYWM		P F	59100852730	E	CAP,FXD,PLSTC 601PE3340-5W 33000 PF, 20 PCT, 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8
BYWN		P F	59500852525	E	COIL.RF 5495589G1R2 7/16 X 9/16 IN. U/A, 74.5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
BYWP		P F	59059905023	E	RES,FXD,FILM RN65D34ROF 348 OHM, I PCT. 1/2W	81349	EA	1	1	2,2	2,2	3.0			R18	6.8
BYWQ		P F	59059936012	E	RES,FXD,FILM RN65DI471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2,2	2,2	3.0			R6	6.8
BYWR		P F	59059884710	E	RES,FXU,FILM RN65D2372F 23700 OHM, I PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R15	6.81
BYWS		P F	59058839198	E	RES,FXD,FILM RN65DIOO1F 1000 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R22,R29	12,41
BYWT		P F	59050602484	E	RES,FXD,FILM RN65D2612F 26100 OHM, IPCT, 1/2W	81349	EA	1	1	2,2	2,2	3,0			R4	6.81

DATE 04-23-69

REVISION NO.

215-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYWU		P F	59058138640	E	RES,FXD,FILM RN65D5111F 5110 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8
BYWV		P F	59059936341	E	RES,FXD,FILM RN65bSD750OF 750 OHM, 1 PCT 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BYWW		P F	59050880987	E	RES,FXD,FILM RN65D2610F 261 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,H14	12.4
BYWX		P F	59059932268	E	RES,FXD,FILM RN65D2152F 21500 OHM, I PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20,H21	12.4
BYWY		P F	59059903029	E	RES,FXD.FILM RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BYWZ		P F	59059529435	E	RES,FXD,FILM RN65D9092r 90900 OHM. 1 PCT 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8
BYXA		P F	59050620537	E	RES,FXD,FITLM RN65D11O2F 11000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8
DATE		04-23-69		REVISION NO.												215-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYXB		P F	59052258175	E	RES,FXD,FILH RN65D191F 1960 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8
BYXC		P F	59059932267	E	RES,FXD,FILM RN65D5112F 51100 ,OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BYXD		P F	59059932261	E	RES,FXD,FILM RN65D4642F 46400 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BYXE		P F	59959895580	E	RES,FXD,FILM RN65D5110F 511 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BYXF		P F	59059936975	E	RES,FXD.FILM RN65D1781F 1780 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R31	6.8
BYXG		P F	59059931363	E	RES,FXD,FILM RN65D34R1F 3480 OHM, 1 PCTI 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19,H24	12.4
BYXH		P F	59050640555	E	RES,FXD,FILM RN65D102F 10000 OHM, PCT. 1/2W	81349	EA	3	3	3.9	3.9	9.0			R5,R11,R17	16.5
DATE 04-23-69													REVISION NO.			215-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYXJ		P F	59057620663	E	RES,FXDIFILM RN65D1334F 1330000 OHM. 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R30	6,8
BYXK		P F	59059931362	E	RES,FXD,FILM RN65D3161F 3160 OHMS, 1PCT, 1/2W	81349	EA	2	2	3.2	3.2	6,0			R7,R23	12,4
BYXL		P F	59059932271	E	RES,FXD,FILM RN65D31R6F 31.6 OHM, 1 PCT, 1/2W	81349	EA	1	1	2,2	2,2	3,0			R3	6,8
BYXM		P F	59050602481	E	RES,FXD.FILM RN65D6811F 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6,8
BYXN		P F	59618547455	E	SESSICOND DIODE 1-5M56Z5 ZENER, 56V, 10 PCT TUL	04713	EA	1	1	2.7	2.7	5.0			VR3	10,3
BYXP		P F	59614460270	E	SEMICOND,DIODE 1N198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3,9	10,0			CR5,C6	16,5
BYXR	BYVJ			E	SEMICOND,DIODE 1N979B	81349		1	REF						VR1	
DATE 04-23-69													REVISION NO.			215-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYXS	UYVH			E	SEMICOND,DIODE UT66	13141		4	REF								
BYXT		P F	59618266631	E	SEMICOND,DIODE 1N712 ZENER, 8.2V, 25 MA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2		10.3
BYXU		P F	59618371924	E	SEMICOND,DIODE 1N91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1		10.3
BYXW		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM., PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRUQ7		21.7
BYXX		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			Q2.03		16.5
BYXY		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE. 3 MHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1		10.3
BYXZ		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC. 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4		10.3
DATE		04-23-69												REVISION NO.		215-13	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYYA	BYUT			D	LAMP,INCAND 1819-28V	08806		2	REF							11,12
BYYB	BYUU			D	RACK,EL.EQUIP 5496857G3	08771		1	REF							
BYYC	BYUV			D	RELAY ASSY 5496216G2	08771		1	REF							
BYYD	BYVA			D	TERMINAL ROARD 5492929G1	08771		1	REF							
BYYE		X 2F		C	SHELF ASSY 19D401607G82	08771	EA	1	1							
BYYF		X 2F		C	SHELF ASSY 19D4016n7G72	08771	EA	1	1							
BYYG		X 2F		C	SHELF ASSY 19D401607G83	08771	EA	1	1							
DATE		04-23-69		REVISION NO.												215-14

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYYH		X 2F		C	SHELF ASSY 1904016n7G8	08771	EA	1	1								
BYYJ		X 2F		C	SHELF ASSY 19D401607G77	08771	EA	1	1								
BYYK		A FR		B	GP REG INT RCK 19D405396P112 115 VAC, 19.5 X 20,5 IN, X 7 FT O/A	08771	EA	1	1								
BYYL	BYVZ			C	PANEL BLANK 5496139G8	08771		6	REF								
BYYM	BYUO			C	PANEL.FRONT 5493030G1	08771		15	REF								
BYYN		A FR		C	RACK ASSY 19E500088G7 115 VAC, 19.5 X 20,5 IN, X 7 FT O/A	08771	EA	1	1								
BYYP	BYUS			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
DATE 04-23-69								REVISION NO.									215-15

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS		
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BYYQ	BYUT			D	LAMP,INCAND 1819-28V	08806		1	REF						11
BYYR	BYUU			D	RACK,EL EQUIP 5496857G3	08771		1	REF						
BYYS	BYUV			D	RELAY ASSY. 5496216G2	08771		1	REF						
BYYT	BYVA			D	TERMINAL ROARD 5492929G1	08771		1	REF						
BYYU		X 2F		C	SHELF ASSY 190401607G87	08771	EA	1	1						
BYYV		X 2F		C	SHELF ASSY 19D4016f7G88	08771	EA	1	1						
BYYW		X 2F		B	BLOCK 19B200642P3	08771	EA	6	6						
DATE		04-23-69		REVISION NO.										215-16	

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYXX		X 2F		B	BLOCK 198201599P1	08771	EA	2	2								
BYYY		X 2F		B	BRACKET 5492908P1	08771	EA	3	3								
BYYZ		X 2F		B	BRKT,DBL.ANGLE 549290 P1	08771	EA	3	3								
BYZA		X 2F		B	BUS BAR 5496651G1	08771	EA	1	1								
BYZB		P F	61309419731	B	BUS BAR,4RKC 5493567G1 48 KHZ, COPPER. 2.500 IN. LG	08771	EA	1	1	2.7	2.7	4.0					
BYZBA		X1F		C	RES.FXD.FILM 5495948P125	08771	EA	1	1							R1	
BYZBB		X1F		C	BRKT,DBL.ANGLE 5493566P1	08771	EA	1	1								
DATE		04-23-69				REVISION NO.										215-17	

B
D
A
E
S
P
O
T

10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYZBC		X1F		C	SHLD,ELEC CONN 5496078P3	08771	EA	7	7								
BYZBD		X1F		C	CONN,RECP,ELEC 5496078P3	08771	EA	7	7								
BYZBE		X1F		C	INSULATOR,PLATE 5492713P1	08771	EA	1	1								
BYZBF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1								
BYZBG		C F		C	TERMINAL,LUG 4035338P1	08771	EA	1	1								
BYZC		X 2F	53400850856	B	BUTTON,PLUG 207-360231-00	02768	EA	103	103								
BYZD		X 2F		B	BUTTON,PLUG N529P18C13	08771	EA	12	12								
DATE	04-23-69																
					REVISION NO.												
																	215-18

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYZE		X 2F		B	CHANNEL,RACK 19D405396P113	08771	EA	1	1								
BYZF		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	16	16								
BYZG		P F			58959420941 B CONN-SPT 19B202230G1 ALUMINUM# X 6.75 IN. O/A	08771	EA	97	97	19.5	19.5	97.0					136.2
BYZGA		X1F		C	CONN,RECP,ELEC FD630S	95354	EA	1	102								
BYZGB		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	194								
BY2GC		X1F		C	BRACKET,ANGLE 198202181P1	08771	EA	1	97								
YZH		P F		B	CONN-SPT 198202603G1 STL. 0.090 IN. X 0.090 IN. X 4.810 IN. O/A	08771	EA	26	26	8.7	8.7	26.0					46.2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYZHA		X1F		C	BRKT,DBL,ANGLE 198202566P1	08771	EA	1	26								
BYZHB		X1F		C	SWELL.ELEC.CONN 19D401142P2	08771	EA	1	26								
BYZHC		C F		C	WASHER,NM 4035306P63	08771	EA	2	52								
BYZMD		C F		C	WASHER,FLAT 19A101105P1	08771	EA	2	52								
BYZJ		P F		B	CONN-SPT 198202230G5 ALUMINUM, X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4	
BVZK		P F	58209228702	B	CONN-SPT 19B20223nG4 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4	
BYZKA		C F	59406659962	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	5						W1		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYZKB		C F	59406659962	C	TERMINAL,STUD M3449-5CHTC	95076	EA	2	10							E2,E4
BYZKC		X1F		C	TRANSFORMER,RF 5498921P1	08771	EA	1	5							WY1
BYZKD		X1F		C	RES,FXD,FILM RN20X609R8F	81439	EA	1	5							R1
BYZKE		X1F		C	BRACKET,ANGLE 4034495G3	08771	EA	1	5							
BYZKF	BYZGA			C	CONN.RECP,ELEC FD6305	95354		1	REF							
BYZKG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	10	i						
BYZL		P F		B	CONN-SPT 19B202620G2 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	36	36	10.6	10.6	36.0				

B
D
A
S
E
O
T

60.0

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYZLA		X1F		C	BRACKET,ANGLE 19B202181P3	08771	EA	1	36							
BYZLB		X1F		C	CONN.RECP,ELEC 19B209014P1	08771	EA	1	36							
BYZM		A F	59359995880	B	COVER,ALARM 5492912G1 AL, CADMIUM PLATED, X 4.500 IN. O/A	08771	EA	6	6							
BYZIMA		X 2F		C	RET.ELEC CONN 5492910G1	08771	EA	1	6							
BYZMB		P F	59359228133	C	CONN.RECP.ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	6	3.9	3'9	6.0	1 6.95			
BYZMC	X 2F			C	POST,ELEC-MECH 5491541P204	08771	EA	2	12							
BYZMD		C		F	53207235414 C WASHER,FLAT N402P7C13	08771	EA	2	12							

B
D
A
S
E
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYZME		C F	53050597679	C	SCREW,MACHINE N80P13010C13	08771	EA	2	12								
BYZN		X 2F		B	EXTRUSION 4034526G7	08771	EA	36	36								
BYZP		C F		B	GROMMET,RUBBER 5490407P50	08771	EA	6	6								
BYZQ		C F		B	GROMMET,RUBBER 5490407P56	08771	EA	6	6								
BYZR		X 2F		B	GUIDE,SHELF PS0741A	02768	EA	400	400								
BYZS		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2								
BYZT		P 0	53409446037	B	KNOB 19 C310121PI PHEN,0.317 X 0.470 X 11030 IN. O/A DIM	08771	EA	103	103 20.0	20.0	103.0						

B D
A E
S P
E O
T

142.4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYZU		C F	53109585209	B	NUT,PLAIN,HEX N210P19C13	08771	EA	103	103							
BYZV		C F		B	NUT,PLAIN,HEX 7141225P2	08771	EA	206	206							
BYZW		C F		B	NUT,PLAIN,HEX 7141225P3	08771	EA	103	103							
BYZX		X 2F		B	PLATE 5492521P12	08771	EA	103	103							
BYZY		X 2F		B	PLATE 5498720G16	08771	EA	103	103							
BYZZ		M H		B	PLATE,IDENT NP248847	08771	EA	16	16							
BZAA		M H		B	PLATE,IDENT NP248814	08771	EA	3	3							

B
D
A
S
E
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZAB		P F		B	PRINTED CKT 80 198202667P1 PHENOLIC, 0.062 IN, X 3.070 IN. X 3.500 IN.	08771	EA	1	1	2.7	2.7	3.0					
BZAC		C F		B	SCREW,DRIVE N539P103	08771	EA	206	206								
BZAD		C F	53059844983	B	SCREW,MACHINE MS35206-226	96906	EA	129	129								
BZAE		C F		B	SCREW,MACHINE N37P9021C13	08771	EA	206	206								
BZAF		C F	53058893116 MS35206-213	B	SCREW,MACHINE	96906	EA	2	2								
BZAG		C F		B	SCREW,MACHINE NBOP19006C13	08771	EA	103	103								
BZAH		C F	53058892997	B	SCREW,MACHINE MS35206-215	96906	EA	12	12								

B
D
A
S
E
O
T

10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZAJ		C F		B	SCREW.MACHINL N82P13010D	08771	EA	103	103							
BZAK		C F	53059576636	B	SCREW.MACHINE MS35190-223	96906	EA	6								
BZAL		X 2F		B	SHELF 19D405255G1	08771	EA	1	1							
BZAM		X 2F		B	SHELF 5498699G32	08771	EA	12	12							
BZAN		X 2F		B	SHELF 5498699G34	08771	EA	1	1							
BZAP		X 2F		B	SHELF 190401943G2	08771	EA	2	2							
BZAQ		C F	53108505713	B	SPACER.SLEEVE 5491541P106	08771	EA	4	4							

B
D
A
S
E
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZAR		X 2F		B	SPRING 5492956P2	08771	EA	103	103							
BZAS		X 2F		B	SPRING 5492956P1	08771	EA	103	103							
BZAT		X 2F		B	STRIP 198203025P5	08771	EA	103	103							
BZAU		X 2F		B	STRIP,FOIL 198203072P1	08771	EA	103	103							
BZAV		X 2F		B	STUD.FRICTION P101-499-24B	78553	EA	129	129							
BZAW		X 2F		B	SUPPORT,CABLE 5492920P1	08771	EA	1	1							
BZAX	P F		59359420103	B	SUPPORT,CONN 198202620G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	10	10	5.2	5.2	10. 0	23.3			

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZAY		A F		B	TERMINAL RLK 5496135G24 AL. CHROMATE FINISH, 5.200 X 58.875 IN.	08771	EA	3	3							
BZAYA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	24							
BZAYB		X1F		C	CHAS,ELEC EOUIP 5496862G2	08771	EA	1	3							
BZAZ		A F		B	TERMINAL BLK 5496356G3 AL. CHROMATE FINISH, 5.200 X 58.875 IN, O/A	08771	EA	1	1							
BZAZA		X1F		C	CHAS,ELEC,EQUIP 5492483G1	08771	EA	1	1							
BZAZB		X 2F		C	SHLD,ELEC CONN 4034205P1	08771	EA	20	20							
OZAZC		C F		C	TERMINAL,LUG 5491581P1	08771	EA	20	20							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZAZD		X 2F		C	TEKMINAL BOANO 4034193G4	08771	EA	10	10							
BZAZE		X 2F		C	TERMINAL BOARD 4034193G5	08771	EA	10	10							
BZBA		X 2F		B	TERMINAL BOARD 19B203067P1	08771	EA	6	6							
BZBB		X 2F	58050857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							
BZBC		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							
BZBD		C F		B	WASHER,FLAT N402PSC13	08771	EA	206	206							
BZBE		C F	53105790079	B	WASHER,LOCK MS35333-37	96906	EA	129	129							

B
D
A
S
E
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZBF		C F	53102090940	B	WASHER, LOCK N403P21C13	08771	EA	103	103							
BZBG		C F		B	WASHER, NM 4035306P21	08771	EA	4	4							
BZBH		C F		B	WASHER, NM 4035306P51	08771	EA	4	4							
BZBJ		C F	58050857218	B	WASHER, NM 4036555P1	08771	EA	25	25							

B
D
A
E
S
E
O
T

EQUIPMENT: 19D405396-7C
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BYUT	62401558707	1N198	BYXP	59614460270
1819-28V	BYYA	6240	1N712	BYXY	59618266631
1819-28V	BYYQ	6240	1N91	BYXU	59618371924
19A101105P1	BYZHD		1N979B	BYVU	59618920748
19A115562P2	BYVN	59610601655	1N979B	BYXR	5961
19B200642P3	BYYW	5805	207-360231-00	BYZC	53400850856
19B201599P1	BYYX	5805	261-31-12-010	BYUX	59358929607
19B202181P1	BYZGC		261-32-12-030	BYUW	5935237045&
19B202181P3	BYZLA		2N1039	BYXZ	59618218977
199202230G1	BYZG	58959420941	2N1302	BYXY	59618507646
198202230G4	BYZK	58209228702	2N1395	BYXW	99610805233
19B202230G5	BYZJ	5805	2N1614	BYXX	59610860040
19B202566P1	BYZHA		2N3053	BYVP	5961
19B202603G1	BYZH	5805	30054-1	BYUZ	59357336326
19B202620G1	BZAX	59359420103	4034193G4	BZAZD	
19B202620G2	BYZL	5805	4034193G5	BZAZE	
19B202667P1	BZAB	5999	4034205P1	BZAZB	
19B203025P5	BZAT	5805	403449503	BYZKE	
19B203067P1	BZBA	5999	4034526G7	BYZN	580S
19B203072P1	BZAU	9535	4035306P21	BZBP	5330
19B209014P1	BYZLB		4035306P51	BZBH	5330
19C310121P1	BYZT	53409446037	4035306P63	BYZHC	
19D401142P2	BYZHB		4035338P1	BYZBG	
19D401607G64	BYVU	5805	4036150P1	BYZS	5970
19D401607G65	BYVS	5805	4036555P1	BZBJ	58050857218
19D401607G66	BYVW	5805	5490407P50	BYZP	5325
19D401607667	BYVV	5805	5490407P56	BYZQ	5325
19D401607U68	BYVX	5805	5491541P106	BZAO	53108505723
19D401607U69	BYVR	5805	5491541P204	BYZMC	
19D401607070	BYVT	5805	5491581P1	BZAZC	
19D401607G71	BYVQ	5805	5492483G1	BZAZA	
19D401607G72	BYVF	5805	5492521P12	BYZX	5805
19D401607G77	BYYJ	5805	5492680G1	BYWD	58209047749
19D401607G82	BYYE	5805	5492713P1	BYZBE	
19D401607G83	BYYG	5805	5492750P3	BYZGB	
19D401607G87	BYYU	5805	5492750P3	BYZKG	
19D401607G88	BYYV	5805	5492901P1	BYYP	5805
19D401607G8	BYYH	5805	5492908P1	BYYY	5805
19D401943G2	BZAP	5805	5492910G1	BYZMA	
19D405255G1	BZAL	5805	5492912G1	BYZM	59359995880
19D405396-7C	BYUP M	58201798496	5492920P1	BZAW	5805
19D405396P111	BYYY	5805	5492929G1	BYVA	58209074748
19D405396P112	BYYK	5805	5492929G1	BYVD	5820
19D405396P113	BYUPB		5492929G1	BYYT	5820
19D405396P113	BYZE	5805	5492937G1	BYZF	
19E500088G7	BYYN	5805	5492956P1	BZAS	5805
19E500088G8	BYWB	58n5	5492956P2	BZAR	5805
19E500088G9	BYUR	5805	5493030G1	BYUQ	5805
1-5M56Z5	BYXN	59A61547455	5493030G1	EYWA	5801

EQUIPMENT: 19D405396-7C
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5493030G1	BYYM	5805	N402PSC13	BZBD	5310
5493566P1	BYZBB		N402P7C13	BYZMD	53107235414
5493567G1	WYZB	61309419731	N403P21C13	BZBR	53102090940
5495589G162	BYWN	59500852525	N529P18C13	BYZD	5340
5495948P125	BYZBA		N539P103	BZAC	5305
5496078P3	BYZBC		N80P13010C13	BYZME	53050597679
5496078P3	BYZBD		N80P19006C13	BZAG	5305
5496085P1	BYZMB	59359228133	N82P130100	BZAJ	5305
5496133G1	BYUS	62109261323	NP248814	BZAA	5805
5496133G1	BYWC	6210	NP248847	BYZZ	5805
5496133G1	BYYP	6210	P101-499-24B	BZAV	5325
5496135G24	BZAY	5940	P50741A	BYZR	5805
5496139G8	BYVZ	5905	RC20UF013J	BYVC	59051858510
5496139G8	BYYL	5805	RC20GF204J	BYVB	59051712003
5496216G2	BYUV	5945	RC20GF271J	BYVD	59051712006
5496216G2	BYYC	5945	RC20UF273J	BYVG	5905279349
5496216G2	BYYS	5945	RC20GF512J	BYVF	59052792019
5496356G3	BZAZ	5940	RC20GF513J	BYVE	59052793496
5496651G1	BYZA	5805	RN20X609R8F	BYZKD	
5496735P1	BZBB	58050857236	RN65D1001F	BYWS	59058839198
5496857G3	BYUU	5805	RN65U1002F	BYXH	5905064055
5496857G3	BYVB	5805	RN65U1102F	BYXA	5905062037
5496857G3	BYVR	5805	RN65U1334F	BYXJ	59059936012
5496862G2	BZAYB		RN65U1471F	BYWQ	59059936012
5498699G32	BZAM	5205	RN65U1781F	BYXT	59059936975
5498699G34	BZAN	5805	RN65U1961F	BYXB	59052258175
5498720G16	BYZY	5805	RN65U2152F	BYWX	59059932266
5498921P1	BYZKC		RN65U2372F	BYWR	5905984710
60tPE2240-5W	BYWL	59109641345	RN65D2610F	BYWW	59050880987
601PE3340-W	RYWM	59100852730	RN65U2612F	BYWF	59050602484
7141225P2	BYZV	5310	RN65U3161F	BYXK	5909931362
7141225P3	BYZW	5310	RN65U31R6F	BYXL	59059932271
7491823P4	BYZBF		RN65U3480F	BYWP	59059905023
7774524P3	BZAYA		RN65U3481F	RYXG	59059931363
7878455P1	BZBC	59403084357	RN65U4642F	BYXV	59059932261
CS7F512J03	BYWJ	59100500086	RN65U5110F	BYXE	59059895580
CS13AF220M	BYWE	59108468098	RN65U5111F	BYWU	59058138640
CS13BFIOSM	BYWG	59109040519	RN65U5112F	BYXC	59059932267
FD630S	BYZGA		RN65U6811F	RYXM	59050602481
FD630S	BYZKF		RN65U7500F	BYWV	59059936341
M3449-5CHTC	BYZKA	59406659982	RN65D7502F	BYWY	59059903029
M3449-5CHTC	BYZKB	59406659982	RN65U9092F	BYWZ	59059529435
MS35190-223	BZAK	53059576636	SSU753	BYVL	59610601689
MS35206-213	BZAF	53058893116	T154X101	BYUY	59459230411
MS35206-215	BZAH	53058892997	UT66	BYVH	59610566403
MS35206-226	BZAD	53059844983	UT66	RYXS	5961
MS35333-37	BZBE	53105790079			
N210P19C13	BYZU	53109585209			
N37P902IC13	BZAE	5305			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INVENTORY CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW. PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BWXKM		A FR	58201798502	A	MUX SYSTEM 19D405396-8E 117 VAC, 6.0 CY EACH DIR PHASE 24 CHAN	08771	EA	1	1				
BWXQ		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5			11
BXCQ		P O	53409446037	B	KNOB 19C311121P1 PHEN, 0.317 X 0.470 X 1.030 IN. 0/A DIM	08771	EA	103	103	20.0			

DATE 04-23-69

REVISION NO.

216-1

DATE: 04-23-69

FEDERAL MANUFACTURING CODE TO
EQUIP NO: 19D485396-8E

NAME INDEX

02768	FASTIX DIV OF ILLINOIS TOOL WORKS 195 ALGONQUIN RD DES PLAINES ILL	80131	ELLCTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C
03908	GENERAL ELECTRIC CO SEMHICONDUCTOR PRODUCTS DEPT SYRACUSE N Y	81349	MILITARY SPECIFICATIONS
04713	MOTOROLA INC SEMICONDVCTOR PRODUCTS DIVISION 5005 E Mc DOWELL RD PHOENIX ARIZONA	84411	TRW CAPACITOR DIV OGALLALA NEBR
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCNHURR VA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HARRISON N J
08806	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95076	GARDE MFG Co 53 JOHN ST CUMBERLAND R I
13141	UNITRODE TRANSISTOR PRODUCTS INC CALADAOSA CALIF	95354	METHODE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13711	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906	MILITARY STANDARDS
70809	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK NY		
71785	CINCH MFB CO AND NOWARD B JONES DIV 1026 S HONAN AVE CHICAGO. IL		
78553	TINNERMAN PRODUCTS INC CLEVELAND OHIO		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWXK M		A FR	58201798502	A	MUX SYSTEH 19D405396-8E 117 VACO 60 CTY I PHASE, 24 CHAN DIR	08771 EACH	EA	1	1								
BWXL		A FR		B	CHANNEL RACK 19D405396P171 115 VAC, 19.5 X 20.5 IN, X 7 FT O/I	08771	0EA	1	1								
BWXM		X 2F		C	PANEL,FRONT 5493030G1	08771	EA	60	103								
BWXN		A FR		C	FACK,ASST 19E50008G69 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BWXP		P F	62209261323	D	ALARM ASSEMBLY 5496133G1 28 VDC, 0.90 IN. X 0.90 IN. X 4.30 IN. O/A	08771	EA	1	3	4.9	4.9	9.0					21.7
BWXQ		P O	62401558707	D	LAMP,INCAND 1819-28V 28V, 0.04 AMP' MINIATURE BAYONET BASE	08806	EA	1	4	17.5	17.5	200.0			11		117.9
BWXR		X1F		D	RACK,EL EOUIP 5496857G3	08771	EA	1	3								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWXS		A FR		D	RELAY ASSY 5496216G2 STL. CHROMATE FINISW, 0.09 X 1.25 x 2.50 IN.	08771	EA	1	3								
BWXT		P F	59352370456	E	CONN.PLUG.ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0 .938 X 1.25 X 1, 2	71785	EA	1	3 2.7	2.7	3.0				P1	10.3	
BWXU		P F	59358929607	E	CONN.REC.ELEC 261-31-12-010 PHEN, 12 PH BRZ MALE CONT. 7.5A RATED	71785	EA	1	3	2.7	2.7	3.0			J2	10.3	
BWXV		P F	59459230411	E	RELAYRARMATURE T154X101 115 VDC, 6 PDT, 1.5W, 0.013A, 9000 OHM RES	70309	EA	2	6	7.7	7.7	18.0			K1,K2	38.9	
BWXW		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TERM,0.921IN	70309	EA	2	6	3.9	3.9	18.0			XK1.XK2	16.5	
BWXX		A F	58209074748	D	TERMINAL BOARD 54'92929G1 PHENOLIC. 0.062 IN. K 3,500 IN. X 3.875 IN.	08771	EA	1	3								
BWXY		P F	59151712003	E	RES. FXD, COMP RC20GF204J 200000 OHM, 5 PCT. 1/2w	81349	EA	1	3	3.9	3.9	6.5			R1	16.5	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWXZ		P F	5905185S510	E	RES, FXD, COMP RC20GF103J 10000 OWMSP 5 PCT, 1/2	81349	EA	1	3	3.9	3.9	9.0			R3	16.5
BWYA		P F	59051712006	E	RES,FXD,COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	180			R63R9	23.3
BWYB		P F	59152793496	E	RES,FXD,COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R2,R4	23.3
BWYC		P F	59152792019	E	RS,FXD,COMP RC20GF512J 5100 OHM, 5 PCT, 1/2 W	81349	EA	2	6	5.2	5.2	18.0			R7,R8	23.3
BWYD		P F	59152793499	E	RES,FXD,COMP RC20GF273J 27000 OHM* 5 PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R5	16.5
BWYE		P R	59610566403	E	SEMCOND,DIODE UT66 SILICON, RECTIFIER, 100 PIV, 0.600 HAX DCA	13141	EA	1	7	7,7	7,7	35,0			CR4	38.9
BWYF		P F	59618920748	E	SEMICON,DIODE 1N9798 ZENER. 56V. 2.2 MA, 150 OHM MAX, 5 PCT	81349	EA	1	4	5.2	5.2	20.0			VR1	23.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWYH		P F	596106016891	E	SEMICOND.DIODE SSD753 SILICON, NPN, 300 MA AT 25 C, FAST RECOVERY	13715	EA	3	9	8.7	8.7	45.0			CR1THRUCR3	46,2
BWYK	P F		59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.25IN	08771	EA	2	6	7.7	7.7	30.0	38,9		Q2, Q3	38.9
BWYL	P F		59619859073	E	TRANSISTOR 2N3053 SILICON, NPN, 60V, 100 MC, 5W, 1A	86684	EA	1	3	4.9	4.9	15.0	21.7		Q1	21.7
BWYM	X 2F			C	SHELF ASSY 19D401607G67	08771	EA	1	1							
BWYN	X 2F			C	SHELF ASSY 19D401607G65	08771	EA	1	1							
BWYP	X 2F			C	SHELF ASSY 19D401607G71	08771	EA	1	1							
BWYQ	X 2F			C	SHELF ASSY 190401607G64	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

216-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWYR		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	1							
BWYS		X 2F		C	SHELF ASSY 19D401607066	08771	EA	1	1							
BWYT		X 2F		C	SHELF ASSY 19D401607G68	08771	EA	1	1							
BWYU		X 2F		C	SHELF ASSY 190401607G70	08771	EA	1	1							
BWVV		A FR		B	COM EQUTP RCK 19D405396P169 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1							
BWYW		X 2F		C	PANEL BLANK 5496139G8	08771	EA	2	8							
BWYX	BWXM			C	PANEL,FRONT 5493030G1	08771		28	REF							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWYY		A FR		C	PACK ASSY 19E500088G8 115 VAC, 19.5 X 20.5 IN. X 7 FT 0/A	08771	EA	1	1							
BWYZ	BWXP			D	ALARM ASSEMBLY 5496133G1	08771	EA	1	1	REF						
BWZA		A PR	58209074749	D	ALARM BD.MAJ- 5492680G1 PHENOLIC, 0,500 IN, X 3.500 IN. X 4.,7 IN,	08771	EA	1	1							
BWZB		P F	59208466098	E	CAP.FXD,ELECT CS13AF220M 22 MFD. 20 PCT. 35 VDCW	81349	EA	2	2	3.2	3.2	6.0		C3,C8	12.4	
BWZD		P F	92109040519	E	CAP.FXD,ELECT CS13BF105M 1 PF, 10 PCT 500 VDCW	81349	EA	1	1	2.2	2.2	3.0		C6	6.8	
BWZF		P F	59100500086	E	CAP.FXD,MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0		C1	6.8	
BWZH		P F	59109641345	E	CAP.FXD,PLSTC 601PE2240-5W 220000 PF, 20 PCT. 50 VDCW	84411	EA	2	2	3.2	3.2	6.0		C2,C5	12.4	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWZJ	P F		59100852730	E	CAP.FXD,PLSTC 601PE3340-5W 33000 PF, 20 PCT, 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8
BWZK	P F		59500852525	E	COIL, RF 5495589G182 7/16 X 9/16 IN. O/A, 74.5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
BWZL	P F		59059905023	E	RES,FXD, FILM RN65D3480F 348 OHM. 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BWZM	P R		59159936012	E	RES,FXD,FILM RN65D1471F 1470 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
BWZN	P F		59059884710	E	RES, FXD, FILM RN65D2372F 23700 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BWZP	P R		59058839198	E	RES,FXD,FILM RN65D1001F 1000 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R22,R29	12.4
BWZQ	P F		59850602484	E	RES, FXD, FILM RN65D2612F 26100 OHM, 1PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R4	6.8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWZR	P F		59158138640	E	RES,FXD,FILM RN65D5111F 5110 OHM. 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8
BWZS	P F		59059936341	E	RES,FXD,FILM RN65D7500F 750 OHN 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BWZT	P F		59150880987	E	RES,FXD,FILM RN65D2610F 261 OHM. 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,R14	12,4
BWZU	P F		9159932268	E	RES,FXD,FILM RN65D2152F 21500 OHM, I PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20,R21	12,4
BWZV	P F		59159903029	E	RES, FXD, FILM RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BWZW	P F		59059529435	E	RES. FXD, FILM RN65D9092F 90900 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8
BWZX	P F		59150620537	E	RES, FXD, FILM RN65D1102F 11000 OHM. 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWZY		P F	59052258175	E	RES,FXD,FILM RN65D1961F 1960 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8
BWZZ		P F	59059932267	E	RES,FXD,FILM RN65D512F 51100 OHM, i PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BXAA		P F	59059932261	E	RES,FXD,FILM RN65D4642F 46400 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BXAB		P F	59959695560	E	RES,FXD,FILM RN65DSII0F 511 OHM, I PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BXAC		P F	59159936975	E	RES, FXD, FILM RN65D1781F 1780 OHM, I PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R31	6.8
BXAD		P F	59159931363	E	RES, FXD, FILM RN65D3481F 3480 OHM. 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R191R24	12.4
BXAE		P F	59850640555	E	RES, FXD, FILM RN65DIO2F 10000 OHM, IPCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0	6		R5, R11, R17	16.5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXAF		P F	59157620663	E	RES.FXD,FILM RN65D1334F 1330000 OHM, I PCTD 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.6
BXAG		P F	59059931362	E	RES.FXD,FILM RN65D3161F 3160 OHMS. IPCT, 1W	81349	EA	2	2	3.2	3.2	6.0			R7,R23	12.4
BXAH		P F	59159932271	E	RES.FXD,FILM RN65D31R6F 31.6 OHM, I PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BKAJ		P F	59050602481	E	RES.FXD,FILM RN65D6811F 6810 OHM, 1 PCT., 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6.8
BXAK		P F	59\$18547455	E	SEMICOND DIODE 1-5M56Z5 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BXAL		P F	59614460270	E	SEMICOND,DIODE 1N19B GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5,CN6	16.5
BXAN	BWYF			E	SEMICOND,DIODE VR1 1N979B	81349		1	REF						VR1	

DATE 04-23-69

REVISION NO.

216-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXAP	BWYE			E	SEMICOND,DIODE UT66	13141		4	REF								
BXAQ		P F	59618266631	E	SEMICOND,DIODE 1N712 ZENER, 8.2V, 25 MA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2		10.3
BXAR		P F	59616774875	E	SEMICOND.DIODE 1N91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1		10.3
BXAT		P F	5961080S233	E	TRANSISTOR. 2N1395 GERMANIUM, PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5 THRU Q7		21.7
BXAU		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			Q2.Q3		16.5
BXAV		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE, 3 oz 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1		10.3
BXAW		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC, 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4		10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS					
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL			
BXAX	BWXQ			D	LAMP, INCAND 1819-28V	08806		2	REF									
BXAY	BWXR			D	RACK,EL EQUIP 5496857G3	08771		1	REF									
BXAZ	BWXS			D	RELAY ASSY 5496216G2	08771		1	REF									
BXBA	BWXX			D	TERMINAL BOARD 5492929G1	08771		1	REF									
BXBB		X 2F		C	SHELF ASSY 19D401607G8	08771	EA	1	1									
BXBC		X 2F		C	SHELF ASSY 19D401607G83	08771	EA	1	1									
BXBD		X 2F		C	SHELF ASSY 19D401607G77	08771	EA	1	1									

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXBE		X 2F		C	SHELF ASSY 19D401607G84	08771	EA	1	1								
BXBF		X 2F		C	SHELF ASSY 190D401607G72	08771	EA	1	1								
BXBG		X 2F		C	SHELF ASSY 19D401607G82	08771	EA	1	1								
BXBW		A FR		B	GP FEG INT RCK 19D405396P170 115 VAC, 19.5 X 20,5 IN, X 7 FT O/A	08771	EA	1	1								
BXBJ	BWYW			C	PANEL BLANK 5496139G8	08771		6	REF								
BXBK	BWXM			C	PANEL,FRONT 5493030G1	08771		15	REF								
BXBL		A FR		C	RACK ASSY 19E500088G7 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

216-15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXBM	BWXP		62109261323	D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BXBN	BWXQ			D	LAMP,INCAND 1819-28V	08806		1	REF						11		
BXBP	BWXR			D	RACK,EL.EQUIP 5496857G3	08771		1	REF								
BXBQ	BWXS			D	RELAY ASSY 549621602	08771		1	REF								
BXBR	BWXX			D	TERMINAL BOARD 5492929G1	08771		1	REF								
BXBS		X 2F		C	SHELF ASSY 19D401607G88	08771	EA	1	1								
BXBT		X 2F		C	SHELF ASSY 190401607G87	08771	EA	1	1								

B
D
E
S
E
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXBU		X 2F		B	BLOCK 19B200642P3	08771	EA	6	6								
BXBV		X 2F		B	BLOCK 198201599P1	08771	EA	2	2								
BXBW		X 2F		B	BRACKET 5492908P1	08771	EA	3	3								
BXBX		X 2F		B	BRKT.DBL,ANGLE 5492901P1	08771	EA	3	3								
BXBY		X 2F		B	BUS BAR 5496651G1	08771	EA	1	1								
BXBZ		P F	61309419731	B	BUS BAR,48KC 5493567G1 48 KHZ, COPPER. 2,500 IN, LG	08771	EA	1	1	2.7	2.7	3.0					10.3
BXBZA		X1F		C	RES.FXD.FILM 5495948P125	08771	EA	1	1						R1		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXBZB		X1F		C	BRKT, DBL, ANGLE 5493566P1	08771	EA	1	1							
BXBZC		X1F		C	SHLD.ELEC CONN 4038477G1	08771	EA	1	1							
BXBZD		X1F		C	CONN.RECP,ELEC 5496078P3	08771	EA	7	7							
BXBZE		X1F		C	INSULATOR,PLATE 5492713P1	08771	EA	1	1							
BXBZF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1							
BXBZG		C F		C	TERMINAL,LUG 4035338P1	08771	EA	1	1							
BXCA		X 2F	53400850856	B	BUTTON,PLUG 207-360231-00	02768	EA	103	103							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXCB		X 2F		B	BUTTON,PLUG N529P18C13	08771	EA	12	12								
BXCC		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	16	16								
BXCD		P F		B	CONN-SPT 19B202230G5 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4	
BXBE		P F	58959420941	B	CONN-SPT 198202230G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	97	97	19.5	19,5	97.0				136.2	
BXCEA		X1F	59350442707	C	CONN,RECP,ELEC FD630S	95354	EA	1	102								
BXCEB		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	194								
BXCEC		X1F		C	BRACKET,ANGLE 199202181P1	08771	EA	1	97								

DATE 04-23-69

REVISION NO.

216-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXCF		P F		B	CONN-SPT 1992026200G2 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	36	36	10.6	10.6	36.0				60,0
BXBFA		X1F		C	BRACKET,ANGLE 198202181P3	08771	EA	1	36							
BXCFB		X1F		C	CONN,RECP,ELEC 198209014P1	08771	EA	1	36							
BXCG		P F	58209228702	B	CONN-SPT 198202230G4 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4
BXCGA		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	5						W1	
BXCGB		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	2	10						E2,E4	
BXCGC		X1F		C	TRANSFORMER.RF 5498921P1	08771	EA	1	5						WY1	

DATE 04-23-69

REVISION NO.

216-20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXCGD		X1F		C	RES,FXD,FILM RN20X69R8F	81349	EA	1	5								
BXCGE		XF1		C	BRACKET,ANGLE 4034495G3	08771	EA	1	5								
BXCGF	BXCEA			C	CONN,RECP,ELEC FD630S	95354		1	REF								
BXCGG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	10								
BXCH		P F		B	CONN-SPT 198202603G1 STL, 0.090 IN. X 0,090 XN, X 4.810 IN. O/A	08771	EA	26	26	8.7	8.7	26.0					46.2
BXCHA		X1F		C	BRKT,DBL,ANGLE 19B202566P1	08771	EA	1	26								
BXCHB		X1F		C	SHELL,ELEC,CONN 19D401142P2	08771	EA	1	26								

DATE 04-23-69

REVISION NO.

216-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXCHC		C F		C	WASHER,NM 4035306P653	08771	EA	2	52								
BXCHD		C F		C	WASHER,FLAT 19A101105P1	08771	EA	2	52								
BXCJ		A F	59359995880	B	COVER,ALARM 5492912G1 AL. CADMIUM PLATED, 2 X 4,500 IN. O/A	08771	EA	6	6								
BXCJA		X 2F		C	RET,ELEC CONN 5492910G1	08771	EA	1	6								
8XCJB		P F	59359228133	C	CONN,RECP,ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	6	3.9	3.9	6.0					16,5
BXCJC		X 2F		C	POST,ELEC-MECH 5491541P204	08771	EA	2	12								
BXCJD		C F	53107235414	C	WASHER,FLAT N402P7C13	08771	EA	2	12								

DATE 04-23-69

REVISION NO.

216-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
8XCJE		C F	53050597679	C	SCREW,MACHINE N80P13010C13	08771	EA	2	12								
BXCK		X 2F		B	EXTRUSION 4034526G7	08771	EA	36	36								
BXCL		C F		B	GROMMET,RUBBER 5490407P50	08771	EA	6	6								
BXCM		C F		B	GROMMET,RUBBER 5490407P56	08771	EA	6	6								
BXCN		X 2F		B	GUIDE,SHELF P50741A	02768	EA	400	400								
BXCP		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2								
BXCQ		P O	53409446037	W	KNOB 19C310121P1 PWEN,0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	103	103	20,0	20,0	103,0					142,4

DATE 04-23-69

REVISION NO.

216-23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXCR		C F		B	NUT,PLAIN,HEX 7141225P2	08771	EA	206	206							
BXCS		C F	53209585209	B	NUT,PLAIN,HEX N210P19C13	08771	EA	103	103							
BXCT		C F		B	NUT, PLAIN, HEX 7141225P3	08771	EA	103	103							
BXCU		X 2F		B	PLATE 5492521P12	08771	EA	36	36							
BXCV		X 2F		B	PLATE 5498720G16	08771	EA	103	103							
BXCW		M W		B	PLATE,IDENT NP248814	08771	EA	3	3							
BXCX		M W		B	PLATE, IDENT NP248847	08771	EA	16	16							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS		
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BXCY		P F		B	PRINTED CKT BD 198202667P1 PHENOLIC, 0.062 IN. X 3.070 IN. X 3.500 IN.	08771	EA	1	1	2.7	2.7	3.0			
BXCZ		C F		B	SCREW_DRIVE N539P103	08771	EA	206	206						
BXDA		C F	53858892997	B	SCREW,MACHINE MS35206-215	96906	EA	12	12						
BXDB		C F		B	SCREW,MACHINE N37P9021C13	08771	EA	206	206						
BXDC		C F	53059576636	C	SCREW,MACHINE MS35190-223	96906	EA	6	6						
BXDD		C F		B	SCREW,MACHINE N80P19006C13	08771	EA	103	103						
BXDE		C F		B	SCREW,MACHINE N82P13010D	08771	EA	103	103						

B
D
A
E
S
P
O
T

10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXDF		C F	53059844983	B	SCREW,MACHINE MS35206-226	96906	EA	107	107							
BXDG		C F	53058893116	B	SCREW,MACHINE MS35206-213	96906	EA	2	2							
BXDH		X 2F		B	SHELF 19D405255G1	08771	EA	1	1							
BXDJ		X 2F		B	SHELF 19040194302	08771	EA	2	2							
BXDK		X 2F		B	SHELF 5496699634	08771	EA	1	1							
BXDL		X 2F		B	SHELF 5498699632	06771	EA	12	12							
BXDM		C F	53108505723	B	SPACER.SLEEVE 5491541P106	08771	EA	4	4							

B D
A E
S P
O T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXDN		X 2F		B	SPRING 5492956P1	08771	EA	103	103								
BXDP		X 2F		B	SPRING 5492956P2	08771	EA	103	103								
BXDQ		X 2F		B	STRIP 198203025P5	08771	EA	103	103								
BXDR		X 2F		B	STRIP,FOIL 198203072P1	08771	EA	103	103								
BXDS		X 2F		B	STUD.FRICTION P101-499-248	78553	EA	125	125								
BXDT		X 2F		B	SUPPORT,CABLE 5492920P1	08771	EA	1	1								
BXDU		P F	59359420103	B	SUPPORT,CONN 198202620G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	10	10	5.2	5.2	10.0					23,3

DATE 04-23-69

REVISION NO.

216-27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXDV		A F		B	TERMINAL BLK 5496135G24 AL, CHROMATE FINISH, 5,200 X 58.875 IN.	08771	EA	3	3							
BXDVA		X 2F		C	TERMINAL BOARD 77754924P83G1	08771	EA	8	24							
BXDVB		X 2F		C	CHAS, ELEC EQUIP 5496862G2	08771	EA	1	3							
BXDW		A F		B	TERMINAL BLK 5496356G AL, CHROMATE FINISH, 5,200 X 58.875 IN. O/A	08771	EA	1	1							
BXDWA		X1F		C	CHAS.ELEC.EQUIP 5492483G1	08771	EA	1	1							
BXDWB		X 2F		C	SHLD.ELEC CONN 4034205P1	08771	EA	20	20							
BXDWC		C F		C	TERMINAL,LUG 5491581P1	08771	EA	20	20							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXDWD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	10							
BXDWE		X 2F		C	TERMINAL BOARD 4034193G5	08771	EA	10	10							
BXDX		X 2F		B	TERMINAL BOARD 19B203067P1	08771	EA	6	6							
BXDY		X1F	58190897236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							
BXDZ		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							
BXEA		C F		B	WASHER, FLAT N402PSC13	08771	EA	207	207							
BXEB		C F	53102090940	B	WASHER, LOCK N403P21C13	08771	EA	103	103							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXEC		C F	53105790079	B	WASHER, LOCK MS35333-37	96906	EA	127	127							
BXED		C F	58050857218	B	WASHER, NM 4036555P1	08771	EA	25	25							
BXEE		C F		B	WASHER, NM 4035306P21	08771	EA	4	4							
BXEF		C F		B	WASHER, NM 4035306P51	08771	EA	4	4							

B
D
A
E
S
P
O
T

DATE 04-23-69

REVISION NO.

216-30

EQUIPMENT: 19D405396-8E
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BWXQ	62401558707	1N198	BXAL	59614460270
1819-28V	BXAX	6240	1N712	BXAQ	5961826663X
1819-28V	BXBN	6240	1N91	BXAR	59616774875
19A101105P1	BXCHD		1N979B	BWY8	59618920748
19A115562P2	BWYK	59610601655	1N979B	BXAN	5961
19B200642P3	BXBU	5005	207-360231-00	BXCA	5340085085
19B201599P1	BXBV	5805	261-31-12-010	BWXU	59358929607
19B202181P1	BXCEC		261-32-12-030	BWXT	59352370456
19B202181P3	BXCFA		2N1039	BXAW	59618218977
19B202230G1	BXCE	58959420941	2N1302	BXAV	59618507646
19B202230G4	BXCG	5R209220702	2N1395	BXAT	59610805233
19B202230G5	BXCD	5805	2N1614	BXAU	59610860040
19B202566P1	BXCHA		2N3053	BWYL	59619859073
19B202603G1	BXCH	5805	30054-1	BWXW	59357336326
19B202620G1	BXDU	59359420103	4034193G4	BXDWD	
19B202620G2	BXCF	5805	4034193G5	BXDWE	
19B202667P1	BXCY	5999	4034205P1	BXDWB	
19B203025P5	BXDQ	5805	4034495G3	BXCGE	
19B203067P1	BXDX	5899	4034526G7	BXCK	5805
19B203072P1	BXDR	9535	4035306P21	BXEF	5330
19B209014P1	BXCFB		4035306P51	BXEF	5330
19C310121P1	BXCQ	53409446037	4035306P63	BXCHC	
19D401142P2	BXCHB		4035338P1	BXBZG	
19D401607G64	BWYQ	5805	4036150P1	BXCP	5970
19D401607G65	BWYN	5805	4036555P1	BXED	58050857218
19D401607G66	BWYS	5805	403847701	BXBZC	
19D401607G67	BWYM	5805	5490407P50	BXCL	5325
19D401607G68	BWYT	5805	5490407P56	BXCH	5325
19D401607G69	BWYR	5805	5491541P106	BXDN	531085057a3
19D401607U70	BWYU	5805	5491541P204	BXCJC	
19D401607071	BWYP	5805	5491581P1	BXDWC	
19D401607G72	BXBF	5805	5492483G1	BXDWA	
19D401607U77	BXBD	5805	5492521P12	BXCU	5805
19D401607G82	BXBG	5805	5492680G1	BWZA	58209074749
19D401607U83	BXBC	5805	5492713P1	BXBZE	
19D401607084	BXBE	5805	5492750P3	BXC&B	
19D401607U87	BXBT	5805	5492750P3	BXCGG	
19D401607488	BXBS	5805	5492901P1	BXBX	5805
19D401607G8	BXBB	5805	5492908P1	BXBW	5805
19D40194302	BXDJ	5805	5492910G1	BXCJA	
19D405255C1	BXDH	5805	5492912G1	BXCJ	59359995880
19D405396-8E	BWXK M	58201798502	5492920P1	BXDT	5805
19D405396P169	BWYV	5805	5492929G1	BWXX	58209074748
19D405396P170	BXBH	5805	5492929G1	BXBA	5820
19D405396P171	BWXL	5805	5492929G1	BXBR	5820
19E500088G7	BXBL	5805	5492937G1	BXCC	5805
19E50008G8	BWYY	5805	5492956P1	BXDN	5805
19E500088G9	BWXN	5805	5492956P2	BXDP	5805
1-5M56Z5	BXAK	59618547455	5493030G1	BWXM	5805

EQUIPMENT: 19D405396-8E
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5493030G1	BWYX	5805	N402P5C13	BXEA	5310
5493030G1	BXBK	5805	N402P7C13	BXCJD	53107235414
5493566P1	BXBZB		N403P21C13	BXBE	53102090940
5493567G1	BXBZ	61309419731	N529P18C13	BXCB	5340
5495589G182	BWZK	59500852525	NS39P103	BXCZ	5305
5495948P125	BWBZA		N80P13010C13	BXCJE	53050597679
5496078P3	BXBZD		N80P19006C13	BXDD	5305
5406085P1	BXCJB	59359228133	N82P13010D	BXDE	5305
5496133G1	BWXP	62109261323	NP248814	BXCW	5805
5496133G1	BWYZ	6210	NP248847	BXCX	5805
5496133G1	BXBM	62109261323	P101-499-24B	BXDS	5325
5496135G24	BXDV	5940	P50741A	BXCN	5805
5496139G8	BWYW	5005	RC20GF103J	BWXZ	59051858510
5496139G8	BXBJ	5805	RC20GF204J	BWXY	59031712003
5496216G2	BWXS	5945	RC20GF271J	BWYA	59051712006
5496216G2	BXAZ	5945	RC20GF273J	BWYD	59052793499
5496216G2	BXBQ	5945	RC20GF512J	BWYC	59052792019
5496356G3	BXDW	5940	RC20GF513J	BNWY	59052793496
5496651G1	BXBY	5805	RN20X69RBF	BXCOD	
5496735P1	BXDY	58050857236	RN65D1001F	BWZP	59058839198
5496857G3	BWXR	5805	RN65D1002F	BXAE	59050640515
5496857G3	BXAY	5805	RN65D01102	BWZX	59050620537
5496857G3	BXBP	5805	RN65D1334F	BXAF	59057620663
5496862G2	BXDVD		RN65D1471F	BWZM	590599360N2
5498699G32	BXDL	5805	RN65D0781F	BXAC	59059936975
5498699G34	BXDK	5805	RN65D1961F	BWZY	59052258175
5498720G16	BXCV	5805	RN65D2152F	BWZU	59059932F68
5498921P1	BXCGC		RN65U2372F	BWZN	59059884710
601PE2240-5W	BWZH	59109641345	RN65D2610F	BWZT	59050860967
601PE3340-5W	BWZJ	59100852730	RN65D2612F	BWZQ	59050602484
7141225P2	BXCR	5310	RN65D3161F	BXAG	59059931362
7141225P3	BXCT	5310	RN65D31R6F	BXAW	59059932271
7491823P4	BXBZF		RN65D3480F	BWZL	59059905013
7774524P3	BXDVA		RN65D3481F	BXAO	59059931363
7878455P1	BXDZ	59403084357	RN65D4642F	BXAA	59059932261
CM07F512J03	BWZF	59100500086	RN65D5110F	BXAB	59059895580
CS13AF220M	BWZB	59108468098	RN65D5111F	BWZR	59586138640
CS13BF105M	BWZD	59109040519	RN65D5112F	BWZZ	59859932267
FD630S	BXCEA	59350442707	RN65D6811F	BXAJ	59850602481
FD630S	BXCGF		RN65D7500F	BWZS	59059936341
M3449-5CHTC	BXCGA	59406659982	RN65D7502F	BWZV	59959903029
M3449-5CHTC	BXCGB	59406659982	RN65D9092F	BWZW	59059529435
MS5190-223	BXDC	53059576636	SSD753	BWYW	59610601689
MS35206-213	BXDG	53058893116	T154X101	BWXV	59459230411
MS35206-215	BXDA	53058692997	UT66	BWYE	59610566403
MS35206-226	BXDF	53059844983	UT66	BXAP	5961
MS35333-37	BXEC	53105790079			
N210P19013	BXCS	53109585209			
N37P9021C13	BXDB	5805			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BVJA M		A FR	58201798499	A	MUX SYSTEM 19D405396-9 117 VAC, 60 CY, 1 PHASE, 240 CHAN EACH DIR	08771	EA	1	1				
BVJF		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	10	31.5			11
BVRU		P O	53409446037	B	KNOB 19C310121P1 PHEN. 0.318 X 0.470 X 1.030 IN. O/A DIM	08771	EA	66	66	15.3			

DATE 04-23-69

REVISION NO.

217-1

DATE: 04-23-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-9

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONQUIN RD DES PLAINES ILL	81349	MILITARY SPECIFICATIONS
03508	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	84411	TRW CAPACITOR DIV OGALLALA NEBR
04713	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PNOENIX ARIZONA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HARRISON N J
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	95076	GARDE MFG CO 53 JOHN ST CUMBERLAND R I
08806	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95354	METHODE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13141	UNITRODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	96906	MILITARY STANDARDS
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR -DIVISION SAN RAFAEL CALIF		
70809	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK N Y		
71985	CINCH MFG CO AND HOWARD B JONES DIV 1026 S HBMAN AVE, CHICAGO ILL		
80531	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVJA M		A FR	58201798499	A	NUX SYSTEM 19D405396-9 117 VAC, 60 CY. 1 PHASE, 240 CHAN EACH DIR	08771	EA	1	1								
BVJB		A FR		B	CHANNEL RACK 190405396P85 115 VAC, 19.5 X 20.5 IN, X 7 FT O/A	08771	EA	1									
BVJC		X 2F		C	PANELIFRONT 5493030G1	08771	EA	12	66								
BVJD		A FR		C	RACK,ASSY 19E500088G9 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	4								
BVJE		P F	62109261323	D	ALARN ASSEMBLY 5496133G1 28 VDC, 0.90 IN. X 0.90 IN. X 4.30 IN. O/A	08771	EA	1	8	8.7	8.7	24.0				46.2	
BVJF		P O	62401558707	D	LAMP,INCAND 1819-28V 28V. 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	10	31.5	31.5	500.0		11		259.9	
BVJG		X1F		D	RACK,EL EQUIP 5496857G3	08771	EA	1	8								

DATE 04-23-69

REVISION NO.

217-3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVJH		A FR		D	RELAY ASSY 5496216G2 STL. CHROMATE FINISH, 0,09 X 1.25 X 2,50 IN.	08771	EA	1	7								
BVJJ		P F	59352370456	E	CONN,PLUG,ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1.2	71785	EA	1	8	4.6	4.6	8.0			P1	19.9	
BVJK		P F	59358929607	E	CONN,REC,ELEC 261-31-12-010 PHEN, 12 PH BRZ MALE CONT, 7.5A RATED	71785	EA	1	8	4.6	4.6	8.0			J2	19.9	
BVJL		P F	59459230411	E	RELAY,ARMATURE T154X101 115 VDC, 6 PDT, 1.5W: 0.013A, 9000 OHM RES	70509	EA	2	15	12.2	12.2	45.0			K1,K2	73.4	
BVJM		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TERH,0.921IN	70309	EA	2	15	6.5	6.5	45.0			XK1,XK2	31.4	
BVJN		A F	58209074748	D	TERMINAL BOARD 5492929G1 PHENOLIC, 0.062 IN. X 3.500 IN. X 3.875 IN.	08771	EA	1	8								
BVJP		P F	59051712003	E	RES,FXD,COMP RC20GF204J 200000 OHM, 5 PCT, 1/2W	81349	EA	1	8	6.5	6.5	24.0			R1	31.4	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVJQ		P F	59051858510	E	RES,FXD,COMP RC20GF103J 10000 OHMS. 5 PCT, 1/2 W	81349	EA	1	8	6.5	6.5	24.0			R3	31.4
BVJR		P F	59051712006	E	RES,FXD,COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	16	9.7	9.7	48.0			R6,R9	53.1
BVJS		P F	59052793496	E	RES,FXD,COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	16	9.7	9.7	48.0			R2,R4	
BVJT		P F	59152792019	E	RES,FXD,COMP RC20GF512J 5100 OHM. 5 PCT. 1/2 W	81349	EA	2	16	9.7	9.7	48.0			R7,R8	53.1
BVJU		P F	59052793499	E	RES,FXD,COMP RC20GF273J 27000 OHM, s PCT, 1/2W	81349	EA	1	8	6.5	6.5	24.0			R5	31.4
BVJV		P F	59610566403	E	SEMICOND.DIODE UT66 SILICON, RECTIFIER, 100 PIV, 0.600 MAX DCA	13141	EA	1	12	10.6	10.6	60.0			CR4	60.0
BVJW		P F	59618920748	E	SEMICOND,DIODE 1N979B ZENER. 56V, 2.2 MA, 150 OHM MAX, s PCT	81349	EA	1	9	8.7	6.7	45.0			VR1	46.2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVJY		P F	59610601689	E	SEMICOND,DIODE SSD753 SILICON, NPN, 300 HA AT 25 C, FAST RECOVERY	13715	EA	3	24	16.1	16.1	120.0			CR1THRUCR3	105.4
BVKA		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.25XN	08771	EA	2	16	13.1	13.1	80.0			Q2,Q3	79.9
BVNB		P F	59619859073	E	TRANSISTOR 2N3053 SILICON. NPN. 60V, 100 HC, 5W. 1A	86684	EA	1	8	8.7	8.7	40.0			Q1	46.2
BVKC		X 2F		C	SHELF ASSY 19D401607G70	08771	EA	1	4							
BVMD		X 2F		C	SHELF ASSY 19D401607G66	08771	EA	1	4							
BVME		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	4							
BVKF		X 2F		C	SHELF ASSY 19D401607G64	08771	EA	1	4							

DATE 04-23-69

REVISION NO.

217-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVNG		X 2F		C	SHELF ASSY 19D401607G68	08771	EA	1	4							
BVKH		X 2F		C	SHELF ASSY 19D401607G65	08771	EA	1	4							
BVNJ		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	4							
BVKK		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	4							
BVNL		A FR		B	CHANNEL RACK 19D405396P49 115 VAC. 19.5 X 20.5 IN, X 7 FT O/A	08771	EA	1	15							
BVKM	BVJD			C	RACK,ASSY 19E500088G9	08771		1	REF							
BVNN	BVKH			C	SHELF ASSY 19D401607G65	08771		1	HEF							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVMP	BVKF			C	SHELF ASSY 19D401607G64	08771		1	REF							
BVRQ	BVKK			C	SHELF ASSY 190401607G69	08771		1	REF							
BVKR	BVKJ			C	SHELF ASSY 19D401607G67	08771		1	REF							
BVRS	BVKE			C	SHELF ASSY 190401607G71	08771		1	REF							
BVNT	BVKD			C	SHELF ASSY 19D401607G66	08771		1	REF							
BVRU	BVKC			C	SHELF ASSY 19D401607G70	08771		1	REF							
BVKV	BVKG			C	SHELF ASSY 19D401607G68	08771		1	REF							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVKW		A FR		B	CHANNEL RACK 19D405396P86 115 VAC. 19.5 X 20,5 IN, X 7 FT O/A	08771	EA	1	1							
BVKX	BVJD			C	RACK,ASSY 19E500088G9	08771		1	REF							
BVRY	BVKG			C	SHELF ASSY 19D401607068	08771		1	REF							
BVNZ	BVKF			C	SHELF ASSY 19D401607G64	08771		1	REF							
BVLA	BVKC			C	SHELF ASSY 19D401607G70	08771		1	REF							
BVLB	BVKD			C	SHELF ASSY 190401607G66	08771		1	REF							
BVLC	BVKK			C	SHELF ASSY 190401607G69	08771		1	REF							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVLD	BVKW			C	SHELF ASSY 19D401607G65	08771		1	REF							
BVLE	BVKE			C	SHELF ASSY 19D401607G71	08771		1	REF							
BVLF	BVKJ			C	SHELF ASSY 19D401607G67	08771		1	REF							
BVLG		A FR		B	CHANNEL RACK 19D405396P119 115 VAC, 19.5 X 20.5 XN, X 7 FT O/A	08771	EA	1	1							
BVLH	BVJD			C	RACK,ASSY 19E500088G9	08771		1	REF							
BVLJ	BVKD			C	SHELF ASSY 19D401607866	08771		1	REF							
BVLK	BVKF			C	SHELF ASSY 19D401607G64	08771		1	REF							

B
D
A
E
S
P
O
T

DATE 04-23-69

REVISION NO.

217-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVLL	BVKC			C	SHELF ASSY 19D401607G70	08771		1	REF							
BVLM	BVKH			C	SHELF ASSY 19D401607G65	08771		1	REF							
BVLN	BVKG			C	SHELF ASSY 19D401607G68	08771		1	REF							
BVLP	BVKE			C	SHELF ASSY 19D401607G71	08771		1	REF							
BYLQ	BVKJ			C	SHELF ASSY 19D401607G67	08771		1	REF							
BVLR	BVKK			C	SHELF ASSY 19D401607G69	08771		1	REF							
BVLS		A FR		B	COM EQUIP RACK 19D405396P47 115 VAC, 19.5 X 20R5 IN, X 7 FT O/A	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

217-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVLT	BVJC			C	PANEL, FRONT 5493030G1			35	REF							
BVLU		A FR		C	RACK ASSY 19E500088G8 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	EA		1	1							
BVLV	BVJE			D	ALARM ASSEMBLY 5496133G1			1	REF							
BVLW		A FR	58209074749	D	ALARM BD,MAJ 549268001 PWENOLIC, 0.500 IN. X 3.500 IN. X 4.77 IN.	EA		1	1							
BVLX		P F	59108468098	E	CAP,FXD,ELECT CS13AF220M 22 MFD, 20 PCT, 35 VDCW	EA		2	2	3.2	3.2	6.0			C3,C8	12.4
BVLZ		P F	59109040519	E	CAP,FXD,ELECT CS13BF105M 1 PF, 10 PCT, 500 VDCW	EA		1	1	2.2	2.2	3.0			C6	6.8
BVMB		P F	59100500086	E	CAP, FXD, MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	EA		1	1	2.2	2.2	3.0			C1	6.8

DATE 04-23-69

REVISION NO.

217-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVMD		P F	5909641345	E	CAP,FXD,PLSTC 601PE2240-5W 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2,C5	12.4
BVME		P F	59100852730	E	CAP,FXD,PLSTC 601PE3340-5W 33000 PF, 20 PCT, 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8
BVMF		P F	59500852525	E	COIL, RF 5495589G182 7/16 X 9/16 IN. O/A, 74,5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
BVMG		P F	59059905023	E	RES,FXD,FILM RN69D3480F 348 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BVMH		P F	59159936012	E	RES,FXD,FILM RN65D1471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
BVMJ		P F	59159684710	E	RES,FXD,FILM RN65D2372F 23700 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BVMK		P F	59058639198	E	RES,FXD,FILM RN65D1001F 1000 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R22,R29	12.4

DATE 04-23-69

REVISION NO.

217-13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVML		P F	59150602484	E	RES,FXD,FILM RN65D2612F 26100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R4	6.8
BVMM		P F	59058138640	E	RES,FXD,FILM RN65D5111F 5110 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8
BVMN		P F	59859936341	E	RES,FXD,FILM RN65D7500F 750 OHM. 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BVMP		P F	59150680987	E	RES,FXD,FILM RN65D2610F 261 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,R14	12.4
BVMQ		P F	59159932268	E	RES,FXD,FILM RN65D2152F 21500 OHM. 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20,R21	12.4
BVMR		P F	59159903029	E	RES,FXD,FILM RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BVMS		P F	59059529435	E	RES,FXD,FILM RN65D9092F 90900 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8

DATE 04-23-69

REVISION NO.

217-14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVMT		P F	59050620537	E	RES. FXD. FILM RN65D1102F 11000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8
BVMU		P F	59052258175	E	RES. FXD. FILM RN65D1961F 1960 OHM, 2 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8
BVMV		P F	59109932217	E	RES. FXD. FILM RN65D5112F 51100 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BVMW		P F	59059932261	E	RES. FXD. FILM RN65D4642F 46400 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BVMX		P F	59159895580	E	RES. FXD. FILM RN659DS110 511 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BVMY		P F	59059936975	E	RES. FXD. FILM RN6D11781F 1780 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R31	6.8
BVMZ		P F	59059931363	E	RES. FXD. FILM RN6SD3481F 3480 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19, R24	12.4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVNA		P F	59150640555	E	RES, FXD, FILM RN65D1002F 10000 OHM, 1 PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0			R5, R11, R17	16.5
BVNB		P F	59157620663	E	RES, FXD, FILM RN65D1334F 1330000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8
BVNC		P F	59059931362	E	RES, FXD, FILM RN65D3161F 3160 OHMS, 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R7, R23	12.4
BVND		P F	59159932271	E	RES, FXD, FILM RN65D31R6F 31.6 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BVNE		P F	59050602481	E	RES, FXD, FILM RN65D6811F 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6.8
BVNF		P F	59618547495	E	SEMICOND DIODE 1-5M56Z5 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BVNG		P F	59614460270	E	SEMICOND, DIODE 1N198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5, CR6	16.5

DATE 04-23-69

REVISION NO.

217-16

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVNU	BVJW			E	SEMICON, DIODE 1N979B	81349		1	REF								
BVNK	BVJV			E	SEMICON, DIODE UT66	13141		4	REF								
BVNL		P F	59618266631	E	SEMICON, DIODE 1N712 ZENER, 8.2V, 25 HA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0				VR2	10.3
BVNM		P F	59616774875	E	SEMICON, DIODE 1N91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0				CR1	10.3
BVNP		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM, PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0				Q5 THRU Q7	21.7
BVNQ		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0, 5 MC	03508	EA	2	2	3.9	3.9	10.0				Q2, Q3	16.5
BVNR		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE, 3 MHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0				Q1	10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVNS		P F	59618218977	E	TRANSISTOR 2N1039 GERANIUM, MEDIUM POWER, ROUND, 20 PC. 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4	10.3
BVNT	BVJF			D	LAMP, INCAND 1819-28V	08806		2	REF						I1, I2	
BVNU	BVJG			D	RACK, EL EQUIP 5496857G3	08771		1	REF							
BVNV	BVJI			D	RELAY ASSY 5496216G2	08771		1	REF							
BVNW	RVJN			D	TERMINAL BOARD 5492929G1	08771		1	REF							
BVNX		X 2F		C	SHELF ASSY 19D401607084	08771	EA	1								
BVNY		X 2F		C	SHELF ASSY 19D401607G77	08771	EA	1								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVNZ		X 2F		C	SHELF ASSY 190401607G72	08771	EA	1	1								
BVPA		X 2F		C	SHELF ASSY 190401607G82	08771	EA	1	1								
BVPB		X 2F		C	SHELF ASSY 19D401607G8	06771	EA	1	1								
BVPC		X 2F		C	SHELF ASSY 19D401607G76	08771	EA	1	1								
BVPD		X 2F		C	SHELF ASSY 19D401607G73	08771	EA	1	1								
BVPE		X 2F		C	SHELF ASSY 19D401607083	08771	EA	1	1								
BVPF		A FR		B	COM EQUIP RACK 19D405396P64 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVPG		X 2F		C	PANEL BLANK 5496139G8	08771	EA	6	16								
BVPH	BVJC			C	PANEL, FRONT 5493030G1	08771		3	REF								
BVPJ		A FR		C	RACK ASSY 19E500088G10 115 VAC, 19.5 X 20, 5 IN. X 7 FT O/A	08771	EA	1	1								
BVPK	BVJE			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BVPL	BVJF			D	LAMP, INCAND 1819-28V	08806		1	REF						11		
BVPM	BVJG			D	RACK, EL EQUIP 5496857G3	08771		1	REF								
BVPN		A FR		D	RELAY ASSY 5496216G1 STL, CHROMATE FINISH. 0009 X 1.25 X 2.50 IN,	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

217-20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVPP	BVJJ			E	CONN, PLUG, ELEC 261-32-12-030	71705		1	REF							P1	
BVPQ	BVJK			E	CONN, REC, ELEC 261-31-12-010	71785		1	REF							J2	
BVPR	BVJL			E	RELAY, ARMATURE T154X101	70309		1	REF							K1	
BVPS	BVJM			E	SOCKET, RELAY 30054-1	70309		1	REF							XK1	
BVPT	BVJN			D	TERMINAL BOARD 5492929G1	08771		1	REF								
BVPU		X 2F		C	SHELF ASSY 190401607G74	08771	EA	1	1								
BVPV		X 2F		C	SHELF ASSY 19D401607G79	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

217-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVPW		A FR		B	GP REG TNT RACK 19D405396P48 115 VAC, 19.5 X 20R, IN, X 7 FT O/A	08771	EA	1	1								
BVPX	BVPG			C	PANEL BLANK 5496139G8	08771		1	REF								
BVPY	BVJC			C	PANEL, FRONT 5493030G1	08771		15	REF								
BVPZ		A FR		C	RACK ASSY 19E500088G7 115 VAC, 19, .5 X 20, 5 IN, X 7 FT O/A	08771	EA	1	1								
BVQA	BVJE			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BVQB	BVJF			D	LAMP, INCAND 1819-28V	08806		1	REF							11	
BVQC	BVJG			D	RACK, EL EQUIP 5496857G3	08771		1	REF								

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVQD	BVJH			D	RELAY ASSY 549621602	08771		1	REF								
BVQE	BVJN			D	TERMINAL BOARD 5492929G1	08771		1	REF								
BVQF		X 2F		C	SHELF ASSY 19D401607G89	08771	EA	1	1								
BVQG		X 2F		C	SHELF ASSY 19D401607085	08771	EA	1	1								
BVQH		X 2F		C	SHELF ASSY 19D401607G91	08771	EA	1	1								
BVQJ		X 2F		C	SHELF ASSY 19D401607G87	08771	EA	1	1								
BVQK		X 2F		C	SHELF ASSY 19D401607G90	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

217-23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVQL		X 2F		C	SHELF ASSY 19D401607G86	08771	EA	1	1								
BVQM		X 2F		C	SHELF ASSY 19D401607G88	08771	EA	1	1								
BVQN		A FR		B	PILOT RACK 19D405396P87 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BVQP	BVPG			C	PANEL BLANK 5496139G8	08771		9	REF								
BVQQ	BVJC			C	PANEL, FRONT 549303001	08771		1	REF								
BVQR		A FR		C	RACK ASSY 19E500088G12 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BVQS	BVJE			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVQT	BVJF			D	LAMP, INCAND 1819-28V	08806		2	REF								
BVQU	BVJG			D	RACK, EL EQUIP 5496857G3	08771		1	REF								
BVQY	BVJH			D	RELAY ASSY 549621602	08771		1	REF								
BVQW	BVJN			D	TERMINAL BOARD 5492929G1	08771		1	REF								
BVQX		X 2F		C	SHELF ASSY 19D4016070G9	08771	EA	1	1								
BVQY		X 2F		B	BLOCK 199200642P3	08771	EA	14	14								
BVQZ		X 2F		B	BLOCK 198201599P1	08771	EA	6	6								

DATE 04-23-69

REVISION NO.

217-25

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVRA		X 2F		B	BRACKET 5492908P1	08771	EA	8	8								
BVRB		X 2F		B	BRKT, DBL, ANGLE 5492901P1	08771	EA	8	8								
BVRC		X 2F		B	BUS BAR 549665181	08771	EA	4	4								
BVRD		P F	61309419731	B	BUS BAR, 48KC 549356701 48 KHZ, COPPER. 2.500 IN. LO	08771	EA	1	1	2.7	2.7	4.0					10.3
BVRDA		X1F		C	RCS, FXD, FILM 5495948P125	08771	EA	1	1						R1		
BVRDB		X1F		C	BRKT, DBL, ANGLE 5493566P1	08771	EA	1	1								
BVRDC		X1F		C	SHLD, ELEC CONN 403477G1	08771	EA	1	1								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVRDD		X1F		C	CONN, RECP, ELEC 5496078P3	08771	EA	7	7								
BVRDE		X1F		C	INSULATOR, PLATE 5492713P1	08771	EA	1	1								
BVRDF		X1F		C	TERMINAL, LUG 7491823P4	08771	EA	1	1								
BVRDG		X1F		C	TERMINAL, LUG 4035338P1	08771	EA	1	1								
BVRE		X 2F		B	BUTTON, PLUG N529P18C13	08771	EA	32	32								
BVRF		X 2F	53400850856	B	BUTTON, PLUG 207-360231-00	02768	EA	66	66								
BVRG		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	50	50								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVRH		P F		B	CONN-SPT 198202603G1 STL. 0.090 IN, X 0.090 IN. X 4.810 IN, O/A	08771	EA	31	31	9.7	9.7	31.0				53.1
BVRHA		X1F		C	BRK, DBL. ANGLE 198202566P1	08771	EA	1	31							
BVRHB		X1F		C	SHELL, ELEC CONN 19D401142P2	08771	EA	1	31							
BVRHC		C F		C	WASHER, NM 4035306P63	08771	EA	2	62							
BVRHD		C F		C	WASHER, FLAT. 19A101105P1	08771	EA	2	62							
BVRJ		P F	58209226702	B	CONN-SPT 19920223004 ALUMINUM, 2.50 X 4, 92 X 6.75 IN. O/A	08771	EA	20	20	7.7	7.7	20.0				38.9
BVRJA		C F	59406659962	C	TERMINAL, STUD M3449-5CHTC	95076	EA	1	60						W1	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVRJB	BVRJA			C	TERMINAL, STUD M3449-5CHTC	95076		2	REF								
BVRJC		X1F		C	TRANSFORMER, RF 5498921P1	08771	EA	1	20								
BVRJD		X1F		C	RES, FXD, FILM RN20X69R8F	81349	EA	1	20								
BVRJE		X1F		C	BRACKET, ANGLE 4034495G3	08771	EA	1	20								
BVRJF		X1F	59350442707	C	CONN, RECP, ELEC FD630S	95354	EA	1	20								
BVRJG		C F		C	TERMINAL, LUG 5492750P3	08771	EA	2	40								
BVRK		P F		B	CONN-SPT 198202620G2 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	144	144	24.7	24.7	144.0					190.1

DATE 04-23-69

REVISION NO.

217-29

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVRKA		X1F		C	BRACKET, ANGLE 19B202181P3	08771	EA	1	144								
BVRKB		X1F		C	CONN, RECP, ELEC 19B209014P1	08771	EA	1	144								
BVRL		P F	58959420941	B	CONN-SPT 19B202230G1 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	324	324	43.3	43.3	324.0				401.4	
BVRM		P F		B	CONN-SPT 19B202230G5 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	20	20	7.7	7.7	20.0				38.9	
BVRN		A F	59359995880	B	COVER, ALARM 549291201 AL, CADMIUM PLATED, 2 X 4.500 IN. O/A	08771	EA	15	15								
BVRNA		X 2F		C	RET, ELEC CONN 5492910G1	08771	EA	1	15								
BVRNB		P F	59359228133	C	CONN, RECP, ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	15	6.5	6.5	15.0				31.4	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVRNC		X 2F		C	POST, ELEC MECH 5491541P204	08771	EA	2	30								
BVRND		C F	53107235414	C	WASHER, FLAT N402P7C13	08771	EA	2	30								
BVRNE		C F	53050597679	C	SCREW, MACHINE N80P13010C13	08771	EA	2	30								
BVRP		X 2F		B	EXTRUSION 4034526G7	08771	EA	106	106								
BVRQ		C F		B	GROMMET, RUBBER 5490407P56	08771	EA	15	15								
BVRR		C F		B	GROMMET, RUBBER 5490407P50	08771	EA	16	16								
BVRS		X 2F		B	GUIDE, SHELF P50741A	02768	EA	1380	1380								

DATE 04-23-69

REVISION NO.

217-31

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVRT		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2								
BVRU		P 0	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	66	66	15.3	15.3	66.0				99.1	
BVRV		C F	53100134530	B	NUT, PLAIN, HEX M835649-62	96906	EA	66	66								
BVRW		C F	53109985209	B	NUT, PLAIN, HEX N210P19C13	08771	EA	66	66								
BVRX		C F	53100134514	B	NUT, PLAIN, HEX M335649-42	96906	EA	132	132								
BVRY		X 2F		B	PLATE 5498720G16	08771	EA	66	66								
BVRZ		X 2F		B	PLATE 5492521P12	08771	EA	106	106								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVSA		M H		B	PLATE, IDENT NP248847	08771	EA	50	50								
BVSB		N H		B	PLATE, IDENT NP248814	08771	EA	8	8								
BVSC		P F		B	PRINTED CKT BD 198202667P1 PHENOLIC, 0, 062 IN. X 3.070 IN. X 3.500 IN.	08771	EA	1	1	2.7	2.7	3.0					10.3
BVSD		C F		B	SCREW, DRIVE N539P103	08771	EA	132	132								
BVSE		C F	53059844982	B	SCREW, MACHINE MS35206-225	96906	EA	212	212								
BVSF		C F	53058202384	B	SCREW, MACHINE MS35235-14	96906	EA	132	132								
BVSG		C F		B	SCREW, MACHINE N82P13010D	08771	EA	132	132								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVSH		C F	530596449S3	B	SCREW, MACHINE MS35206-226	96906	EA	2	2							
BVSJ		C F		B	SCREW, MACHINE N84P9006C13	08771	EA	6	6							
BVSK		C F	5305993189051	B	SCREW, MACHINE MS35207-267	96906	EA	66	66							
BVSL		C F	531598449688	B	SCREW, MACHINE MS35206-228	96906	EA	12	12							
BVSM		X 2F		B	SHELF 19040525502	08771	EA	1	1							
BVSN		X 2F		B	SHELF 19040194382	08771	EA	4	4							
BVSP		X 2F		B	SHELF 5498699G34	08771	EA	1	1							

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVSQ		X 2F		B	SHELF 19D405255G1	08771	EA	1	1								
BVSR		X 2F		B	SHELF 5498699G32	08771	EA	43	43								
BVSS		C F	53108505723	B	SPACER, SLEEVE 5491541P106	08771	EA	4	4								
BVST		X 2F		B	SPRING 5492956P1	08771	EA	66	66								
BVSU		X 2F		B	SPRING 5492956P2	08771	EA	66	66								
BVSV		K 2F		B	STRIP 199203025P5	08771	EA	66	66								
BVSW		X 2F		B	STRIP, FOIL 198203072P1	08771	EA	66	66								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVSX		C F		B	STUD 5492731P9	08771	EA	212	212								
BVSY		X 2F		B	SUPPORT, CABLE 5492920P1	08771	EA	4	4								
BVSZ		P F	59359420103	B	SUPPORT, CONN 19B202620G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	40	40	11.4	11.4	40.0					66.7
BVTA		A F		B	TERMINAL BLK 5496135G24 AL, CHROMATE FINISH, 5.200 X 58.875 IN.	08771	EA	7	7								
BVTAA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	56								
BVTAB		X1F		C	CHAS, ELEC EQUIP 5496862G2	08771	EA	1	7								
BVTB		A F		B	TERMINAL BLK 5496356G3 AL, CHROMATE FINISH, 5.200 X 58.875 IN. O/A	08771	EA	44									

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVTBA		X1F		C	CHAS, ELEC, EQUIP 5492483G1	08771	EA	1	4							
BVTBB		X 2F		C	SHLD, ELEC CONN 4034205P1	08771	EA	20	80							
BVTBC		C F		C	TERMINAL, LUG 5491581P1	08771	EA	20	80							
BVTBD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	40							
BVTBE		X 2F		C	TERMINAL, BOARD 4034193G5	06771	EA	10	40							
BVTC		X 2F		B	TERMINAL BOARD 1098203067P1	08771	EA	8	8							
BVTD		X 2F	58050857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVTE		C F	59403084347	B	TERMINAL LUG 7878455P1	08771	EA	40	40								
BVTF		C F		B	WASHER, FLAT N402P5C13	08771	EA	136	136								
BVTG		C F	53102090940	B	WASHER, LOCK N403P21C13	08771	EA	132	132								
BVTH		C F	53102090788	B	WASHER, LOCK MS35335-30	96906	EA	212	212								
BVTJ		C F	58050857218	B	WASHER, NM 4036555P1	08771	EA	31	31								
BVTK		C F		B	WASHER, NM 4035306P21	08771	EA	4	4								
BVTL		C F		B	WASHER, NM 4035306P51	08771	EA	4	4								

EQUIPMENT: 19D405396-9
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BVJF	62401558707	19D401607G70	BVKU	5805
1819-28V	BVNT	6240	19D401607G70	BVLA	5805
1819-28V	BVPL	6240	19D401607G70	BVLL	5805
1819-28V	BVQB	6240	19D401607G71	BVKE	5805
1819028V	BVQT	6240	19D401607G71	BVKS	5805
19A101105P1	BVRHD		19D401607G71	BVLE	5805
19A115562P2	BVKA	59610601655	19D401607G71	BVLF	5805
19B200642P3	BVQY	5805	19D401607G72	BVNZ	5805
19B201599P1	BVQZ	5805	19D401607G73	BVPD	5805
19B282181P3	BVRKA		19D401607G74	BVPU	5805
19B202230G1	BVRL	58959420941	19D401607G77	BVNY	5805
19B202230G4	BVRJ	58209228702	19D401607G78	BVPC	5805
19B202230G5	BVRM	5805	19D401607G79	BVPV	5805
19B202566P1	BVRHA		19D401607G82	BVPA	5805
19B202603G1	BVRH	5805	19D401607G83	BVPE	5805
19B202620G1	BVSZ	59359420103	19D401607G84	BVNX	5805
19B202620G2	BVRK	5805	19D401607G85	BVQG	5805
19B202667P1	BVSC	5999	19D401607G86	BVQL	5805
19B203025P5	BVSV	5805	19D401607G87	BVQJ	5805
19B203067P1	BVTC	5999	19D401607G88	BVQM	5805
19B203072P1	BVSW	9535	19D401607G89	BVQF	5805
19B209014P1	BVRKB		19D401607G8	BVPB	5805
19C310121P1	BVRU	53409446037	190401607G90	BVQK	5805
19D401142P2	BVRHB		19D401607G91	BVQW	5805
19D481607G64	BVKF	5805	19D401607G95	BVQX	5805
19D401607G64	BVKP	5805	19D401943G2	BVSN	5805
19D401607G64	BVKZ	5805	19D405255G1	BVSQ	5805
19D401607G64	BVLK	5805	19D405255G2	BVSM	5805
19D401607G65	BVKH	5605	19D405396-9	BVJA M	58201798499
19D401607G65	BVKN	5805	19D405396P119	BVLG	5805
19D401607G65	BVLD	5805	19D405396P47	BVLS	5805
19D401607G65	BVLM	5805	19D405396P48	BVPW	5805
19D401607G66	BVKD	5805	19D405396P49	BVKL	5805
19D401607G66	BVKT	5805	19D405396P84	BVPF	5805
19D401607G66	BVLB	5805	19D405396P85	BVJB	5805
19D401607G66	BVLJ	5805	19D405396P86	BVKW	5805
19D401607G67	SVKJ	5805	19D405396P87	BVQN	5805
19D401607G67	BVKR	5805	19E500088G10	BVPJ	5805
19D401607G67	BVLR	5805	19E500088G12	BVQR	5805
19D401607G67	BVLO	5805	19E500088G7	BVPZ	5805
19D401607G68	BVKG	5805	19E500088G8	BVLU	5805
19D401607G68	BVKV	5805	19E500088G9	BVJD	5805
19D401607G68	BVKY	5805	19E500088G9	BVKM	5805
19D401607G68	BVLN	5805	19E500088G9	BVKX	5805
19D401607G69	BVKK	5805	19ES00088G9	BVLW	5805
19D401607G69	BVKO	5805	1-5M56Z5	BVNF	59618547455
19D401607G69	BVLC	5805	1N198	BVNG	59614460270
19D401607G69	BVLR	5805	1N712	BVNL	59618266631
19D401607G70	BVKC	5805	1N91	BVNM	59616774875

EQUIPMENT: 19D405396-9
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1N998	BVJW	59618920748	5492956P2	BVSU	5805
1N798	BVNJ	5961	5493030G1	BVJC	5805
207360235-00	BVRF	53400850856	5493030G1	BVLT	5805
261-31-12-010	BVJK	59358929607	5493030G1	BVPW	5805
261-31-12-010	BVPQ	5935	5493030G1	BVPY	5805
261-32-12-030	BVJJ	59352370456	5493030G1	BVQQ	5805
161-32-12-030	BVPP	5935	5493566P1	BVRDB	
2N1039	BVNS	59618218977	5493567G1	BVRD	61309419732
2N1302	BVNR	59616507646	5495589G182	BVMF	59500852525
2N1395	BVNP	59610805233	5495948P125	BVRDA	
2N1614	BVNQ	59610860040	5496070P3	BVRDD	
2N3053	BVKB	59619859073	5496085P1	BVRNB	59359228133
30054-1	BVJM	59357336326	5496133G1	BVJC	62109261323
30054-1	BVPS	5935	5496133G1	BVLV	6210
4034193G4	BVTBD		5496133G1	BVPK	6210
4034193G5	BVTBE		5496133G1	BVQA	6210
4034205P1	BVTBB		5496133G1	BVQS	6210
4034495G3	BVRJE		5496135G24	BVTA	5940
4034526G7	BVRP	5805	5496139G8	BVPG	5805
403477G1	BVRDC		5496139G8	BVPX	5805
4035306P21	BVTK	5330	5496139G8	BVQP	5805
4035306P51	BVTL	5330	5496216G1	BVPN	5805
4035306P63	BVRMC		5496216G2	BVJH	5945
4035338P1	BVRDG		5496216G2	BVNV	5945
4036150P1	BVRT	5970	5496216G2	BVQD	5945
4036555P1	BVTJ	58050857218	5496216G2	BVQV	5945
5490407P50	BVRR	5325	5496356G3	BVTB	5940
5490407P56	BVRQ	5325	5496651G1	BVRC	5805
5491541P106	BVSS	53108505723	5496735P1	BVTD	58050857236
5491541P204	BVRNC		5496857G3	BVJG	5805
5491581P1	BVTBC		5496857G3	BVNU	
5492483G1	BVTBA		5496857G3	PVPM	5805
5492521P12	BVRZ	5805	5496857G3	BVQC	5805
5492680G1	BVLW	58209074749	5496857G3	BVQU	5805
5492713P1	BVRDE		5496862G2	BVTAB	
5492731P9	BVSX	5325	5496699G32	BVSR	5805
5492750P3	BVRJG		5498699G34	BVSP	5805
5492901P1	BVRB	5805	5498720G16	BVRY	5805
5492908P1	BVRA	5805	5498921P1	BVRJC	
5492910G1	BVRNA		601PE2240-5W	BVMD	59109641345
5492912G1	BVRN	59359995880	601PE3340-5W	BVME	59100852730
5492928P1	BVSY	5805	7491823P4	BVRDF	
5492929G1	BVJN	58209074748	7774524P3	BVTAA	
5492929G1	BVNW	5820	7878455P1	BVTE	59403084357
5492929G1	BVPT	5820	CM07F512J03	BVMB	59100050006
5491292G1	BVQE	5820	CS13AF220M	BVLX	59108468098
5492929G1	BVQW	5820	CS13BF105M	BVLZ	59109040519
5492937G1	BVRG	5805	FD630S	BVRJF	59350442707
5492956P1	BVST	5805	M3449-50HTC	BVRJA	59406659982

EQUIPMENT: 19D405396-9
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
M3449-5CHTC	BVRJB		RN65D7502F	BVMR	59059903029
MS35206-225	BVSE	53059844982	RN65D9092F	BVMS	59059529435
MS35206-246	BVSH	53059844983	SSD753	BVJY	59610601689
MS35206-228	BVSL	53059844988	T154X101	BVJL	59459230411
MS35207-267	BVSK	53059931851	T154X101	BVPR	5945
MS35235-14	BVSF	53058202384	UT66	BVJV	59610566403
MS35335-30	BVTH	53102090788	UT66	BVNK	5961
MS35649-42	BVRX	53100134524			
MS35649-62	BVRV	53100134530			
N210P19C13	BVRW	53109585209			
N402P5C13	BVTF	5310			
N412P7C13	BVRND	53107235414			
N403P21C13	BVTG	53102090940			
N529P18C13	BVRE	5340			
N539P103	BVSD	5305			
N80P13010C3	BVRNE	53050597679			
N812P30100	BVSG	5305			
N84P9006C13	BVSJ	5305			
NP248814	BVSB	5805			
NP248847	BVSA	5805			
P50741A	BVRS	5805			
RC20GF103J	BVJQ	59051858510			
RC20GF204J	BVJP	59051712003			
RC200F271J	BVJR	59051712006			
RC20CF273J	BVJU	59052793499			
RC20GF512J	BVJT	59052792019			
RC20GF513J	BVJS	59052793496			
RN20X69R8F	BVRJD				
RN6501001F	BVMK	59058839198			
RN65D1002F	BVNA	59050640555			
RN65D1102F	BVMT	59050620537			
RN65D1334F	BVNB	59057620663			
RN65D1471F	BVMW	59059936012			
RN65D1781F	BVMY	59059936975			
RN65D1961F	BVMU	59052258175			
RN6SD2152F	BVMQ	59059932268			
RN65D2372F	BVMJ	59059884710			
RN65D2610F	BVMP	59050880987			
RN65D2612F	BVML	59050602484			
RN65D3161F	BVNC	59059931362			
RN65D31R6F	BVND	59059932271			
RN65D3480F	BVMG	59059905023			
RN65D3481F	BVMZ	59059931363			
RN65D4642F	BVMW	59059932261			
RN65D5110F	BVMX	59059895580			
RN65D5111F	BVMM	59058138640			
RN65D5112F	BVMV	59059932267			
RN65D6811F	BVNE	59050602481			
RN65D7500F	BVMN	59099936341			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INVENTORY CODE	DESCRIPTION	UNIT OF ISSUE	EXPANDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BWCA M		A FR	58201798501	A	MUX SYSTEM 19D405396-10B 117 VAC, 60 CY, 1 PHASE, 288 CHAN EACH DIR	08771	EA	1	1				
BWCF		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	5	20.0			11
BWJD		P O	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	92	92	19.0			

DATE 04-23-69

REVISION NO.

218-1

DATE: 04-23-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-10B

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONQUIN RD DES PLAINES ILL	80131	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C
03508	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	81349	MILITARY SPECIFICATIONS
04713	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIZONA	84411	TRW CAPACITOR DIV OGALLALA NEBR
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HARRISON N J
08806	GENERAL, ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95076	GARDE MFG CO 53 JOHN ST CUMBERLAND R I
13141	UNITRODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	95354	METHODE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906	MILITARY STANDARDS
70309	ALLIED CONTROL CO INC 2 LAST END AVE NEW YORK N Y		
71785	CINCH MFG CO AND HOWARD P JONES DIV 1026 S HOMAN AVE CHICAGO ILL		
78553	TINNERMAN PRODUCTS INC CLEVELAND OHIO		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWCA M		A FR	58201798501	A	MUX SYSTEM 19D405396-108 117 VAC, 60 CY, 1 PHASE, 288 CHIN EACH DIR	08771	EA	1	1								
BICB		A FR		B	CHANNEL RACK 19D405J96P197 115 VAC, 19.5 X 20,5 IN, X 7 FT O/A	08771	EA	1	1								
BWCC		X 2Fr		C	PANEL,FRONT 5493030G1	08771	EA	36	92								
BWCD		A FR		C	RACK,ASSY 19E500088G9 115 VAC, 19.5 X 20,5 IN, X 7 FT O/A	08771	EA	1	1								
BWCE		P F	62209261323	D	ALARM ASSEMBLY 5496133G1 28 VDC. 0.90 IN. X 0.90 IN. X 4.30 IN, O/A	08771	EA	1	4	5.2	5.2	12.0					23.3
BWCF		P O	62401558707	D	LAMP,INCAND 1819-28V 28V. 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	5	20.0	20.0	250.0			11		142.4
BWCG		X1F		D	RACK,EL EQUIP 5496857G3	08771	EA	1	4								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWON		A FR		D	RELAY ASSY 549621662 STLV CHROMATE FINISH. 0.09 X 1.25 X 2.50 IN.	00771	EA	1	3							
BWCJ		P F	59352370456	E	CONN.PLUG,ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET. 0.938 X 1.29 X 1.2	71785	EA	1	4	3.2	3.2	4.0			P1	12.4
BWCK		P F	59918929607	E	CONN.REC.ELEC 261-31-12-010 PHEN. 12 PH BRZ MALE CONT, 7.5A RATED	71789	EA	1	4	3.2	3.2	4.0			J2	12.4
BWCL		P F	594S9230411	E	RELAY.ARMATURE T154X101 115 VDC, 6 PDT, 1.5W,I 0.013A, 9000 OHM RES	70309	EA	2	7	7,7	7,7	21.0			K1, K2	38.9
BWCM		P F	5937336326	E	SOCKET.RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TERM,O.9211N	70309	EA	2	7	4.3	4.3	21.0			XK1, XK2	18.1
BWCN		A F	58809074748	D	TERMINAL BOARD 549292901 PHENOLIC. 0.062 IN. X 3.500 IN. X 3.875 IN,	08771	EA	1	4							
BWCP		P F	59151712003	E	R[S,FXD,COMP RC20GF204J 200000 OHM, 5 PCT, 1/2W	81349	EA	1	4	4.6	4.6	12.0			R1	19.9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWCQ		P F	59151168510	E	RES,FXD,COMP RC20GF103J 10000 OWMS, 5 PCT, 1/2 W	81349	EA	1	4	4.6	4.6	12.0			R3	19.9
BWCR		P F	59151712006	E	RES,FXD,COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	8	6.5	6.5	24.0			R6,R9	31.4
BWCS		P F	59152793496	E	RES,FXD,COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	8	6.5	6.5	24.0			R2,R4	31.4
BWCT		P F	59152792019	E	RES,FXD,COMP RC20GF512J 5100 OHM, 5 PCT, 1/2 W	81349	EA	2	8	6.5	6.5	24.0			R7,R8	31.4
BWCU		P F	59052793499	E	RES,FXD,COMP RC20GF273J 27000 OHM, 5 PCT, 1/2W	81349	EA	1	4	4.6	4.6	12.0			R5	19.9
BWCV		P F	59610566403	E	SEMICOND,DIODE UT66 SILICON, RECTIFIER, 100 PIV, 0.600 MAX DCA	13141	EA	1	8	8.7	8.7	40.0			CR4	46.2
BWCW		P F	5918920748	E	SEMICOND,DIODE 1N979B ZENER, 56V, 2.2 MA, 150 0HH MAX, 5 PCT	81349	EA	1	5	6.5	6.5	25.0			VR1	31.4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWCY		P F	59610601669	E	SEMICOND,DIODE SSD753 SILICON, NPN. 300 MA AT 25 C, FAST RECOVERY	15715	EA	3	12	10.6	10.6	60.0			CRITHRUCR3	60.0
BWOA		P F	596106016S5	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEC C 0.38 X 0.25IN	08771	EA	2	8	8.7	8.7	40.0			Q2,03	46.2
BWDB		P F	59619659073	E	TRANSISTOR 2N3053 SILICON, NPN. 60V. 100 HMC, 5W 1A	86684	EA	1	4	5.2	5.2	20.0			Q1	23.3
BWDC		X 2F		C	SHELF ASSY 190401601G64	08771	EA	1	1							
BWDD		X 2F		C	SHELF ASSY 190401607068	08771	EA	1	1							
BWDE		X 2F		C	SHELF ASSY 19D401607G66	08771	EA	1	1							
BWOF		X 2F		C	SHELF ASSY 190401607G70	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

218-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWDG		X 2F		C	SHELF ASSY 19D401607G65	08771	EA	1	1								
BWDH		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	1								
BWDJ		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	1								
BWIDK		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	1								
BWDL		A FR		B	COM EQUIP RCK 19D405396P196 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1								
BWDH		X 2F		C	PANEL BLANK 5496139G8	08771	EA	6	6								
BWDN	BWCC			C	PANEL.FRONT 549303001	08771		3	HEF								

DATE 04-23-69

REVISION NO.

218-7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYDP		A FR		C	RACK ASSY 19E500088G10 115 VAC, 19.5 X 20,5 IN. X 7 FT 0/A	05771	EA	1	1							
BWDQ	BWCE			D	ALARM ASSEMBLY 5496133G1	08771		1	HEF							
BWDR	BWCF			D	LAMP,INCAND 1819-28V	06806		1	REF						11	
BWDS	BWCG			D	RACK,EL EQUIP 5496857G3	08771		1	HEF							
BWDT		A FR		D	RELAY ASSY 5496216G1 STL, CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN.	06771	EA	1	1							
BWDU	BWCJ			E	CONN.,PLUG,ELEC 261-32-12-030	71785		1	MEF							P1
BWDV	BWCK			E	CONN.REC,ELEC 261-31-12-010	71785		1	REF							J2

B
D
A
E
S
P
O
T

DATE 04-23-69

REVISION NO.

218-8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWDW	BWCL			E	RELAY,ARMATURE T154X101	70309		1	REF							K1
BWDX	BWCM			E	SOCKET.RELAY 30054-1	70309		1	NEF							XK1
BWDY	BWCN			D	TERMINAL BOARD 5492929G1	06771		1	REF							
BWDZ		X IF		C	SHELF ASSY 19D401607079	08771	EA	1	1							
BWEA		X IF		C	SHELF ASSY 19D401607074	08771	EA	1	1							
BWEB		A FR		B	GP REG INT RCK 19D405396P127 115 VAC, 19.5 X 20,5 IN, X 7 FT O/A	08771	EA	1	1							
BWEC	BWCC			C	PANEL,FRONT 5493030G1	08771		29	REF							

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWED		A FR		C	RACK ASSY 19E500088G8 115 VAC. 19.5 X 20,5 IN, X 7 FT O/A	08771	EA	1	1							
BWEE	BWCE			D	ALARM ASSEMBLY 5496133G1	06771		1	HEF							
BWEF		A FR	58209074749	D	ALARM BD,MAJ 5492680G1 PHENOLIC, 0.500 IN. X 3,500 IN. X 4.77 IN,	08771	EA	1	1							
BWEG		P F	59108468098	E	CAP,FXD,ELECT CS13AF220M 22 MFD. 20 PCT, 35 VDCW	81349	EA	2	2	3.2	3.2	6.0			C3,C8	12.41
BWEJ		P F	59109040519	E	CAP,FXD,ELECT CS13BFL15M 1 Pr, 10 PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C6	6.8
BWEL		P F	59100500086	E	CAP,FXD,MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C1	6.8
BWEN		P F	59109641345	E	CAP&FXD#PLSTC 601PE2240-5W 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2,C5	12.4

DATE 04-23-69

REVISION NO.

218-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWEP		P F	59100852730	E	CAP,FXD,PLSTC 601PE3340-SW 33000 PF, 20 PCT, 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8
BWEQ		P F	59500852525	E	COIL,RF 5495589G182 7/16 X 9/16 IN. O/A, 74.5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
BWER		P F	59059905023	E	RES,FXD,FILM RN65D3480O 348 OHM, I PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BWES		P F	59859936012	E	RES,FXD,FILM RN65D1471F 1470 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
BWET		P F	59059884710	E	RES,FXD,FILM RN65D2372F 23700 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BWEU		P F	59858839198	E	RES,FXD,FILM RN65DIOO1F 1000 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6,0			R22,R29	12.4
BWEV		P F	59050602484	E	RES,FXD,FILM RN65D2612F 26100 OHM, 1PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R4	6.8

DATE 04-23-69

REVISION NO.

218-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWEV		P F	59058138640	E	RES, FXD, FILM RN65D5111F 5110 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8
BWEX		P.F	59059936341	E	RES, FXD, FILM RN65D7500F 750 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BWEY		P.F	5950880987	E	RES, FXD, FILM RN65D2610f 261 OHM,1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,R14I	12.4
BWEZ		P F	59059932268	E	RES, FXD, FILM RN65D2152F 21500 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	6.0			R20,R21	12.4
BWFA		P F	59059903029	E	RES, FXD, FILM RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BWFB		P F	59059529435	E	RES, FXD, FILM RN65D9092F 90900 OHM, 1 PCT, 1/2W	81349	EA	2	2	2.2	2.2	3.0			R25	6.8
BWFC		P.F	59050620537	E	RES, FXD, FILM RN65D1102F 11000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8

DATE 04-23-69

REVISION NO.

218-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O E T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWFD		P F	59052258175	E	RES,FXDOFILM RN65D1961F 1960 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.0
BWFE		P F	59159932267	E	RES,FXD,FILH RN65D5112F 51100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.0
BWFF		P F	59059932261	E	RES,FXD,FILM RN65D4642F 46400 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R28	6.0
BWFG		P F	59159895580	E	RES,FXDO,FLM RN65D5110F 511 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R13	6.0
BWFH		P F	59159936975	E	RES,FXD,FILM RN65Di781F 1780 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R31	6.0
BWFJ		P F	59059931363	E	RES,FXD,FILM RN65D3481r 3480 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19,R24	12.4
BWFK		P F	59050640555	E	RES,FXD,FILM RN65D1002F 10000 OHM, 1 PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0			R5, R11, R17	16.5

DATE 04-23-69

REVISION NO.

218-13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWPL		P F	59057620663	E	RES,FXD,FILM RN65D1334F 1330000 OHM.1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8
BWPM		P F	59059931362	E	RES,FXD,FILM RN65D3161F 3160 OHMS, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R7,R23	12.4
BWPN		P F	59059932271	E	RES,FXD,FILM RN65D31R6F 31,6 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BWFP		P F	59150602481	E	RES,FXD,FILM RN65D6811F 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2,2	2.2	3.0			R9	6.8
BWFQ		P F	59618547455	E	SEMICOND DIODE 1-5M56Z5 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BWPR		P F	59614460270	E	SEMICOND,DIODE 1N198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5,CR6	16.5
BWFT	BWCW			E	SEMICOND,DIODE 1N979B	81349		1	REF						VRI	

DATE 04-23-69

REVISION NO.

218-14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWFCU	BWCV			E	SEMICON, DIODE UT66	13141		4	HEF								
BWFCV		P F	59618266631	E	SEMICON.DIODE 1N712 ZENER, 8.2V, 25 MA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2		10.3
BWFCW		P F	59616774875	E	SEMICON,DIODE 1N91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CRI		10.3
BWFCY		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM, PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRUQ7		21.7
BWFCZ		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			Q2.Q3		16.5
BWFGA		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM. NPN, LOW LEVEL TYPE. 3 MWZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1		10.3
BWFCB		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC# 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4		10.3

DATE 04-23-69

REVISION NO.

218-15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWGC	BWCF			D	LAMP,INCAND 1819-28V	06806		2	HEF							11, 12
BWGD	BWCG			D	RACK,EL EQUIP 5496857G3	08771		1	HEF							
BWGE	BWCH			D	RELAY ASSY 5496216G2	08771		1	HEF							
BWGF	BWCN			D	TERNINAL BOARD 5492929G1	08771		1	HEF							
BWGG		X 2F		C	SHELF ASSY 19D401607G99	08771	EA	1	1							
BWGH		X 2F		C	SHELF ASSY 19D401607G73	08771	EA	1	1							
BWGJ		X 2F		C	SHELF ASSY 19D401607G82S1	08771	EA	1	1							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWGK		X 2F		C	SHELF ASSY 19D401607G84	08771	EA	1	1							
BWGL		X 2F		C	SHELF ASSY 19D401607G72	06771	EA	1	1							
BWGM		X 2F		C	SHELF ASSY 19D401607G72	08771	EA	1	1							
BWGN		X 2F		C	SHELF ASSY 19D401607G83	06771	EA	1	1							
BWGP		X 2F		C	SWELF ASSY 19D401607G98	0D771	EA	1	1							
BWGQ		A FR		B	GP REG INT RCK 19D405396P128 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1							
BWGR	BWCC			C	PANEL.FRONT 5493030G1	08771		24	HEF							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWGS		A FR		C	RACK ASSY 19E500088G7 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BWGT	BWCE			D	ALARM ASSEMBLY 5496133G1	08771		1	HEF								
BWGU	NWCF			D	LAMP,ZNCAND 1819-28V	08806		1	HEF						11		
BWGV	BWCG			D	RACK,EL.EQUIP 549685703	08771		1	HEF								
BWGW	BWCH			D	RELAY ASSY 5496216G2	087711		1	HEF								
BWGX	BWCN			D	TERMINAL BOARD 5492929G1	08771		1	HEF								
BWGY		X 2F		C	SHELF ASSY 190401607G92S2	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

218-18

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWGZ		X.2F		C	SHELF ASSY 19D401607G88	08771	EA	1	1							
BWWA		X.2F		C	SHELF ASSY 19D401607G86	08771	EA	1	1							
BWWB		X.2F		C	SHELF ASSY 19D401607G90	08771	EA	1	1							
BWWC		X.2F		C	SHELF ASSY 19D401607G85	08771	EA	1	1							
BWWD		X.2F		C	SHELF ASSY 190D401607G85	08771	EA	1	1							
BWWD		X.2F		C	SHELF ASSY 19D401607GO9	08771	EA	1	1							
BWWE		X.2F		C	SHELF ASSY 19D401607G87	08771	EA	1	1							
BWWF		X.2F		C	SHELF ASSY 19D401607G91	08771	EA	1	1							

B D
A E
S P
O T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWWG		X 2F		B	BLOCK 198200642P3	08771	EA	8	8								
BWWH		X 2F		B	BLOCK 19B201599P1	08771	EA	3	3								
BWWJ		X 2F		B	BRACKET 5492908P1	08771	EA	4	4								
BWWK		X 2F		B	BRKT,DBL,ANGLE 5492901P1	08771	EA	4	4								
BWWL		X 2F		B	BUS BAR 5496651G1	08771	EA	1	1								
BWWW		P F	61309419731	B	BUS BAR,48KC 5493567G1 48 KHZ', COPPER. 2,500 IN. LG	08771	EA	1	1	2.7	2.7	3.0					
BWWWMA		X1F		C	RES,FXD,FILM 5495948P125	08771	EA	1	1							R1	

B D
A E
S P
E O
T

10,3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWWMB		X1F		C	BRKT,DBL,ANGLE 5493566P1	08771	EA	1	1							
BWWMC		X1F		C	SHLD,ELEC CONN	08771	EA	1	1							
BWWMD		X1F		C	CONN,RECP,ELEC 5496078P3	08771	EA	7	7							
BWWME		X1F		C	INSULATOR,PLATE 5492713P1	08771	EA	1	1							
BWWMF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1							
BWWMG		C F		C	TERMINAL,LUG 4035338P1	08771	EA	1	1							
BWWN		X 2F	53400850856	B	BUTTON,PLUG 207-360231-00	02768	EA	92	92							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWWP		X 2F		B	BUTTON,PLUG N529P18C13	08771	EA	16	16								
BWVO		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	26	26								
BWWR		P F		B	CONN-SPT 198202230G5 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0					14.4
BWWS		P F	589S9420941	B	CONN-SPT 19B202230G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	155	155	27.0	27.0	155.0					213.5
BWWSA		X1F	59350442707	C	CONN,RECP,ELEC FD630S	95354	EA	1	160								
BWWSB		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	310								
BWWSC		X1F		C	BRACKET,ANGLE 19B202181P1	08771	EA	1	155								

DATE 04-23-69

REVISION NO.

218-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWWT		P F		B	CONN-SPT 19B20262002 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	36	36	10.6	10.6	3.60				60.0
BWWTA		X1F		C	BRACKET,ANGLE 198202181P3	08771	EA	1	36							
BWWTB		X1F		C	CONN,RECP,ELEC 198209014P1	08771	EA	1	36							
BWWU		P F	58209228702	B	CONN-SPT 198202230G4 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4
BWWUA		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	5						WI	
BWWU8		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	2	10						E2.E4	
BWWUC		X1F		C	TRANSFORMER,RF 5498921P1	08771	EA	1	5						HY1	

DATE 04-23-69

REVISION NO.

218-23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWWUD		X1F		C	RES.FXD,FILM RN2OX69R8F	81349	EA	1	5								
BWWUE		X1F		C	BRACKET,ANGLE 4034495G3	08771	EA	1	5								
BWWUF	BWWSA			C	CONN,RECP,ELEC FD630S	95354		1	REF								
BWWUG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	10								
BWWV		P F		G	CONN-SPT 198202603G1 STL, 0.090 IN. X 0.090 IN. X 4.810 IN. O/A	08771	EA	30	30	9.7	9.7	30.0					53.1
BWWVA		X1F		C	BRKT,DBL,ANGLE 198202566P1	08771	EA	1	30								
BWWVB		X1F		C	SHELL,ELEC,CONN 190401142P2	08771	EA	1	30								

DATE 04-23-69

REVISION NO.

218-24

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWWVC		C F		C	WASHER.NM 4035306P63	08771	EA	2	60							
BWWVD		C F		C	WASHER.FLAT 19AII0105P1	08771	EA	2	60							
BWWW		A F	59593999580 8	C	VER.ALARM 5492912G1 ALa CADMIUM PLAT[ED 2 X 4.500 IN. O/A	08771	EA	7	7							
BWWWA		X 2F		C	RET,ELEC CONN 5492910G1	08771	EA	1	7							
BWWWB		P F	59399228133	C	CONN,RECP,ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	7	4.3	4.3	7.0				
BWWWC		X 2F		C	POST,LEC MECH 5491541P204	08771	EA	2	14							
BWWWWD		C F	53107235414	C	WASHER. FLAT N402P7C13	08771	EA	2	14							

B
D
A
E
S
E
P
O
T

18.1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWWWE		C F	53150597679	C	SCREW,HACHINE N80P13010C13	08771	EA	2	14							
BWWX		X 2F		B	EXTRUSION 4034527G7	08771	EA	4	4							
BWWY		X 2F		B	EXTRUSION 4034526G7	08771	EA	4	4							
BWWZ		C F		B	GROMMET,RUBBER 5490407P56	08771	EA	7	7							
BWJA		C F		B	GROMMET,RUBSER 5490407P50	08771	EA	8	8							
BWJB		X 2F		B	GUIDE,SHELF P50741A	02768	EA	660	660							
BWJC		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2							

B
D
A
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWJD		P 0	53409446037	B	KNOB 19C31012 1P1 PWHEN,O.317 X 0.470 X 1.030 IN. O/A DIN	08771	EA	92	92	19.0	19.0	92.0				130.1
BWJE		C F		B	NUT,PLAIN,HEX 7141225P3	08771	EA	92	92							
BWJF		C F	53109589209	B	NUT,PLAIN,HEX N210P19C13	08771	EA	92	92'							
BWJG		C F		B	NUT,PLAIN,HEX 7141225P2	08771	EA	184	184							
BWJH		X 2F		B	PLATE 5492521P2	08771	EA	6	6							
BWJJ		X 2F		B	PLATE 5492521P12	08771	EA	64	64							
BWJK		X 2F		B	PLATE 5498720G16	08771	EA	92	92							

DATE 04-23-69

REVISION NO.

218-27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWJL		M W		B	PLATE,IDENT NP248814	08771	EA	4	4								
BWJM		M W		B	PLATE,IDENT NP248847	08771	EA	26	26								
BWJN		P F		B	PRINTED CKT BO 198202667P1 PWENOLIC, 0.062 IN. X 3,070 IN. X 3.500 IN,	08771	EA	1	1	1.5	1,5	3.0					5.2
BWJP		C F		B	SCREW,DRIVE N539103	08771	EA	184	184								
BWJQ		C F		B	SCREW,MACHINE N37P9021C13	08771	EA	184	184								
BWJR		C F	53158892997	B	SCREW,MACHINE H535206'215	96906	EA	12	12								
BWJS		C F		B	SCREW,MACHINE N80P19006C13	08771	EA	184	184								

DATE 04-23-69

REVISION NO.

218-28

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWJT		C F	53059576636	B	SCREW,MACHINE MS35190-223	96906	EA	6	6							
BWJU		C F	53159844983	B	SCREWD MACHINE M535206-226	96906	EA	188	188							
BWJV		C F		B	SCREW,MACHINE N82P13010D	08771	EA	92	92							
BWJW		C F	53158893116	B	SCREW,MACHINE MS35206,213	96906	EA	2	2							
BWJX		X 2F		B	SHELF 19D405255G1	08771	EA	1	1							
BWJY		X 2F		B	SHELF 19D401943G2	08771	EA	4	4							
BWJZ		X 2F		B	SHELF 5498699G34	08771	EA	1	1							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWKA		X 2F		B	SHELF 5498699G32	08771	EA	20	20							
BWKB		C F	53108505723	B	SPACER,SLEEVE 5491541P106	08771	EA	4	4							
BWKC		X 2F		B	SPRING 5492956P1	08771	EA	92	92							
BWKD		X 2F		B	SPRING 5492596P2	08771	EA	92	92							
BWKE		X 2F		B	STRIP 198203025P5	08771	EA	92	92							
BWKF		X 2F		B	STRIP,FOIL 198203072P1	08771	EA	92	92							
BWKG		C F		B	STUD,FRICTION P100-499-24B	78553	EA	188	188							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWKH		X 2F		B	SUPPORT,CABLE 5492920P1	08771	EA	1	1								
BWKJ		P F	59359420103	B	SUPPORT,CONN 198202620G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	50	50	3.1	13.1	50.0					
BWKK		A F		B	TERMINAL RLK 5496135G24 ALP CHROMATE FINISH, 5.200 X 58.875 IN.	08771	EA	4	4								
BWKKA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	32								
BWKKB		X 1F		C	CHAS,ELEC EQUIP 5496862G2	08771	EA	1	4								
BWKL		A r		B	TERMINAL BLK 5496356G3 AL, CHROMATE FINISH, 5.200 X 58.875 IN, O/A	08771	EA	1	1								
BWKLA		X 1F		C	CHAS,ELEC,EQUIP 5492483G1	08771	EA	1	1								

B
D
A
S
E
P
O
T

79.9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWKL B		X 2F		C	SHLD.ELEC CONN 4034205P1	08771	EA	20	20							
BWKL C		C F		C	TERMINAL,LUG 5491581P1	08771	EA	20	20							
BWKL D		X 2F		C	TERMINAL BOARD 4034i93G4	08771	EA	10	10							
BWKL E		X 2F		C	TERMINAL BOARD 4034193G5	08771	EA	10	10							
BWKM		X 2F		B	TERMINAL BOARD 198203067P1	08771	EA	6	6							
BWKN		X 2F	58150857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							
BWKP		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							

B D
A E
S P
O T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWKQ		C F		B	WASHER, FLAT N402PSC13	08771	EA	188	188								
BWKR		C F	53102090940	B	WASHER, LOCK N403P21C13	08771	EA	92	92								
BWKS		C F	53105790079	B	WASHER, LOCK MS35333-37	96906	EA	96	96								
BWMT		C F	58050857218	B	WASHER, NM 4036555P1	08771	EA	25	25								
BWMU		C F		B	WASHER, NM 4035306P21	08771	EA	4	4								
BWKV		C F		B	WASHER, NM 4035306P51	08771	EA	4	4								

EQUIPMENT: 19D405396-10B
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BWCF	62401558707	19D401607G99	BWGG	5805
1819-28V	BWDR	6240	19D401943G2	BWJY	5885
1819-28V	BWGC	6240	19D405255G1	BWJX	5805
1819-28V	BWGU	6240	19D405396-10B	BWCA M	58201798501
19A101105P1	BWHVD		19D405396P127	BWEB	5805
19A115562P2	BWDA	59610601655	19D405396P128	BWGG	5805
19B200642P3	BWHG	5805	19D405396P196	BWDL	5805
19B201599P1	BWNH	5805	19D405396P197	BWCB	5805
18B202181P1	BWHSC		19E500088G10	BWDP	5805
19B202181P3	DWHTA		19E500088G7	BWGS	5805
19B202230G1	BWHS	53959420941	19E500088G8	BWED	5805
19B202230G4	BWHU	58209228702	19E500088G9	BWCD	5805
19B202230G5	BWHR	5805	1-5H56Z5	BWFQ	59618547455
19B202566P1	BWHVA		1N198	BWFR	59614460270
19B202603G1	BWHV	5805	1N712	BWFB	59618266631
19B202620G1	BWKJ	59359420103	1N91	BWFW	59616774875
19B202620G2	BWHT	5805	1N979B	BWCW	59618920748
19B202667P1	BWJN	5999	1N979B	BWFT	5961
19B203025P5	BWKE	5805	207-360231-00	BWHN	53400850856
19B203067P1	BWKM	5999	261-31-12-010	BWCK	59358929607
19B203072P1	BWKF	9535	261-31-12-010	BWDV	5935
19B209014P1	BWHTB		261-32-12-030	BWCJ	59352370456
19C310121P1	BWJD	53409446037	261-32-12-030	BWDU	5935
19D401142P2	BWHVB		2N1039	BWGB	59618218977
19D401607G64	BWDC	5805	2N1302	BWGA	59618507646
19D401607G65	BWDG	5805	2N1395	BWFB	59610805233
19D401607G66	BWDE	5805	2N1614	BWFZ	59610860040
19D401607G67	BWDJ	5805	2N3053	BWDB	59619859073
19D401607G68	BWDD	5805	30054-1	BWCM	59357336326
19D401607G69	BWDH	5805	30054-1	BWDX	5935
19D401607G70	BWDF	5805	4034193G4	BWKLD	
19D401607G71	BWDK	5805	4034193G5	BWKLE	
19D401607G72	BWGM	5805	4034205P1	BWKLB	
19D401607G73	BWGW	5805	4034495G3	BWHUE	
19D401607G74	BWEA	5805	4034526G7	BWHY	5805
19D401607G79	BWDZ	5805	4034527G7	BWHX	5805
19D401607G82S1	BWGJ	5805	4035306P21	BWKU	5330
19D401607G83	BWGN	5805	4035306P51	BWKV	5330
19D401607G84	BWGL	5805	4035306P63	BWHVC	
19D401607G85	BWHC	5805	4035338P1	BWHNG	
19D401607G86	BWHA	5805	4036150P1	BWJC	5970
19D401607G87	BWHF	5805	4036555P1	BWKT	58050857218
19D401607G86	BWGP	5805	4038477G1	BWHMC	
19D401607G89	BWHD	5805	5490407P50	BWJA	5325
19D401607G8	BWVK	5805	5490407P56	BWHZ	5325
19D401607G90	BWHB	5805	5491541P106	BWKB	53108505723
19D401607G91	BWNF	5805	5491541P204	BWHWC	
19D401607G92S2	BWGY	5805	5491581P1	BWKLC	
19D401607G98	BWGP	5805	5492483G1	BWKLA	

EQUIPMENT: 19D405396-10B
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5492521P12	BWJJ	5805	5498921P1	BWHUC	
5412521P2	BWJH	5805	601PE2240-5W	BWEN	59109641345
5492596P2	BWKD	5805	601PE3340-5W	BWEP	59100852730
5492680G1	BWEF	58209074749	7141225P2	BWJG	5310
5492713P1	BWHME		7141225P3	BWJE	5310
5492750P3	BWHSB		7491823P4	BWHMF	
5492750P3	BWHUG		7774524P3	BWKKA	
5492901P1	BWHK	5805	7878455P1	BWKP	59403084357
5492908P1	BWHJ	5805	CM07F512J03	BWEL	59100500086
5492910G1	BWHWA		CS13AF220M	BWEG	59108468098
5492912G1	BWHW	59359995880	CS13BF105M	BWEJ	59109040519
5492920P1	BWKH	5605	FD630S	BWHSA	59 50442707
5492929G1	BWCN	58209074748	FD630S	BWHUF	
5492929G1	BWDY	5820	M3449-5CHTC	BWHUA	59406659982
5492929G1	BWGF	5820	M3449-5CHTC	BWHUB	59406659982
5492929G1	BWGX	5820	MS35190-223	BWJT	53059576636
5492937G1	BWHQ	5805	MS35206-213	BWJW	53158893116
5492956P1	BWKC	5805	MS35206-215	BWJR	53058892997
5493030G1	BWCC	5605	MS35206-226	BWJU	53059844983
5493030G1	BWDN	5805	MS35333-37	BWKS	53105790079
5493030G1	BWEC	5805	N210P19C13	BWJF	53109585209
5413030G1	BWGR	5805	N37P9021C13	BWJQ	5305
5493566P1	BWHMB		N402P5C13	BWKQ	5310
5493567G1	BWHM	61309419731	N402P7C13	BWNWD	53107235414
5495589G182	BWEQ	59500852525	N403P21C13	BWKR	53102090940
5495948P125	BWHMA		N529P18C13	BWHP	5540
5496078P3	BWHMD		N539103	BWJP	5305
5496085P1	BWHWB	59359228133	N80P13010C13	BWHWE	53050597679
5496133G1	BWCE	62109261323	N80P19006C13	BWJS	5305
5496133G1	BWDQ	6210	N82P13010D	BWJV	5305
5496133G1	BWKK	6210	NP248814	BWJL	5805
5496133G1	BWGT	6210	NP248847	BWJM	5805
5496135G24	BWKK	5940	P101-499-248	BWKG	5325
549613968	BWDM	5805	P50741A	BWJB	5805
5496216G1	BWDT	5805	RC20GF103J	BWCQ	59051858510
5496216G2	BWCW	5945	RC20GF204J	BWCP	59051712003
5496216G2	BWGE	5945	RC20GF271J	BWCR	59051712006
5496216G2	BWGW	5945	RC20GF273J	BWCU	59052793499
5496356G3	BWKL	5940	RC20GFS12J	BWCT	59052792019
5496651G1	BWHL	5805	RC20GF513J	BWCS	59092793496
5496735P1	BWKN	58050857236	RN20X69R8F	BWHUD	
5496857G3	BWCG	5805	RN65D1001F	BWEU	59058839198
5496857G3	BWDS	5805	RN65D1002F	BWFK	59050640555
5496857G3	BWGD	5805	RN65D1102F	BWFC	59050620537
5406857G3	BWGV	5805	RN65D1334F	BWFL	59057620663
5496862G2	BWKKB		RN65D1471F	BWES	59059936012
5498699G32	BWKA	5805	RN65D1781F	BWFW	5905993695
5498699G34	BWJZ	5805	RN65D1961F	BWFD	59052258175
549720G616	BWJK	5805	RN65D2152F	BWEZ	59059932268

EQUIPMENT: 19D405396-10B
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
RN65D2372F	BWET	59059884710			
RN65D2610F	BWEY	59050680987			
RN65D2612F	BWEV	59050602484			
RN65D3161F	BWFM	59059931362			
RN65D31R6F	BWFN	59059932271			
RN65D3480F	BWER	59059905023			
RN65D3481F	BWFN	59059931363			
RN6SD4642F	BWFF	59059932261			
RN65D5110F	BWFG	59059895580			
RN65D5111F	BWEW	59058138640			
RN65D5112F	BWFE	59059932267			
RN65D6611F	BWFP	59050602481			
RN65D7500F	BWEX	59059936341			
RN65D7502F	BWFA	59059903029			
RN65D9092F	BWFB	59059529435			
SSD753	BWCY	59610601689			
T194X101	BWCL	59459230411			
T154X101	BWDW	5945			
UT66	BWCV	59610566403			
UT66	BWFU	5961			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDEXT CODE	DESCRIPTION	UNIT OF ISSUE	EXPANDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BVAAA		AFR		A	MUX SYSTEM 19D405396-9A 117 VAC, 60 CY, 1 PHASE, EACH DIR 60 CHAN	08771	EA	1		1			
BVAB		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, BASE MINIATURE BAYONET	08806	EA	1		4	17.5		11
BVFK		P O	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	106		106	21.0		

DATE 02-18-69

REVISION NO.

219-1

DATE: 02-18-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-9A

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONQUIN RD DES PLAINES ILL	80131	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C
03508	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE NY	81349	MILITARY SPECIFICATIONS
04713	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIZONA	84411	TRW CAPACITOR DIV UGALLALA NEBR
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEV HARRISON N J
08806	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95076	GARDE MFG CO 53 JOHN ST CUMBERLAND R I
13141	UNITRODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	95354	METHODE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906	MILITARY STANDARDS
70309	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK NY		
71785	CINCH MFG CO AND HOWARD B JONES DIV 1026 S HOMAN AVE CHICAGO ILL		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVAAA		A FH		A	MUX SYSTEM 19D405396-9A 117 VAC, 60 CY, 1 PHASE, 60 CHAN EACH DIR	08771	EA	1	1								
BVAB		A FR		B	CHANNEL RACK 19D405396P52 115 VAC, 19.5 X 20, 5 IN, X 7 FT O/A	08771	EA	1	1								
BVAC		A FR		C	RACK, ASSY 19E500088G9 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BVAD		P F	62109261323	D	ALARM ASSEMBLY 5496133G1 28 VDC. 0.90 IN. X 0.90 IN. X 4.30 IN, O/A	08771	EA	1	3	4.9	4.9	9.0					21.7
BVAE		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5	17.5	200.0			11		117.9
BVAF		X1F		D	RACK, EL EQUIP 5496857G3	08771	EA	1	3								
BVAG		A FR		D	RELAY ASSY 5496216G2 STL, CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN.	08771	EA	1	3								

DATE 02-18-69

REVISION NO.

219-3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVAH		P F	59352370456	E	CONN, PLUG, ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1, 2	71785	EA	1	3	2.7	2.7	3.0			P1	10.3
BVAJ		P F	59358929607	E	CONN, REC, ELEC 261-31-12-010 PHEN, 12 PH BRZ HALE CONT, 7.5A RATED	71785	EA	1	3	2.7	2.7	3.0			J2	10.3
BVAK		P F	59459230411	E	RELAY, ARMATURE T154X101 TP CRADLE TYPE 6 PDT, DC COIL 5 AMP	70309	EA	2	6	7.7	7.7	18.0			K1, K2	38.9
BVAL		P F	59357336326	E	SOCKET, RELAY 30054-1 BAKELITE.10 GL PL BE COP SOLDER TER. .921IN	70309	EA	2	6	3.9	3.9	18.0			XK1, XK2	16.5
BVAH		A FR	58209074748	D	TERMINAL BOARD 5492929GC1 PHENOLIC. 0.062 IN. X 3, 500 IN. X 3, 875 IN.	08771	EA	1	3							
BVAN		P F	59151712003	E	RES, FXD, COMP RC20GF204J 200000 OHM. 5 PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R1	16.5
BVAP		P F	59051858510	E	RES, FXD, COMP RC20GF103J 10000 OHMS. 5 PCT, 1/2	81349	EA	1	3	3.9	3.9	9.0			R3	16.5

DATE 02-18-69

REVISION NO.

219-4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVAQ		P F	59051712006	E	RES, FXD, COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R6, R9	23.3
BVAR		P F	59052793496	E	RES, FXD, COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R2, R4	23.3
BVAS		P F	59052792019	E	RES, FXD, COMP RC20GF512J 5100 OHM, 5 PCT, 1/2 W	81349	EA	2	6	5.2	5.2	18.0			R7, R8	23.3
BVAT		P F	59052793499	E	RES, FXD, COMP RC20GF273J 27000 OHM, 5 PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R5	16.5
BVAU		P F	59610566403	E	SEMICOND, DIODE UT66 SILICON, RECTIFIER 100 PIV, 0.600 MAX DCA	13141	EA	1	7	7.7	7.7	35.0			CR4	38.9
BVAV		P F	59618920748	E	SEMICOND, DIODE 1N979B ZENER, 56V, 2.2 MA, 150 OHM MAX, 5 PCT	81349	EA	1	4	5.2	5.2	20.0			VR1	23.3
BVAX		P F	59610601689	E	SEMICOND, DIODE SSD753 SILICON, NPN, 300 MA AT 25 C, FAST RECOVERY	13715	EA	3	9	8.7	8.7	45.0			CR1THRUCR3	46.2

DATE 02-18-69

REVISION NO.

219-5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVAZ		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.251N	08771	EA	2	6	7.7	7.7	30.0			Q2, Q3	38.9
BVSA		P F	59619859073	E	TRANSISTOR 2N3053 SILICON, NPN, 60V. 100 MC, 5W, 1A	86684	EA	1	3	4.9	4.9	15.0			Q1	21.7
BVBB		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	1							
BVBC		X 2F		C	SHELF ASSY 19D401607G65	08771	EA	1	1							
BVBD		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	1							
BVBE		X 2F		C	SHELF ASSY 19D401607G64	08771	EA	1	1							
BVBF		X 2F		C	SHELF ASSY 19D401607G70	08771	EA	1	1							

DATE 02-18-69

REVISION NO.

219-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVBG		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	1							
BVBH		X 2F		C	SHELF ASSY 19D401607G66	08771	EA	1	1							
BVBJ		X 2F		C	SHELF ASSY 19D401607G68	08771	EA	1	1							
BVBK		A FR		B	COM EQUIP RCK 19D405396P50 115 VAC, 19, 5 X 20.5 IN, X 7 FT O/A	08771	EA	1	1							
BVBL		X 2F		C	PANEL, FRONT 5493030G1	08771	EA	49	106							
BVBM		A FR		C	RACK ASSY 19E500088G8 115 VAC, 19.5 X 20, 5 IN. X 7 FT O/A	08771	EA	1	1							
BVBN	BVAD		62109261323	D	ALARM ASSEMBLY 5496133G1	08771		1	REF							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVBP		A FR	58209074749	D	ALARM BD, MAJ 5492680G1 PHENOLIC, 0.500 IN. X 3.500 IN. X 4.77 IN	08771	EA	1	1							
BVBQ		P F	59108468098	E	CAP, FXD, ELECT CS13AF220M 22 MFD, 20 PCT. 35 VDCW	81349	EA	2	2	3.2	3.2	6.0			C3, C8	12.4
BVBS		P F	59109040519	E	CAP, FXD, ELECT CS13BF105M 1 UF. 20 PCT, 35 VUCW	81349	EA	1	1	2.2	2.2	3.0			C6	6.8
BVBU		P F	59100500086	E	CAP, FXD, MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C1	6.8
BVBW		P F	59109641345	E	CAP, FXD, PLSTC 601PE2240-SW 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2, C5	12.4
BVBX		P F	59100852730	E	CAP, FXD, PLSTC 601PE3340-5W 33000 PF, 20 PCT, 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8
BVBY		P F	59500852525	E	COIL, RF 5495589G182 7/16 X 9/16 IN. U/A, 4, 5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8

DATE 02-18-69

REVISION NO.

219-8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVBZ		P F	59059905023	E	RES, FXD, FILM RN65D3480F 348 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BVCA		P F	59059936012	E	RES, FXD, FILM RN65D1471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
BVCB		P F	59059884710	E	RES, FXD, FILM RN65D2372F 23700 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BVCC		P F	59058839198	E	RES, FXD, FILM RN65D1001F 1000 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3, 2	6.0			R22, R29	12.4
BVOD		P F	59050602484	E	RES, FXD, FILM RN65D2612F 26100 OHM, PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R4	6.8
BVCE		P F	59058138640	E	RES, FXD, FILM RN65D5111F 5110 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8
BVCF		P F	59059936341	E	RES, FXD, FILM RN65D7500F 750 OHM, 1 PCT, 1/2W	81349	EA	1	1	2, 2	2.2	3.0			H27	6.8

DATE 02-18-69

REVISION NO.

219-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVCG		P F	59050880987	E	RES, FXD, FILM RN65D2610F 261 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12, R14	12.4
BVCH		P F	59059932268	E	RES, FXD, FILM RN65D2152F 21500 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20, R21	12.4
BVCJ		P F	59059903029	E	RES, FXD, FILM RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BVCK		P F	59059529435	E	RES, FXD, FILM RN65D9092F 90900 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8
BVCL		P F	59050620537	E	RES, FXD, FILM RN65D1102F 11000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8
BVCM		P F	59052258175	E	RES, FXD, FILM RN65D1961F 1960 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8
BVCN		P F	59059932267	E	RES, FXD, FILM RN65D5112F 51100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.8

DATE 02-18-69

REVISION NO.

219-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVCP		P F	59059932261	E	RES, FXD, FILM RN65D4642F 46400 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BVCO		P F	59059895580	E	RES, FXD, FILM RN65D5110F 511 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BVCR		P F	59059936975	E	RES. FXD, FILM RN65D1781F 1780 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			H31	6.8
BVCS		P F	59059931363	E	RES, FXD, FILM RN65D3481F 3480 OHM, 1 PCT 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19, R24	12.4
BVCT		P F	59050640555	E	RES, FXD, FILM RN65D1002F 10000 OHM, 1 PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0			H5, R11, R17	16.5
BVOU		P F	59057620663	E	RES, FXD, FILM RN65D13834 1330000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8
BVCV		P F	59059931362	E	RES, FXD, FILM RN65D3161F 3160 OHMS, 1 PCT, 1W	81349	EA	2	2	3.2	3.2	6.0			R7, R23	12.4

DATE 02-18-69

REVISION NO.

219-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVOW		P F	59059932271	E	RES, FXD, FILM RN65D31R6F 31.6 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BVOX		P F	59050602481	E	RES, FXD, FILM RN65D6811F 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6.8
BVCY		P F	59618547455	E	SEMICOND DIODE 1-5M6Z55 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BVCZ		P F	59604460270	E	SEMICOND, DIODE 1N198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5, CR6	16.5
BVDB	BVAV			E	SEMICOND, DIODE 1N979B	81349		1	REF						VR1	
BVDC	BVAU			E	SEMICOND, DIODE UT66	13141		4	REF						CR2, CR3, CR4, CR7	
BVDD		P F	59618266631	E	SEMICOND, DIODE 1N712 ZENER, 8.2V, 25 HA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2	10.3

DATE 02-18-69

REVISION NO.

219-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVDE		P F	59616774875	E	SEMICOND, DIODE 1N91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1	10.3
BVDG		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM, PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRUQ7	21.7
BVDH		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0.5 HC	03508	EA	2	2	3.9	3.9	10.0			Q2, Q3	16.5
BVDJ		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE, 3 MHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1	10.3
BVDK		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC, 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4	10.3
BVDL	BVAE			D	LAMP, INCAND 1819-28V	08806		2	REF						I1, I2	
BVDM	BVAF			D	RACK, EL EQUIP 5496857G3	08771		1	REF							

DATE 02-18-69

REVISION NO.

219-13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVDN	XVAG			D	RELAY ASSY 5496216G2	08771		1	REF							
BVDP	XVAM		58209074748	D	TERMINAL BOARD 5492929G1	08771		1	REF							
BVDQ		X 2F		C	SHELF ASSY 19D401607G73	08771	EA	1	1							
BVDR		X 2F		C	SHELF ASSY 19D401607G8	08771	EA	1	1							
BVDS		X 2F		C	SHELF ASSY 19D401607G83	08771	EA	1	1							
BVDT		X 2F		C	SHELF ASSY 19D401607G72	08771	EA	1	1							
BVDU		X 2F		C	SHELF ASSY 19D401607G78	08771	EA	1	1							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVDV		X 2F		C	SHELF ASSY 19D401607G84	08771	EA	1	1							
BVDW		X 2F		C	SHELF ASSY 19D401607G77	08771	EA	1	1							
BVDX		X 2F		C	SHELF ASSY 19D401607G82	08771	EA	1	1							
BVDY		A FR		B	GP REG INT RCK 19D405396P51 115 VAC, 19.5 X 20, 5 IN. X 7 FT O/A	08771	EA	1	1							
BVDZ		X 2F		C	PANEL BLANK 5496139G8	08771	EA	2	2							
BVEA	BVBL			C	PANEL, FRONT 5493030G1	08771		57	REF							
BVEB		A FR		C	RACK ASSY 19E500088G7 115 VAC, 19.5 X 20.5 IN, X 7 FT O/A	08771	EA	1	1							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVEC	BVAD		62109261323	D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BVED	BVAE			D	LAMP, INCAND 1819-28V	08806		1	REF						11		
BVEE	BVAF			D	RACK, EL EQUIP 549685703	08771		1	REF								
BVEF	BVAG			D	RELAY ASSY 5496216G2	08771		1	REF								
BVEG	BVAE		58209074748	D	TERMINAL BOARD 5492929G1	08771		1	REF								
BVEH	X 2F			C	SHELF ASSY 19D401607G87	08771	EA	1	1								
BVEJ	X 2F			C	SHELF ASSY 19D401607G85	08771	EA	1	1								

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVEK		X 2F		C	SHELF ASSY 19D401607G89	08771	EA	1	1							
BVEL		X 2F		C	SHELF ASSY 19D401607G86	08771	EA	1	1							
BVEH		X 2F		C	SHELF ASSY 19D401607G88	08771	EA	1	1							
BVEN		X 2F		C	SHELF ASSY 19D401607G90	08771	EA	1	1							
BVEP		X 2F		B	BLOCK 198200642P3	08771	EA	6	6							
BVEO		X 2F		B	BLOCK 19B201599P1	08771	EA	2	2							
BVER		X 2F		B	BRACKET 5492908P1	08771	EA	3	3							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVES		X 2F		B	BRKT, DBL, ANGLE 5492901P1	08771	EA	3	3							
BVET		X 2F		B	BUS BAR 5496651G1	08771	EA	1	1							
BVEU		P F	61309419731	B	BUS BAR, 48KC 5493567G1 48 KC, 4 IN. LG, COPPER	08771	EA	1	1	2, 7	2.7	4.0				10.3
BVEUA		X1F		C	RES, FXD, FILM 549548P125	08771	EA	1	1						R1	
BVEUB				C	BRKT, DBL, ANGLE 5493566P1	08771	EA	1	1							
BVEUC		X1F		C	SHLD, ELEC, CONN 4038477G1	08771	EA	1	1							
BVEUD		X1F		C	CONN, RECP, ELEC 5496078P3	08771	EA	7	7							

DATE 02-18-69

REVISION NO.

219-18

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVEUE		X F	53400850856	C	INSULATOR, PLATE 5492713P1	08771	EA	1	1								
BVEUF		C F		C	TERMINAL, LUG 7491823P4	08771	EA	1	1								
BVEUG		C F		C	TERMINAL, LUG 4035338P1	08771	EA	1	1								
BVEV		C F		C	BUTTON, PLUG N529P18C13	08771	EA	12	12								
BVEW		C F		B	BUTTON, PLUG 207-360231-00	02768	EA	106	106								
BVEX		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	22	22								
BVEY		P F		B	CONN-SPT 19B202603G1 STL. 0.090 IN. X 0.090 IN. X 4.810 IN. O/A	08771	EA	24	24	8.7	8.7	24.0				46.2	

DATE 02-18-69

REVISION NO.

219-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVEYA		X1F		C	BRKT, DL., ANGLE 198202566P1	08771	EA	1	24								
BVEYB		X1F		C	SHELL, ELEC, CONN 19D401142P2	08771	EA	1	24								
BVEYC		C F		C	WASHER, NM 4035306P63	08771	EA	2	48								
BVEYD		C F		C	WASHER, FLAT 19A101105P1	08771	EA	2	48								
BVEZ		P F	58209228702	B	CONN-SPT 198202230G4 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	9	5	3.6	3.6	5.0					
BVEZA		C F	59406659982	C	TERMINAL, STUD M3449-5CHTC	95076	EA	1	15							W1	
BVEZB	BVEZA			C	TERMINAL, STUD M3449-5CHTC	95076		2	REF							E2, E4	

B D
A E
S P
E O
T

14.4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVEZC		X1F		C	TRANSFORMER, RF 5498921P1	08771	EA	1	5								
BVEZD		X1F		C	RES, FXD, FILM RN20X69R8F	81349	EA	1	5								
BVEZE		X1F		C	BRACKET, ANGLE 4034495G3	08771	EA	1	5								
BVEZF		X1F	59350442707	C	CONN, RECP, ELEC FD630S	95354	EA	1	5								
BVEZG		C F		C	TERMINAL, LUG 5492750P3	08771	EA	1	10								
BVFA		P F		B	CONN-SPT 19B202620G2 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	36	36	10.6	10.6	36, 0					60.0
BVPAA		X1F		C	BRACKET, ANGLE 19B202181P3	08771	EA	1	36								

DATE 02-18-69

REVISION NO.

219-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVFAB		X1F		C	CONN, RECP, ELEC 198209014P1	08771	EA	1	36								
BVFB		P F	58959420941	B	CONN-SPT 198202230G1 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	147	147	26.0	26.0	147.0				201.8	
BVFBA		X1F	59350442707	C	CONN, RECP, ELEC FD630S	95354	EA	1	147								
BVFBB		C F		C	TERMINAL, LUG 5492750P3	08771	EA	2	294								
BVFBC		X1F		C	BRACKET, ANGLE 19B202181P1	08771	EA	1	147								
BVFC		P F		B	CONN-SPT 198202230G5 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4	
BVFD		X 2F	59359995880	B	COVER, ALARM 5492912G1	08771	EA	6	6								

DATE 02-18-69

REVISION NO.

219-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVFE		X 2F		B	EXTRUSION 4034526G7	08771	EA	38	38								
BVFF		C F		B	GROMMET, RUBBER 5490407P56	08771	EA	6	6								
BVFG		C F		B	GROMMET, RUBBER 5490407P50	08771	EA	6	6								
BVFH		X 2F		B	GUIDE, SHELF P50741A	02768	EA	556	556								
BVFJ		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2								
BVFK		P 0	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	106	106	21.0	21.0	106.0					154.4
BVFL		C F	53100134530	B	NUT, PLAIN, HEX MS35649-62	96906	EA	106	106								

DATE 02-18-69

REVISION NO.

219-23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVPH		C F	53109585209	B	NUT, PLAIN, HEX N210P19C13	08771	EA	106	106							
BVFN		C F	53100134524	B	NUT, PLAIN, HEX MS3564942	96906	EA	212	212							
BVFQ		X 2F		B	PLATE	08771	EA	2	2							
BVFR		X 2F		B	PLATE 5492521P12	08771	EA	38	38							
BVFS		X 2F		B	PLATE 5498720G16	08771	EA	106	106							
BVFQ		M H		B	PLATE, IDENT NP248814	08771	EA	3	38							
BVFT		M H		B	PLATE, IDENT NP248847	08771	EA	22	22							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS		
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BVFU		P F		B	PRINTED CKT 80 19B202667P1 PHENOLIC, 0.062 IN. X 3.070 IN. X 3.500 IN. .	08771	EA	1	1	2.7	2.7	3.0			
BVJV		C F		B	SCREW, DRIVE N539P103	08771	EA	212	212						
BVFW		C F	53058202384	B	SCREW, MACHINE MS35235-14	96906	EA	212	212						
BVFX		C F		B	SCREW, MACHINE N84P9006C13	08771	EA	6	6						
BVJY		C F	53059931851	B	SCREW, MACHINE MS35207-267	96906	EA	106	106						
BVJZ		C F		B	SCREW, MACHINE N82P13010D	08771	EA	106	106						
BVGA		C F	530596844982	B	SCREW, MACHINE MS35206-225	96906	EA	38	38						

B
D
A
E
S
P
O
T

10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVGB		C F	53059844983	B	SCREW, MACHINE MS35206-226	96906	EA	2	2							
BVGC		X 2F		B	SHELF 190405255G1	08771	EA	1	1							
BVGD		X 2F		B	SHELF 19D401943G2	08771	EA	3	3							
BVGE		X 2F		B	SHELF 5498699G34	08771	EA	1	1							
BVGF		X 2F		B	SHELF 5498699032	08771	EA	17	17							
BVGG		C F	53108505723	B	SPACER, SLEEVE 5491541P106	08771	EA	4	4							
BVGH		X 2F		B	SPRING 5492956P1	08771	EA	106	106							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVGJ		X 2F		B	SPRING 5492956P2	08771	EA	106	106								
BVGK		X 2F		B	STRIP 198203025P5	08771	EA	106	106								
BVGL		X 2F		B	STRIP, FOIL 19820302P1	08771	EA	106	106								
BVGM		C F	53409994353	B	STUD 5492731P2	08771	EA	32	32								
BVGN		C F		B	STUD 5492731P9	08771	EA	38	38								
BVGP		X 2F		E	SUPPORT, CABLE 5492920P1	08771	EA	1	11								
BVBQ		P F	59359420103	B	SUPPORT, CONN 198202620G1 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	30	30	9.7	9.7	30.0					53.1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVGR		A F		B	TERMINAL BLK 96356G3 CNROHATE FINISH, 0 X 58.875 IN, O/A	08771	EA	1	1							
BVGA		X1F		C	CHAS, ELEC, EOUIP 5492483G1	08771	EA	1	1							
BVGRB		X 2F		C	SHLD, ELEC CONN 4034205P1	08771	EA	20	20							
BVIRC		C F		C	TERMINAL, LUG 5491581P1	08771	EA	20	20							
BVGRD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	10							
BVIRE		X 2F		C	TERMINAL, BOARD 4034193G5	08771	EA	10	10							
BVGS		X F		B	TERHINAL BLK 5496135G24 AL, CHROMATE FINISH, 5.200 IN. X 58.875 IN.	08771	EA	3	3							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
VGBSA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	24								
BVISB		X1F		C	CHAS.ELEC EQUIP 5496862G2	08771	EA	1	3								
BVGT		X 2F	58050657236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1								
BVGU		X 2F		B	TERMINAL BOARD 198203067P1	08771	EA	J	3								
BVGV		C F	59403084357	8	TERMINAL LUG 7878455P1	08771	EA	3	3								
BVGW		C F		B	WASHER, FLAT N402P5C13	08771	EA	210	210								
BVGX		C F	53102090788	B	WASHER, LOCK MS35335-30	96906	EA	38	38								

DATE 02-18-69

REVISION NO.

219-29

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVGY		C F	53102090940	B	WASHER, LOCK N403P21C13	08771	EA	106	106							
BVGZ		C F		8	WASHER, NM 4035306P51	08771	EA	4	4							
BVHA		C F		B	WASHER, NM 4035306P21	08771	EA	4	4							
BVHB		C F	58050857218	B	WASHER, NM 4036555P1	08771	EA	10	10							

B D
A E
S P
E O
T

DATE 02-18-69

REVISION NO.

219-30

EQUIPMENT: 19D405396-9A
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BVAE	62401558707	19U405396P51	BVDY	5805
1819-28V	BVDL	6240	19U405396P52	BVAB	5805
1819-28V	BVED	6240	19E500088G7	BVEB	5805
19A101105P1	BVEYD		19E500088G8	eveM	5805
19A115562P2	BVAZ	59610601655	19E500088G9	BVAC	5805
19B200642P3	BVEP	5805	1-5M56Z5	BVCY	59618547455
19B201599P1	BVEO	5805	1N198	sVCZ	59604460270
19B202181P1	BVFBC		1N712	BVDD	59618266631
19B20281P3	BVFAA		1N91	BVDE	59616774075
19B202230G1	BVFB	58959420941	1N9798	BVAV	59618920748
19B202230G4	BVEZ	58209228702	1N979B	BVDB	5961
19B202230G5	BVFC	5805	207-360231-00	BVEW	53400850856
19B202566P1	BVEYA		261-31-12-010	BVAJ	59358929607
19B202603G1	BVEY	5805	261-32-12-030	OVAW	593552370456
19B202620G1	BVGQ	59359420103	2N1039	BVDK	59618118977
19B202620C2	BVFA	5605	2N1302	BVDJ	59618507646
19B202667P1	BVFU	5999	2N1395	BVDG	59610805233
19B203825P5	BVGK	5805	2N1614	BVDH	59610860040
19B203067P1	8VGU	5999	2N3053	BVBA	59619859073
19B030172P1	BVGL	9535	30054-1	BVAL	59357336326
19B209014P1	BVFAB		4034193G4	BVGRD	
19C318121P1	8VFK	53409446037	4034193G5	BVGRE	
19D401142P2	BVEYB		4034205P1	BVGRB	
19D401607G64	BVBE	5805	4034495G3	BVEZE	
19D401607G65	BVBC	5805	4034526G7	BVFE	5805
19D401607G67	BVBe	5805	4035306P21	BVHA	5330
19D401607G67	BVBG	5805	4035506P51	BVGZ	5330
19D401607G68	BVBJ	5805	4035306P63	BVEYC	
19D401607G69	8VBB	5805	4035338P1	BVEUG	
19D40160771	BVeBF	5805	4036150P1	QVFJ	5970
19D0401607G7	BVBD	5805	4036555P1	BVEU	58050857218
190401607G72	eVDT	5805	4058477G1	BVEUC	
19D40160773	BVDO	5805	5490407P50	BVFG	5325
19D401607477	BVDW	5805	5490407P56	BVFF	5325
19D0401607G78	BVDU	5805	5491541P106	BVGG	53108505723
19D401607G82	BVDX	5805	5491581P1	BVGRC	
19D401607G83	8VDS	5805	5492483G50	BVGRA	
19D401607G84	BVDV	5805	5492521P12	BVFG	5805
19D401607G85	BVEJ	5805	5492521P2	BVFP	5805
19D401607G86	BVEL	5805	549268001	BVep	58209074749
19D401607687	eVEN	5805	5492713P1	BVEUE	
19D401607G88	eVEM	5805	5492731P2	BVGM	53409994353
19D401607G89	BVEK	5805	5492731P9	BVGN	5325
19D401607U8	eVOR	5805	5492750P3	BVEZG	
19D401607U90	eVEN	5805	5492750P3	BVFBB	
19D401943U2	BVGD	5805	5492901P1	BVES	5805
19D405255G1	8VGC	5805	5492908P1	BVER	5805
19D405396-91	BVAAA	5805	5492Y12G1	BVFD	59359995880
19D405396P50	BVBK	5805	5492920P1	BVGP	5805

EQUIPMENT: 19D405396-9A
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5492929G1	BVAM	58209074748	MS35649-42	BVFN	53100134524
5492929G1	BVOP	58209074748	MS35049-62	BVFL	53100134530
5492929G1	BVEG	58209074748	N210P19C13	BVFM	53109585209
5492937G1	BVEX	5805	N402P5C13	BVGW	5310
5492956P1	BVGH	5805	N403P21C13	BVGY	53102090940
5492956P2	BVGJ	5805	N529P18C13	BVEV	5340
5493030G1	BeBL	5805	N539P103	BVFX	5305
5493030G1	BVEA	5805	N82P13010D	BVFT	5305
5493566P1	BVEUB		N84P9006C13	BVFX	5305
5493567G1	BVEU	61309419731	NP248814	BVFS	5805
15458Pr125	BVEUA		NP248847	BVFT	5805
5495589G162	BVBY	59500852525	P50741A	BVFN	5805
5496078P3	BVEUD		HC20GF103J	BVAP	59051858510
5496133G1	BVAD	62109261323	HC20UF204J	BVAN	59051712003
549613361	BVBN	62109261323	KC20GF271J	BVAQ	590S1712006
549613361	BVEC	62109261323	HC20GF273J	BVAT	59052793499
5496135G24	BVGS	5940	HC20GF512J	BVAS	59052792019
5496139G8	BVOZ	5805	RC20GF513J	BVAR	59052793496
9406216G2	BVAG	5945	HN20X69R8F	BVEZD	
5492616G2	BVDN	5945	HN6501001F	BVCC	59058839198
549621662	BVEF	5945	RN65UIOO2F	BVCT	59050640555
5496356G3	BVGR	5940	HN65D1102F	BVCL	59050620537
549665161	BVET	5805	HN6501334F	BVCU	59057620663
5496735Pr	BVGT	58050857236	MN65U1471F	BVCA	59059936012
5496B5703	BVAF	5805	RN65U1781F	BVCR	59059936915
5496857G3	BVDM	5805	HN65U1961F	BVCM	59052258175
540685763	BVEE	5805	RN65U2152F	BVCH	59059932268
5498626G2	BVGSB		RN65U2372F	BVCB	59059884710
9491699632	BVGF	5805	HN65U2610F	BVCG	59050880987
5498699G34	BVGE	5805	HN65U2612F	BVCD	59050602404
5498720G16	BVFR	5805	RN65U3161F	BVCV	59059931362
6498921P1	BVEZC		RN65U31R6F	BVCW	59059932271
668PE2240-NW	BVBW	59109641345	RN65U3480F	BVBZ	59059905023
601PE3340-SW	8VBX	59100852730	HN65bU3481F	BVCS	5905991363
7491823P4	BVEUF		HN65U4642F	BVCP	59059932261
7774524P3	BVGSA		RN65U5110F	BVCQ	59059895580
78C8455P1	BVGV	59403084357	HN6505111F	BVCE	59058138640
CSO7FS12J03	BVBU	59100500086	RN65U5112F	BVCN	59059932267
CS13AF220M	BVBG	59108468098	HN65U6811F	BVCX	59050602481
CSt3BF105O	8VBS	59109040519	HN6507500F	BVCF	59059936341
FD630S	BVEZF	59350442707	HN6507502F	BVCJ	59059903029
FD630S	BVFBA	59350442707	HN65U9092F	BVCK	59059529435
M3449-SCHTC	BVEZA	59406659982	SSU753	BVAX	59610601689
M34495-CHTC	BVEZB		T154X101	BVAK	59459230411
MS35206-225	BVGA	53059844982	UT66	BVAU	59610566403
MS35206-226	BVGB	53059844983	UTb6	BVDC	5961
NS35207-267	BVFX	53059931851			
NS35235-14	BVFW	53058202384			
MS35331-30	BVGX	53102090788			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INVENTORY CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BVUAA		A FR		A	MUX SYSTEM 19D405396-11 117 VAC, 60 CY, 1 PHASE, 24 CHAN EACH DIR	08771	EA	1	1				
BVUF		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	5	20.0			11
BVZS		P O	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	127	127	23.6			

DATE 02-18-69

REVISION NO.

220-1

DATE: 02-18-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-11

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONQUIN RD DES PLAINES ILL	81349	MILITARY SPECIFICATIONS
03908	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	84411	TRW CAPACITOR DIV OGALLALA NEBR
04713	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIZONA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HAHRISON N J
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	95076	GARDL MFG CO 53 JOHN ST CUMBERLAND R I
08806	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95354	METHUDE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13141	UNITRODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	96906	MILITARY STANDARDS
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF		
70309	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK N y		
71785	CINCH MFG CO AND HOWARD B JONES DIV 1026 S HOMAN AVE CHICAGO ILL		
80131	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVUAA		A FR		A	MUX SYSTEM 19D405396-11 117 VAC, 60 CY, 1 PHASE, 24 CHAN EACH DIR	08771	EA	1	1								
BVUB		A FR		B	CHANNEL RACK 19D405396P93 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BVUC		X 2F		C	PANEL, FRONT 5493030G1	08771	LA	60	127								
BVUD		A FR		C	RACK.ASSY 19E500088G9 115 VAC, 19.5 X 20, 5 IN, X 7 FT O/A	08771	EA	1	1								
BVUE		P 0	62109261323	D	ALARM ASSEMBLY 5496133G1 28 VDC. 0.90 IN. X 0.90 IN. X 4.30 IN. O/A	08771	EA	1	4	5.2	5.2	12.0					23.3
BVUF		P 0	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AHMP MINIATURE BAYONET BASE	08806	EA	1	5	20.0	20.0	250.0			11		142.4
BVUG		X1F		D	RACK, EL EQUIP 5496857G3	08771	EA	1	4								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVUN		A FR		D	RELAY ASSY 5496216G2 STL. CHROMATE FINISH, 0, 09 X 1.25 X 2.50 IN.	08771	EA	1	4								
BVUU		P F	59352370456	E	CONN, PLUG, ELEC 261-32-12-030 PNEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1, 2	71785	EA	1	4	3.2	3.2	4.0			P1 12.4		
BVUK		P F	59358929607	E	CONN.REC.ELEC 261-31-12-010 PHEN. 12 PH BRZ MALE CONT, 7.5A RATED	71785	EA	1	4	3.2	3, 2	4.0			J2	12.4	
BVUL		P F	59459230411	E	RELAY, ARMATURE T154X101 TP CRADDLE TYPE 6 PDT# DC COIL 5 AMP	70309	EA	2	8	8.7	8, 7	24.0			K1, K2	46.2	
VUM		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELITE, 10 GL PL BE COP SOLDER TERH, 0.921IN	70309	EA	2	8	4.6	4.6	24.0			XK1, XK2	19.9	
BVUN		A F	58209074748	D	TERMINAL BOARD 5492929G1 PHENOLIC, 0.062 IN. X 3, 500 IN. X 3.875 IN,	08771	EA	1	4								
BVUP		P F	59051712003	E	RES, FXD, COMP RC20GF204J 200000 OHM, 5 PCT, 1/2w	81349	EA	1	4	4, 6	4, 6	12.0			H1	19.9	

DATE 02-18-69

REVISION NO.

220-4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVUQ		P F	59051658510	E	RES, FXD, COMP RC20GF103J 1000 OHMS. 5 PCT. 1/2	81349	EA	1	4	4.6	4.6	12.0			R3	19.9
BVUR		P F	59051712006	E	RES, FXD, COMP RC20GF271J 270 OHM, 5 PCT. 1/2W	81349	EA	2	8	6.5	6.5	24.0			R6, R9	31.4
BVUS		P F	59052793496	E	RES, FXD, COMP RC20GF513J 51000 OHM. 5 PCT, 1/2W	81349	EA	2	8	6.5	6.5	24.0			R21R4	31.4
BVUT		P F	59152792019	E	RES, FXD, COMP RC20GF512J 5100 OHM, 5 PCT. 1/2 W	81349	EA	2	8	6.5	6.5	24.0			R7, R8	
BVUU		P F	59052793499	E	RES, FXD, COMP RC20GF273J 27000 OHM, 5 PCT, 1/2W	81349	EA	1	4	4.6	4.6	12.0			R5	19.9
BVUV		P F	59610566403	E	SEMICOND, DIODE UT66 SILICON, RECTIFIER 100 PIV, 0.600 MAX DCA	13141	EA	1	8	8.7	8.7	40.0			CR4	4.62
BVUW		P F	59618920748	E	SEMICOND, DIOUE 1N9798 ZENER. 56V, 2.2 MA, 150 OHM MAX, 5 PCT	81349	EA	1	5	6.5	6.5	25.0			VR1	31.4

DATE 02-18-69

REVISION NO.

220-5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVUY		P F	59610601689	E	SEMICON, DIODE SS0753 SILICON, NPN, 300 HA AT 25 C, FAST RECOVERY	13715	EA	3	12	10.6	10.6	60.0			CH1THHUCR3	60.0
BVVA		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.25IN	08771	EA	2	8	8.7	8.7	40*0			Q2, Q3	46.2
BVVB		P F	59619859073	E	TRANSISTOR 2N3053 SILICON, NPN, 60V, 100 HC, 5W, 1A	86684	EA	1	4	5.2	5.2	20.0			Q1	23.3
PVVC		X 2F		C	SHELF ASSY 19D401607G70	08771	EA	1	1							
BVVD		X 2F		C	SHELF ASSY 19D401607G66	08771	EA	1	1							
OVVE		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	1							
BVVF		X 2F		C	SHELF ASSY 19D401607G64	08771	EA	1	1							

DATE 02-18-69

REVISION NO.

220-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVVG		X 2F		C	SHELF ASSY 190401607G68	08771	EA	1	1							
BVVH		X 2F		C	SHELF ASSY 190401607G65	08771	EA	1	1							
BVVJ		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	1							
BVVK		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	1							
BVVL		A FR		B	CON EQUIP RCK 19D405396P91 115 VAC. 19.5 X 20.5 IN, X 7 FT 0/A	08771	EA	1	1							
BVVH		X 2F		C	PANEL BLANK 5496139G8	08771	EA	3	16							
BVVN	BVUC			C	PANEL, FRONT 5493030G1	08771		25	HEF							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVVP		A FR		C	RACK ASSY 19E500088rG8 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	06771	EA	1	1								
BVWQ	BVUE		62109261323	D	ALARM ASSEMBLY 5496133G1	08771	1		HEF								
BVVR		A FR	58209074749	D	ALARM BD, HAJ 5492680G1 PHENOLIC. 0, 500 IN. X 3, 500 IN. X 4, 77 IN,	08771	EA	1	1								
BVVS		P F	59108468090	E	CAP, FXD, ELECT CS13AF220M 22 MFD, 20 PCT. 35 VDCW	81349	EA	2	2	3.2	3.2	60			C3, C8	12.4	
BVWU		P F	59109040519	E	CAP, FXD, ELECT CS13F105SH 1 UF, 20 PCT. 35 VUCW	81349	EA	1	1	2.2	2.2	3.0			C6	6.8	
BVWV		P F	59100500086	E	CAP, FXD, MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C1	6.8	
BVWY		P F	59109641345	E	CAP, FXD, PLSTC 601PE2240-5W 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2, C5	12.4	

DATE 02-18-69

REVISION NO.

220-8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVVZ		P F	59100852730	E	CAP, FXD.PLSTC 601PE3340-5W 33000 PF, 20 PCTP 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8
BVWA		P F	59500852525	E	COIL, RF 5495589G182 7/16 X 9/16 IN. O/A, 74, 5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
BVWB		P F	59059905023	E	RES, FXD, FILM RN65D34ROF 348 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BVWC		P F	59059936012	E	RES, FXD, FILM RN65D1471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3*0			R6	6.8
BVWD		P F	59059884710	E	RES, FXD, FILM RN65D2372F 23700 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BVWE		P F	59058839198	E	RES, FXD, FILM RN65D1001F 1000 OHM, 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R22, R29	12.4
BVWF		P F	59050602484	E	RES, FXD, FILM RN65D2612F 26100 OHM, 1PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R4	6.8

DATE 02-18-69

REVISION NO.

220-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVWG		P F	59058138640	E	RES, FXD, FILM RN65D5111F 5110 OHM, i PCT. 1/2W	81349	EA	1	1	2.2	2, 2	3, 0			R2	6.8
BVWH		P F	59059936341	E	RES, FXD, FILM RN65D7500F 750 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BVWJ		P F	59050880987	E	RES, FXD, FILM RN65D2610F 261 OHM, 1 PCT, 1/2W	81349	EA	2	2	3, 2	3.2	6.0			h12, H14	12, 4
BVWK		P F	59059932268	E	RES, FXD, FILM RN65D2152F 21500 OHM. 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20, R21	12.4
BVWL		P F	59059903029	E	RES, FXD, FILM RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			RB	6.8
BVWM		P F	59059529435	E	RES, FXD, FILM RN65D9092F 90900 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			H25	6.8
BVWN		P F	59050620537	E	RES, FXD, FILM RN65D1102F 11000 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8

DATE 02-18-69

REVISION NO.

200-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVWP		P F	59052258175	E	RES, FXD, FILM RN65D1961F 1960 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8
BVWQ		P F	59059932267	E	RES, FXD, FILM RN65D5112F 51100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BVWR		P F	59059932261	E	RES, FXD, FILM RN65D4642F 46400 OHM, 1 PCT , 1/2W	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BVWS		P F	59059895580	E	RES, FXD, FILM RN65D5110F 511 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BVWT		P F	59059936975	E	RES, FXD, FILM RN65D1781F 1780 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R31	6.8
BVWU		P F	59059931363	E	RES, FXD, FILM RN65D3481F 3480 OHM, 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19, R24	12.4
BVWV		P F	59050640555	E	RES, FXD, FILM RN65D1002F 10000 OHM, 1 PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0			R5, R11, R17	16.5

DATE 02-18-69

REVISION NO.

220-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVWW		P F	59057620663	E	RES, FXD, FILM RN65D1334F 1330000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8
BVWX		P F	59059931362	E	RES, FXD, FILM RN65D3161F 3160 OHMS, 1 PCT. 1W	81349	EA	2	2	3.2	3.2	6.0			R7, R23	12.4
BVWY		P F	59059932271	E	RES, FXD, FILM RN65D31R6F 31.6 OHM. 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BVWZ		P F	59050602481	E	RES, FXD, FILM RN65D6811F 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	
BVXA		P F	59618547455	E	SEMICOND DIODE 1-5n56Z5 ZENER, 56V. 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BVXB		P F	59614460270	E	SEMICOND, DIODE 1N198 GERMANIUM, POINT CONTACT, T0-7 CASE	81349	EA	2	2	3,9	3.9	10.0			CR5, CH6	16.5
BVXD 1N9798	BVUW			E	SEMICOND, DIODE	80131		1	HEF						VR1	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVXE	BVUV			E	SEMICON, DIODE UT66	13141		4	HEF							
BVXF		P F	59618266631	E	SEMICON, DIODE 1N712 ZENER. 8.2V, 25 MHA 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2	10.3
BVXG		P F	59616774875	E	SEMICON, DIODE 1N91 GERMANIUM, RECTIFILR TYPE, 150 MA AT 5¢5 DEG	03508	EA	1	1	2.7	2.7	5.0			CR1	10.3
BVXJ		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUm PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRU07	21.7
BVXK		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP. 240 MW, -60V, 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			Q2, Q3 6.5	
BVXL		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM. NPN, LOW LEVEL TYPE, 3 MHZ 20 PF	81349	EA	1	1	2,7	2.7	5.0			Q1	10.3
BVXM		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC, 3 IC	81349	EA	1	1	2.7	2,7	5.0			U4	10.3

DATE 02-18-69

REVISION NO.

220-13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVXN	BVUF			D	LAMP, INCAND 1819-28V	08806		2	HEF								
BVXP	BVUG			D	RACK, EL EQUIP 5496857G3	08771		1	HEF								
BVXQ	BVUH			D	RELAY ASSY 5496216G2	08771		1	HEF								
OVXR	BVUN		58209074748	D	TERMINAL BOARD 5492929G1	08771		1	HEF								
GVXS		X 2F		C	SHELF ASSY 19D401607G84	08771	EA	1	1								
BVXT		X 2F		C	SHELF ASSY 19D401607G8	08771	EA	1	1								
BVXU		X 2F		C	SHELF ASSY 9D401607G97	08771	EA	1	1								

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVXV		X 2F		C	SWELF ASSY 19D401607G83	08771	EA	1	1							
BVXW		X 2F		C	SWHELF ASSY 19D401607G96	08771	EA	1	1							
BVXX		A FR		B	GP REG INT RCK 19D405396P92 115 VAC, 19.5 X 20.5 IN, X 7 FT O/A	08771	EA	1	1							
BVXY	BVVM			C	PANEL BLANK 5496139G8	08771		4	HEF							
BVXZ	BVUC			C	PANEL, FRONT 5493030G1	08771		32	HEF							
BVYA		A FR		C	RACK ASSY 19E500088G7 115 VAC, 19.5 X 2C.5 IN, X 7 FT O/A	08771	EA	1	1							
BVYB	BVUE		62109261323	D	ALARM ASSEMBLY 5496133G1	08771		1	HEF							

DATE 02-18-69

REVISION NO.

220-15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVYC	BVUF			D	LAMP, INCAND 1819-28V	08806		1	HEF								
BVYD	BVUG			D	RACK, EL EQUIP 549685703	08771		1	HEF								
BVYE	BVUH			D	RELAY ASSY 5496216G2	08771		1	HEF								
BVYF	BVUN		58209074748	D	TERMINAL BOARD 5492929G1	08771		1	HEF								
BVYG			X 2F	C	SHELF ASSY 19D401607G87	08771	EA	1	1								
BVYH			X 2F	C	SHELF ASSY 19D401607G85	08771	EA	1	1								
BVYJ			X 2F	C	SHELF ASSY 19D401607G89	08771	EA	1	1								

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVYK		X 2F		C	SHELF ASSY 19D401607G88	08771	EA	1	1								
BVYL		A FR		B	PILOT RACK 19D405396P94 115 VAC, 19.5 X 20, 5 IN, X 7 FT O/A	08771	EA	1	1								
BVYM	BVVM			C	PANEL BLANK 5496139G8	08771		9	HEF								
BVYN	BVUC			C	PANEL, FRONT 5493030G1	08771		0	HEF								
BVYP		A FR		C	RACK ASSY 19E500088G13 115 VAC, 19.5 X 20, 5 IN. X 7 FT O/A	08771	EA	1	1								
BVYQ	BVUE		62109261323	D	ALARM ASSEMBLY 5496133G1	087711		1	HEF								
BVYR	BVUF			D	LAMP, NCAND 1819-28V	08806		1	HEF							11	

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVYS	BVUG			D	RACK, EL EQUIP 5496857G3			1	HEF								
BVYT	UVUH			D	RELAY ASSY 5496216G2			1	HEF								
BVYU	BVUN		58209074748	D	TERMINAL BOARD 5492929G1			1	HEF								
BVYV		X 2F		C	SHELF ASSY 190401607G95	EA		1	1								
BVWW		X 2F		B	LOCK 198200642P3	EA		8	8								
BVYX		X 2F		B	BLOCK 19B201599P1	EA		2	2								
BVYY		X 2F		B	BRACKET 5492908P1	EA		4	4								

DATE 02-18-69

REVISION NO.

220-18

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVYZ		X 2F		B	BRKT, DBL, ANGLE 5492901P1	08771	EA	4	4								
BOZA		X 2F		B	BUS BAR 19B208237G1	08771	EA	1	1								
BVZB		X 2F		B	BUS BAR 5496651G1	08771	EA	1	1								
BVZC		P F	61309419731	B	BUS BAR.48KC 5493567G1 48 KC, 4 IN. LG. COPPER	08771	EA	1	1	2.7	2.7	4.0					10.3
BVZCA		X1F		C	RES, FXD, FILM 5495948P125	08771	EA	1	1						R1		
BVZCB		X1F		C	BRKT, DBL, ANGLE 5493566P1	08771	EA	1	1								
BVzCC		X1F		C	SWLD, ELEC, CONN 4038477G1	08771	EA	1	1								

DATE 02-18-69

REVISION NO.

220-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
OVZCD		X1F		C	CONN, RECP, ELEC 5496078P3	08771	EA	7	7								
BVZCE		X1F		C	INSULATOR, PLATE 5492713P1	08771	EA	1	1								
BVZCF		C F		C	TERMINAL, LUG 7491623P4	08771	EA	1	1								
svzca		C F		C	TERMINAL, LUG 4835338P1	08771	EA	1	1								
BVZD		X 2F	53400850856	B	BUTTON, PLUG 207-360231-00	02768	EA	127	127								
BVZE		X 2F		B	BUTTON, PLUG N529P18C13	08771	EA	16	16								
BVZF		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	18	18								

DATE 02-18-69

REVISION NO.

220-20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BVZG	p	F		B	CON-S3Pt 119202230G5 ALUMINUM, 2.50 x 4, 92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4
BVZH		P F	58959420941	B	CONN-SPT 198202230G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	134	134	23.6	23.6	134.0				178.3
BVZHA		X1F	59350442707	C	CONN, RECP, ELEC FD630S	95354	EA	1	139							
BVZHB		C F		C	TERMINAL, LUG 5492150P3	08771	EA	2	268							
BVZHC		X 1F		C	BRACKET, ANGLE 198202181P1	08771	EA	1	134							
BVZJ		P F		B	CONN-SPT 199202620G2 ALUMINUM, 2.50 X 4, 92 X 6.75 IN. O/A	08771	EA	36	36	10.6	10, 6	36.0				60.0
BVZJA		X1F		C	BRACKET, ANGLE 19B202181P3	08771	EA	1	36							

DATE 02-18-69

REVISION NO.

220-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVZJB		X1F		C	CONN, RECP, ELEC 19B209014P1	08771	EA	1	36								
BVZK		P F	58209228702	B	CONN-SPT J9B802230G4 ALUMINUM. 2, 50 X 4, 92 X 6.75 IN. O/A	08771	EA	5	5	3, 6	36	5.0					14.4
BVZKA		C F	59406699982	C	TERMINAL, STUD M3449S5CHTC	95076	EA	1	15						W1		
BVZKC		X1F		C	TRANSFORMER, RF 5498921P1	08771	EA	1	5						HY1		
BVZKD		X1F		C	RES, FXD, FILM RN20X69R8F	81349	EA	1	5						R1		
BVZKE		X1F		C	BRACKET, ANGLE 4034495G3	08771	EA	1	5								
BVZKF	BVZHA			C	CONN, RECP, ELEC FD630S	95354		1	REF								

DATE 02-18-69

REVISION NO.

220-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVZ		C r		C	TERMINAL, LUG 5492750P3	08771	EA	2	10								
BVZ			59S59995880	B	COVER, ALARM 5492912G1 AL, CADMIUM PLATED, 2 SN, X 4.500 IN- 0/A	08771	EA	8	8								
BVZLA		X 2F		C	RET, ELEC CONN 5491910G1	08771	EA	1	8								
BVZB		P F	59359338133	C	CONN, RECP, ELEC 5496085P1 20 MALE CONT, 0, 34 X 0.58 X 2.72 IN. O/A	08771	EA	1	8	4, 6	4, 6	8.0					
BVZLC		X 2F		C	POST, ELEC-MECH 5491541P204	08771	EA	2	16								
BVZLD		C F	53107235414	C	WASHER, FLAT N402P7C13	08771	EA	2	16								
IVZLE'		C F	53050597679	C	SCREW, MACHINE N80P13010C13	08771	EA	2	16								

B
D
A
S
E
P
O
T

19.9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVZMH		X 2F		B	EXTRUSION 4034526G7	08771	EA	76	76								
BVZN		C F		B	GROMMET, RUBBER 5490407P56	08771	EA	b									
BVZP		C F		B	GROMMET, RUBBER 5490407P50	08771	EA										
BVXQ		X 2F		B	GUIDE, SHELF P50741A	02768	EA	448	448								
BVZS		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2								
eV7S		P 0	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	127	127	23.6	23.6				127.0		178. 3
BVZT		C F	53100134530	B	NUT, PLAIN, HEX MS35649-62	96906	EA	127	127								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BVZU		C F	53109585209		B NUT,PLAIN,HEX N210P19C13	08771 EA	127	127									
BVZV HS35649.A2		C F	53100134524		B NUT,PLAIN,HEX	96906 EA	254	254									
BVZV 5498720016		x 2F			B PLATE	08771 EA	127	127									
BVZX 5492521P12		X 2F			B PLATE	08771 EA	76	76									
BVZY NP248847		n H			B PLATE,IDENT	08771 EA	18	18									
BVZZ NP248814		N W			B PLATE,IDENT	08771 EA	4	4									
BWAA		P F			B PRINTED CKT BD 19B202667P1 PHENOLIC, 0,062 IN, X 3.070 IN. X 3.500 IN,	08771 EA	1	1	2.7	2.7	3.0						10.3

DATE 02-18-69

REVISION NO.

220-25

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWAB		C F		B	SCREW,DRIVE N539P103	08771	EA	254	254								
BWAC		C F	53059844982	B	SCREW.MACHINE HS352069225	96906	EA	152	152								
BWAD		C F	53058202384	B	SCREW.MACHINE MS35235-14	96906	EA	254	254								
BWAE		C F		B	SCREW.MACHINE N82P13010D	08771	EA	127	127								
BWAF		C F	53059844983	B	SCREW.MACHINE MS35206-226	96906	EA	2	2								
BWAG		C F		B	SCREW,MACHINE N84P9006C13	08771	EA	6	6								
BWAH		C F	53059931851	B	SCREW.MACHINE MS35207-267	96906	EA	127	127								

DATE 02-18-69

REVISION NO.

220-26

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWAJ		C F	53059844988	B	SCREW,MACHINE MS35206-228	96906	EA	12	12								
BWAK		X 2F		B	SHELF 5498699G32	08771	EA	15	15								
BWAL		X 2F		B	SHELF 19D405255G1	08771	EA	1	1								
BWAM		X 2F		B	SHELF 5498699G34	08771	EA	1	1								
BWAN		X 2F		B	SHELF 190405255G2	08771	EA	1	1								
BWAP		C F	53108505723	B	SPACER,SLEEVE 5491541P106	08771	EA	4	4								
BWAG		X 2F		B	SPRING 5492956P2	08771	EA	127	127								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWAR		X 2F		B	SPRING 5492956P1	08771	EA	127	127								
BWAS		X 2F		B	STRIP 198203025P5	08771	EA	127	127								
BWAT		X 2F		B	STRIP,FOIL 198203072P1	08771	EA	127	127								
BWAU		X 2F		8	STUD 5492731P9	08771	EA	152	152								
BWAV		X 2F		8	SUPPORT,CABLE 5492920P1	08771	EA	1	1								
BWAW		P F	S9359420103	8	SUPPORT,CONN 198202620G1 ALUMINUM, 2.50 x 4.92 X 6.75 IN. O/A	08771	EA	20	20	7.7	7.7	20.0					38.9
BWAX		A F		B	TERMINAL BLK 5496356G3 AL, CHROMATE FINISH, 5.200 X 58.875 IN. O/A	08771	EA	1	1								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWAXA		X1F		C	CHAS,ELEC,EOUIP 5492483G1	08771	EA	1	1								
BWAXB		X 2F		C	SHLD,ELEC CONN 4034205P1	08771	EA	20	20								
BWAXC		C F		C	TERMINAL,LUG 5491581P1	08771	EA	20	20								
BWAXD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	10								
BWAXE		X 2F		C	TERMINAL BOARD 4034193G5	08771	EA	10	10								
BWAY		A F		B	TERMINAL BLK 5496135G24 AL, CHROMATE FINISH, 5.200 IN. X 58.875 IN.	08771	EA	4	4								
BWAYA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	32								

DATE 02-18-69

REVISION NO.

220-29

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWAYB		X1F			C CHAS,ELEC EOUIP 5496862G2	08771	EA	1	4							
BWAZ		X 2F	58050857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							
BWBA		X 2F		B	TERMINAL BOARD 198203067P1	08771	EA	1	1							
BWBB		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							
BWBC		C F		B	WASHER,FLAT N402PSC13	08771	EA	242	242							
BWBD		C F	53102090788	B	WASHER,LOCK MS35335-30	96906	EA	152	152							
BWBE		C F	53102090940	B	WASHER,LOCK N403P21C13'	08771	EA	127	127							

DATE 02-18-69

REVISION NO.

220-30

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWBF		C F		B	WASHER,NM 4035306P51	08771	EA	4	4								
BWBG		C F		B	WASHER,NM 4035306P21	08771	EA	4	4								
BWBH		C F	58050857218	B	WASHER,NM 4036555P1	08771	EA	19	19								

DATE 02-18-69

REVISION NO.

220-31

EQUIPMENT: 19D405396-11
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BVUF	62401558707	19L500088G9	BVUD	5805
1819-28V	BVXN	6240	1-5M56Z5	BVXA	59618547455
1819-28V	BVYC	6240	1N198	BVXB	59614460270
1819-28V	BVYR	6240	1N712	BVXF	59618266631
19A115562P2	BVVA	59610601655	1N91	BVXG	59616774875
19B200642P3	BVYW	5805	1N9798	BVUW	59618920748
198201599P1	BVYX	5805	1N979B	BVXD	5961
198202181P1	BVZHC		207-360231-00	BVZD	53400850856
19B202181P3	BVZJA		261-31-12-010	BVUK	59358929607
19820223061	BVZH	58959420941	261-32-12-030	BVUJ	59352370456
19B202230G4	BVZK	58209228702	2N1039	BVXM	59618218977
198202230G5	BVZG	5805	2N1302	BVXL	59618507646
198202620G1	BWAW	59359420103	2N1395	BVXJ	59610805233
19B202620G2	BVZJ	5805	2N1614	BVXK	59610860040
198202667P1	BWAA	5999	2N3053	BVVB	59619859073
198203025P5	BWAS	5805	30054-1	BVUM	59357336326
198203067P1	BWBA	5999	4034193G4	BWAXD	
191203072P1	BWAT	9535	4034193G5	BWAXE	
198208237G1	BVZA	5805	4034205P1	BWAXB	
198209014P1	BVZJB		4034495G3	BVZKE	
19C310121P1	BVZS	53409446037	4034526G7	BVZM	5805
190401607G64	BVVF	5805	4035306P21	BWBG	5330
195401607G65	BVVH	5805	4035306P51	BWBF	5530
19D401607G6	BVVD	5805	4035338P1	BVZCG	
19D401607G67	BVVJ	5805	4036150P1	BVZR	5970
19D401607G66	BVVG	5805	4036555P1	BWBH	58050857218
19D401607G69	BVVK	5805	4038477G1	BVZCC	
19D401607G71	BVVC	5805	5490407P50	BVZP	5325
19D401607G71	BVVE	5805	5490407P56	BVZN	5325
19D401607G83	BVXV	5805	5491541P106	BWIP	53108505723
19D401607G84	BVXS	5805	5491541P204	BVZLC	
19D401607G85	BVYH	5805	5491581P1	BWAXC	
19D401607G87	BVYG	5805	5492483G1	BWAXA	
190401607U88	BVYK	5805	5492521P12	BVZX	5805
190401607G89	BVYJ	5805	5492680G1	BVVR	58209074749
19D401607G8	BVXT	5805	5492713P1	BVZCE	
190401607G95	BVYV	5805	5492731P9	BWAU	5325
19D401607G96	BVXW	5805	5492750P3	BVZHB	
19D401607G97	BVXU	5805	5492750P3	BVZKG	
19D405255G1	BWAL	5805	5492901P1	BVYZ	5805
19D405255G2	BWAN	5805	5492908P1	BVYY	5805
190405396-11	BVUAA	5805	5492910G1	BVZLA	
190405396P91	BVVL	5805	5492912G1	BVZL	59359995880
19D405396P92	BVXX	5805	5492920P1	BWAV	5805
190405396P93	BVUB	5805	549292YG1	BVUN	58209074748
19D405396P94	BVYL	5805	5492929G1	BVXR	58209074748
19E500088U13	BVYP	5805	5492929G1	BVYF	58209074748
19E500008G7	BVYA	5805	5492929G1	BVYU	58209074748
19E500088G8	BVVP	5805	5492937G1	BVZF	5805

EQUIPMENT: 19D405396-11
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5492956P1	BWAR	5805	MS35206-228	BWAJ	53059844988
5492956P2	BWAO	5805	MS35207-267	BWAH	53059931851
5493030G1	BVUC	5805	MS35235-14	BWAD	53058202384
5493030G1	BVVN	5805	MS35335-30	BWBP	53102090708
5493030G1	BVXZ	5805	MS35649-42	BVZV	53100134524
5493030G1	BVYN	5805	MS35649-62	BVZT	53100134530
5493566P1	BVZCB		N210P19C13	BVZU	53109585209
5493567G1	BVZC	61309419731	N402P5C13	BWBC	5510
5495589G182	BVWA	59500852525	N402P7C13	BVZLD	53107235414
5495948P125	BVZCA		N403P21C13	BWBE	531002090940
5496078P3	BVZCD		N529P18C13	BVZE	5340
5496085P1	BVZLB	59359338133	N539P103	BWAB	530S
5496133G1	BVUE	62109261323	N80P13010C13	BVZLE	53050597679
5496133G1	BVVQ	62109261323	N82P13010D	BWAE	5305
5496133G1	BVYB	62109261323	N84P9006C13	BWAG.	5305
5496133G1	BVYQ	62109261323	NP248814	BVZZ	5805
5496135G24	BWAY	5940	NP248847	BVZY	5805
5496139G8	BVVM	5805	P50741A	BVZO	5805
5496139G8	BVXY	5805	RC20GF103J	BVUQ	59051858510
5496139G8	BVYM	5805	RC20GF204J	BVUP	59051712003
5496216G2	BVUH	5945	RC20GF271J	BVUH	59051712006
5496216G2	BVXQ	5945	RC20UF273J	BVUU	59052793499
5496216G2	BVYE	5945	RC20GF512J	BVUT	59052792019
5496216G2	BVYT	5945	RC20GF513J	BVUS	59052793496
5496356G3	BWAX	5940	RNZOX69R8F	BVZKD	
5496651G1	BVZB	5805	RN65D1001F	BVWE	59058839198
5496735P1	BWAZ	58050857236	RN65D1002F	BVWV	59050640555
5496857G3	BVUG	5805	RN65D1102F	BVWN	59050620557
5496857G3	BVXP	5805	RN65D1334F	BVWW	59057620663
5496857G3	BVYD	5805	RN65D1471F	BVWC	59059936012
5496857G3	BVYS	5805	RN65D1781F	BVWT	59059936975
5496862G2	BWAYB		RN65D1961F	BVWP	59052258175
5498699G32	BWAK	5805	RN65D2152F	BVWK	59059932268
5498699G34	BWAM	5805	RN65D2372F	BVWD	59059884710
5498720G16	BVZW	5805	RN65D2610F	BVWJ	59050880987
5498921P1	BVZKC		RN65D2612F	BVWF	59050602484
601PE2240-5W	BVYV	59109641345	RN65D3161F	BVWX	59059931362
601PE3340-5W	BVVZ	59100852730	RN65D31R6F	BVWY	59059932271
7491823P4	BVZCF		RN65D3480F	BVWB	5905990500 3
7774524P3	BWAYA		RN65D3481F	BVWU	59059931363
7878455P1	BWBB	59403084357	RN65D4642F	BVWR	59059932261
CM07F512J03	BVWV	59100500086	RN65D5110F	BVWS	59059895580
CS13AF220M	BVVS	59108468098	RN65D5111F	BVWG	59058138640
CS13BF105M	BVWU	59109040519	RN65D5112F	BVWU	59059932267
FD630S	BVZHA		RN65D6811F	BVWZ	59050602481
FD630S	BVZKF	59350442707	RN65D7500F	BVWH	59059936341
M3449-5CHTC	BVZKA	59406659982	RN65D7502F	BVWL	59059903029
MS35206-225	BWAC	53059844982	RN65D9092F	BVWM	59059529435
MS35206-226	BWAF	53059844983	SSD753	BVUY	59610601689

EQUIPMENT: 190405396-11
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
T154X1O1	BVUL	59459230411			
UT66	BVUV	59610566403			
UT6b	BVXE	5961			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BWLP M		A FR	58201798484	A	MUX SYSTEM 19D405396-50 117 VAC, 60 CY, 1 PHASE, 440 CHAN EACH DIR	08771	EA	1	1				
BWLT		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	10	31.5			11
BWUZ		P O	53409446037	B	KNOB 19C310121P1 PHEN.0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	126	126	23.6			

DATE 04-23-69

REVISION NO.

221-1

DATE: 04-23-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-50

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONQUIN RD DES PLAINES ILL	80131	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C
03508	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	81349	MILITARY SPECIFICATIONS
04173	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIZONA	84411	TRW CAPACITOR DIV OGALLALA NEBR
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HARRISON N J
08806	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95076	GARDL MFG CO 53 JOHN ST CUMBERLAND R I
13141	UNITRODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	95354	METHUDE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906	MILITARY STANDARDS
70509	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK N Y		
71785	CINOH MFG CO AND HOWARD B JONES DIV 1026 S HOMAN AVE CHICAGO ILL		
78553	TINNERMAN PRODUCTS INC CLEVELAND OHIO		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWLP M		A FR	58201798484	A	MUX SYSTEM 19D405396-50 117 VAC, 60 CY& 1 PHASE# 440 CHAN EACH DIR	08771	EA	1	1								
BWLQ		A FR		B	CHANNEL RACK 19D405396p142 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	0s771	EA	1	1								
BWLR		A FR		C	RACK,ASSY 19E500088G9 115 VAC, 19.5 X 20.5 ZN, X 7 FT O/A	08771	EA	1	4								
BWLS		P F	62109261323	D	ALARM ASSEMBLY 549613301 28 VDC. 0.90 ZN. X 0.90 IN. X 4.30 IN, O/A	08771	EA	1	9	8.7	8.7	27.0					46.2
BWLT		P O	62401558707	D	LAMP,INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	10	31.5	31.5	500.0			11 259.9		
BWLU		X1F		D	RACK,EL EQUIP 5496857G3	08771	EA	1	9								
BWLV		A FR		D	RELAY ASSY 549621602 STL, CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN.	008771	EA	1	7								

DATE 04-23-69

REVISION NO.

221-3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWLW		P F	59352370456	E	CONN.PLUG,ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1.2	71785	EA	1	9	4.9	4.9	9.0			P1	21.7
BWLX		P F	59358929607	E	CONN.REC,ELEC 261-31-12-010 PHEN, 12 PH BRZ MALE CONT. 7.5A RATED	71785	EA	1	9	4.9	4.9	9.0			J2	21.7
BWLY		P F	59459230411	E	RELAY,ARMATURE T154X101 .115 VDC, 6 PDT, 1.5W, O.013A, 9000 OHM RES	70309	EA	2	16 13.1	13.1	48.0				K1,K2 79.9	
BWLZ		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELIT,10 GL PL BE COP SOLDER TERM,0 .921IN	70309	EA	2	16	6.5	6.5	48.0			XK1.XK2	31.4
BWMA		A F	58209074748	D	TERMINAL BOARD 5492929G1 PHENOLIC. 0.062 IN. X 3.500 IN. X 3.875 IN.	08771	EA	1	9							
BWMB		P F	59151712003	E	RES,FXD,COMP RC20GF204J 200000 OHM, 5 PCT,	81349	EA	1	9	7.7	7.7	27.0			R1	38.9
BWMC		P F	59e51858510	E	RES,FXD,COMP RC20GF1O3J 10000 OHMS, 5 PCT, 1/2	81349	EA	1	9	7.7	7.7	27.0			R3	38.9

DATE 04-23-69

REVISION NO.

221-4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWMD		P F	59151712006	E	RES,FXD,COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	18	10.6	10.6	54.0			R6,R9	60.0
BWHE		P F	59052793496	E	RES,FXD,COMP RC20GF5I3J 51000 OHM, S PCT, 1/2W	81349	EA	2	18	10.6	10.6	54.0			R2,R4	60.0
BWMF		P F	590S2792019	E	RES,FXD,COMP RC20GFS12J 5100 OHM; 5 PCT, 1/2 W	81349	EA	2	18	10.6	10.6	54.0			R7,R8	60.0
BWMG		P F	59192793499	E	RES,FXD,COMP RC20GF273J 27000 OHM, S PCT, 1/2W	81349	EA	1	9	7.7	7.7	27.0			R5	38.9
BWMH		P F	59610566403	E	SEMICOND,DIODE UT66 SILICON,;RECTIFIER, 100 PIV, 0.600 MAX DCA	13141	EA	1	13	11.4	11.4	65.0			CR4	66.7
BWMJ		P F	59618920748	E	SEMICOND,DIODE IN9798 ZENER, 56V. 2.2 MA# 150 OHM MAX, S PCT	81349	EA	1	10	9.7	9.7	50.9			CR1	53.1
BWML		P F	59610601689	E	SEMICOND,DIODE SS0753 SILICON, NPN, 300 HA AT 25 C, FAST RECOVERY	13715	EA	3	27	17.5	17.5	135.0			CR1THRUCR3	117.9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWMN		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.25IN	08771	EA	2	18	13.8	13.8	90.0			Q2,Q3	86.4
BWMP		P F	59619859073	E	TRANSISTOR 2N3053 SILICON, NPN, 60V, 100 MC, 5W. 1A	86684	EA	1	9	8.7	8.7	45.0			Q1	46.2
BWMQ		X 2F		C	SHELF ASSY 19D040160764	08771	EA	1	4							
BWMR		X 2F		C	SHELF ASSY 190401607068	08771	EA	1	4							
BWMS		X 2F		C	SHELF ASSY 190401607G66	08771	EA	1	4							
BWMT		X 2F		C	SHELF ASSY 19D401607G70	08771	EA	1	4							
BWMU		X 2F-		C	SHELF ASSY 190401607G65	08771	EA	1	4							

DATE 04-12369

REVISION NO.

221-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWMV		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	4								
BWMW		X 2F		C	SHELF ASSY 190D401607G67	08771	EA	1	3								
BWMX		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	4								
BWNY		A FR		B	CHANNEL RACK 19D405396P144 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1								
BWMZ	BWLR			C	RACK,ASSY 19E500088G9	08771		1	REF								
BWNA	BWMX			C	SHELF ASSY 19D401607G71	08771		1	REF								
BWNB	BWMW			C	SHELF ASSY 19D401607G67	08771		1	REF								

DATE 04-23-69

REVISION NO.

221-7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWNC	BWMU			C	SHELF ASSY 19D401607G65	08771		1	REF								
BWND	BWMV			C	SHELF ASSY 19D401607G69	08771		1	REF								
BWNE	BWMQ			C	SHELF ASSY 19D401607G64	08771		1	REF								
BWNF	BWMR			C	SHELF ASSY 190401607068	08771		1	REF								
BWNG	BWMS			C	SHELF ASSY 19D401607GG6	08771		1	REF								
BWNH	BWMT			C	SHELF ASSY 190401607G70	08771		1	REF								
BWNJ		A FR		B	CHANNEL RACK 19D405396P143 115 VAC, 19,5 X 20R5 IN, X 7 FT O/A	08771 EA		1	1								

DATE 02-18-69

REVISION NO.

221-8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWNB	BWLR			C	RACK ASSY 19E500088G9	08771		1	REF								
BWNLB	BWMR			C	SHELF ASSY 19D401607G68	08771		1	REF								
BWNM	BWMU			C	SHELF ASSY 19D401607G65	08771		1	REF								
BWNN	BWNT			C	SHELF ASSY 19D401607G70	08771		1	REF								
BWNP	BWNQ			C	SHELF ASSY 19D401607G64	08771		1	REF								
BWNQ	BWMV			C	SHELF ASSY 19D401607G69	08771		1	REF								
BWNR	BWMS			C	SHELF ASSY 19D401607G66	08771		1	REF								

DATE 02-18-69

REVISION NO.

221-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWNS	BWNX			C	SHELF ASSY 19D401607G71	08771		1	REF								
BWNT		A FR		B	CHANNEL RACK 190405396P145 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1								
BWNU	BWLR			C	RACK,ASSY 19E500088G9	08771		1	REF								
BWNV	BWNT			C	SHELF ASSY 19D401607G70	08771		1	REF								
BWNW	BWMS			C	SHELF ASSY 19D401607G66	08771		1	REF								
BWNX	BWMX			C	SHELF ASSY 19D401607G71	08771		1	REF								
BWNY	BWNO			C	SHELF ASSY 19D401607684	08771		1	REF								

DATE 04-23-69

REVISION NO.

221-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWNZ	BWMR			C	SHELF ASSY 19D401607G68	08771		1	REF							
BWPA	BWMU			C	SHELF ASSY 190401607065	08771		1	REF							
BWPB	BBMW			C	SHELF ASSY 19D401607G67	08771		1	REF							
BWPC	BWWV			C	SHELF ASSY 19D401607G69	08771		1	REF							
BWPD		A FR		B	COH EOUSP RACK 19D405396PI38 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
BWPE		x 2F		C	EXTRUSION 403452607	08771	EA	1	114							
BWPF		x 2F		C	PANIL BLANK 5496139G8	08771	EA	4	8							

DATE 04-23-69

REVISION NO.

221-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BMPG		X 2F		C	PANEL, FRONT 5493030G1	08771	EA	24	126							
BWPH		A FR		C	RACK ASSY 19E500088G10 115 VAC, 19.5 X 20,5 XN. X 7 FT O/A	08771	EA	1	2							
BWPJ	BWLS			D	ALARM ASSEMBLY 5496133G1	08771		1	REF							
BWPK	BWLT			D	LAMP,INCAND 1819-28V	08806		1	REF						11	
BWPL	BWLU			D	RACK,EL EOUSP 5496857G3	08771		1	REF							
BWPM		A FR		D	RELAY ASSY 5496216G1 STL, CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN.	08771	EA	1	2							
BWPN	BWLW			E	CONN,PLUG,ELEC 261-32-12-030	71785		1	REF						P1	

DATE 04-23-69

REVISION NO.

221-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWPP	BWLX			E	CONN.REC,ELEC 261-31-12-010	71785		1	REF								
BWPQ	BWLY			E	RELAY.ARMATURE T154X101	70309		1	REF								K1
BWPR	BWLZ			E	SOCKET.RELAY 30 054- 1	10309		1	REF								XK1
BWPS	BWMA			D	TERMINAL BOARD 5492929G1	08771		1	REF								
BWPT		X F		C	SHELF ASSY 19D401607G74	08771	EA	1	2								
BWPU		X 2F		C	SWELF ASSY 19D4016076G79	08771	EA	1	1								
BWPV		X2F		C	SHELF ASSY 19D401607G75	08771	EA	1	2								

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWPW		X 2F		C	SHELF ASSY 19D401607G80	08771	EA	1	1								
BWPX		A FR		B	COM EQOUP RCK 19D405396P136 115 VAC. 19,5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1								
BWPY	BWPG			C	PANEL,FRONT 5493030G1	08771		25	REF								
BWPZ		A FR		C	RACK ASSY 19E50008808 115 VAC, 19.5 X 20,S IN. X 7 FT O/A	08771	EA	1	1								
BWQA	BWLS			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BWQB		A FR	58209074749	D	ALARM BD, MAJ 5492680G1 PHENOLIC, 0.500 IN, X 3.500 IN. X 4,77 IN.	08771	EA	1									
BWQC		P F	59108468098	E	CAP,FXD,ELECT CS13AF220M 22 MFD# 20 PCT, 35 VDCW	81349	EA	2	2	3.2	3.2	6.0			C3,C8		12.4

DATE 04-23-69

REVISION NO.

221-14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWQE		P F	59109040S19	E	CAP,FXD.ELECT CS13BF105M 1 PF. 10 PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C6	6.8
BWQG		P F	59100500086	E	CAP,FXD,MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C1	6.8
BWQJ		P F	59109641345	E	CAP,FXD.PLSTC 601PE2240-SW 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2,C5	12.4
BWQK		P F	59100852730	E	CAP,FXD.PLSTC 601PE3340-SW 33000 Pr. 20 PCT, 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8
BWQL		P F	59900852525	E	COIL,RF 5495589G182 7/16 X 9/16 IN. 0/A, 74,5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
BWQM		P F	59059905023	E	RES,FXD.FILM RN65D3480F 348 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BWQN		P F	59059936012	E	RLS,FXDRFILM RN65DI471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8

DATE 04-23-69

REVISION NO.

221-15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWQP		P F	59059884710	E	RES,FXD,FILM RN65D2372F 23700 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BWQQ		P F	59058839198	E	RLS,FXD,FILM RN65DIO01F 1000 OHM, 1 PCT, 1/2W	81349	LA	2	2	3.2	3.2	6.0			R22,R29	12.4
BWQR		P F	59950602484	E	RES,FXD,FILH RN6SD2612F 26100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R4	6.1
BWQS		P F	59198138640	E	RES,FXD,FILM RN65D5111r 5110 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8
BWQT		P F	59159936341	E	RES,FXD,FILM RN65D7500F 750 OHM, 1 PCT# 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BWQU		P F	59150880987	E	RES,FXD,FILM RP65D2610F 261 OHM,1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,R14	12.4
BWQV		P F	59159932268	E	RES,FXD,FILM RN65D2152F 21500 OHM, 1 PCT 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20,R21	12.4

DATE 04-23-69

REVISION NO.

221-16

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWQW		P F	59059903029	E	RES,FXD,FILM RN65D7502F 75000 OHM,1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BWQX		P F	59059529435	E	RES,FXD,FILM RN65D9092F 90900 OHM, 1PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8
BWQY		P F	59050620537	E	RES,FXD,FILM RN65D1102F 11000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8
BWQZ		P F	59052258175	E	RES,FXD,FILM RN65D1961F 1960 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8
BWRA		P F	59059932267	E	RES,FXD,FILM RN65D5112F 51100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BWRB		P F	59059932261	E	RES,FXD,FILM RN65D4642F 46400 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BWRC		P F	59059895560	E	RES,FXD,FILM RN65D5110 511 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8

DATE 04-23-69

REVISION NO.

221-17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWRD	P F		59059936975	E	RES.FXD,FILM RN65D1781F 1780 OHM. 1 PCT, 1/2W	EA		1	1	2.2	2.2	3.0			R31	6.8
BWRE	P F		59059931363	E	RES.FXD,FILM RN65D3481F 3480 OHM, 1PCT, 1/2w	EA		2	2	3.2	3.2	6.0			R19,R24	12.4
BWRF	P F		59050640555	E	RES. FXD,FILM RN65D1002F 10000 OHM, 1PCT, 1/2W	EA		3	3	3.9	3.9	9.0			R5,R11,R17	16.5
BWRG	P F		59057620663	E	RES.FXD,FILM RN65D1334F 13300000 OHM, 1 PCT, 1/2W	EA		1	1	2.2	2.2	3.0			R30	6.8
BWRH	P F		5905109931362	E	RES.FXD,FILM RN65D3161F 3160 OHMS, 1PCT, 1W	EA		2	2	3.2	3.2	6.0			R7,R23	12.4
BWRJ	P F		59059932271	E	RES.FXD,FILM RN65D31R6F 3196 OHM. 1 PCT, 1/2W	EA		1	3	2.2	2.2	3.0				6.8
BWRK	P F		59050602481	E	RES.FXD,FILM RN65D6811F 6818 OHM. 1 PCT, 1/2W	EA		1	1	2.2	2.2	3.0			R9	6.8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWRL		P F	59618547455	E	SEMICON D DIODE 1-5H56Z5 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BWRM		P F	59114460270	E	SEMICON D, DIODE IN198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5, CR6	16.5
BWRP	BWMJ			E	SEMICON D, DIODE 1N979B	81349		1	REF						VR1	
BWRQ	BWMW			E	SEMICON D, DIODE UT66	13141		4	REF						CR2, CR3, CR4, CR7	
BWRR		P F	59618266631	E	SEMICON D. OIODE 1N712 ZENER, 8.2V, 25 MA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2	10.3
BWRS		P F	59516774875	E	SEMICON D, DIODE 1N91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1	10.3
BWRU		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM. PNP. 240 MW, -040V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRUQ7	21.7

DATE 04-23-69

REVISION NO.

221-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWRV		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			Q2,Q3	16.5
BWRW		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE, 3 MHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1	10.3
BWRX		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC, 3 IC	81349	EA	1		2.7	2.7	5.0			Q4	10.3
BWRY	BWLT			D	LAMP,INCAND 1819-28V	08806		2	REF						11,12	
BWRZ	BWLU			D	RACK,EL.EQUIP 5496857G3	08771		1	REF							
BWSA	BWLV			D	RELAY ASSY 5496216G2	0877		1	REF							
BWSB	BWMA			D	TERMINAL BOARD 5492929G1	06771		1	REF							

DATE 04-23-69

REVISION NO.

221-20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWBC		X 2F		C	SHELF ASSY 19D401607G82S2	08771	EA	1	1							
BWBD		X 2F		C	SHELF ASSY 19D401607G72	08771	EA	1	1							
BWSE		X 2F		C	SHELF ASSY 190401607G9S2	08771	EA	1	1							
BWSF		X 2F		C	SHELF ASSY 19D40160708	08771	EA	1	1							
BWSG		X 2F		C	SHELF ASSY 19D401607G84	08771	EA	1	1							
BWSH		X 2F		C	SHELF ASSY 19D401607G73	08771	EA	1	1							
BWSJ		X 2F		C	SHELF ASSY 19D401607G83S1	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

221-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWSK		X 2F		C	SHELF ASSY 19D401607G98	08771	EA	1	1								
BWSL		A FR		B	COM EQUIP RCK 190405396P137 115 VAC. 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BWSM	BWPE			C	EXTRUSION 4034526G7	08771		4	REF								
BWSN	BWPI			C	PANEL BLANK 5496139G8	08771		1	REF								
BWSP	BWPG			C	PANEL,FRONT 5490301G1	08771		45	REF								
BWSQ	BWPH			C	RACK ASSY 19E500088G10	08771		1	REF								
BWSR		X 2F		C	SHELF ASSY 19D401607G81	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

221-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWSS	BWPV			C	SHELF ASSY 19D401607G75	08771		1	REF								
BWST		X 2F		C	SHELF ASSY 19D401607G103	08771		1	1								
BWSU	BWPT			C	SHELF ASSY 19D401607G74	08771	EA	1	REF								
BWSV		X 2F		C	SHELF ASSY 19D401607G99S1	08771	EA	1	1								
BWSW		X 2F		C	SHELF ASSY 19D401607G76	08771	EA	1	1								
BWSX		X 2F		C	SHELF,ASSY 19D401607G102	08771	EA	1	1								
BWSY		A FR		B	GP REG TNT RCK 19D405396P140 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

221-23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWSZ	BWPE			C	EXTRUSION 4034526G7	08771		1	REF								
BWTA	BWPF			C	PANEL BLANK 5496139G8	08771		3	REF								
BWTB	BWPG			C	PANEL,FRONT 5493030G1	08771		12	HEF								
BWTC		A PR		C	RACK ASSY 19ES00088G13 115 VAC. 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	2								
BWTD	BWLS			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BWTE	BWLT			D	LAMP,INCAND 1819-28V	08806		1	REF						11		
BWTF	BWLU			D	RACK,EL EQUIP 5496857C3	08771		1	REF								

DATE 04-23-69

REVISION NO.

221-24

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWTG	BWLV			D	RELAY ASSY 5496216G2	08771		1	REF								
BWTH	BWMA			D	TERMINAL BOARD 5492929G1	08771		1	REF								
BWTJ		X 2F		C	SHELF ASSY 19D401607GO9S1	08771	EA	1	1								
BWTK		X 2F		C	SHELF ASSY 19D401607G86	08771	EA	1	2								
BWTL		X 2F		C	SHELF ASSY 190401607G90Si	08771	EA	1	1								
BWTM		X 2F		C	SHELF ASSY 19D401607G85	08771	EA	1	2								
BWTN		X 2F		C	SHELF ASSY 19D401607G88Si	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

221-25

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWTP		A FR		B	GP REG INT RCK 19D405396P139 115 VAC# 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BWTQ	BWPG			C	PANEL,FRONT 5493030G1	08771		20	REF								
BWTR	8WTC			C	RACK ASSY 19E500088G13	08771		1	REF								
BWTS		X 2F		C	SHELF ASSY 190D401607G92	08771	EA	1	1								
BWTT		X 2F		C	SHELF ASSY 190401607G88	08771	EA	1	1								
BWTU	BWTK			C	SHELF ASSY 190401607G86	0771		1	REF								
BWTV		X 2F		C	SHELF ASSY 19D401607G90	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

221-26

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWTW	BWTM			C	SHELF ASSY 190401607G85	08771		1	REF								
BWTX		X 2F		C	SHELF ASSY 19D401607G89	08771	EA	1	1								
BWTY		X 2F		C	SHELF ASSY 190401607G87S1	08771	EA	1	1								
BWTZ		X 2F		C	SHELF ASSY 190401607G91	08771	EA	1	1								
BWUA		X 2F		B	TERMINAL BOARD 198203067P1	08771	EA	6	6								
BWUB		X 2F		B	BLOCK 198200642P3	08771	EA	18	18								
BWUC		X 2F		8	BLOCK 19B201599PI	08771	EA	7	7								

DATE 04-23-69

REVISION NO.

221-27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWUD		X 2F		B	BRACKET 5492908P1	08771	EA	9	9								
BWUE		X 2F		B	BRKT,DBL,ANGLE 5492901P1	08771	EA	6	6								
BWUF		X 2F		B	BUS BAR 19B208237G1	08771	EA	2	2								
BWUG		X 2F		B	BUS BAR 19C310849G1	08771	EA	2	2								
BWUH		X 2F		B	BUS BAR 5496651G1	08771	EA	4	4								
BWUJ		P F	61309419731	B	BUS BAR.48KC 5493567G1 48 KHZ, COPPER. 2,500 IN. LG	08771	EA	1	1	2.7	2.7	3.0					10.3
BWUJA		X1F		C	RES,FXD,FILM 5495948P125	08771	EA	1	1	1					R1		

DATE 04-23-69

REVISION NO.

221-28

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWUJB		X1F		C	BRKT,DBL.ANGLE 5495566P1	08771	EA	1	1							
BWUJC		X1F		C	SHLD,ELEC CONN 4038477G1	08771	EA	1	1							
BWUJD		X1F		C	CONN.RECP,ELEC 549607BP3	08771	EA	7	7							
BWUJE		X1F		C	INSULATOR,PLATE 5492713P1	08771	EA	1	1							
BWUJF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1							
BWUJG		C F		C	TERMINAL,LUG 4035338P1	08771	EA	1	1							
BWUK		X 2F		B	BUTTON,PLUG N529P18C13	08771	EA	36	36							

B
D
E
S
E
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWUL		X 2F	53400850856	B	BUTTON,PLUG 207-360231-00	02768	EA	126	126								
BWUM		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	64	64								
BWUN		P F		B	CONN-SPT 19B202603G1 STL, 0.090 IN, X 0.090 IN, X 4.810 IN. O/A	08771	EA	57	57	13.8	13.8	57.0					86.4
BWUNA		X1F		C	BRKT,DBL,ANGLE 198202566P1	08771	EA	1	57								
BWUNB		X1F		C	SWELL,ELEC,CONN 19D401142P2	08771	EA	1	57								
BWUNC		C F		C	WASHER,NM 4035306P63	08771	EA	2	114								
BWUN D		C F		C	WASHER,FLAT 19A101105P1	08771	EA	2	114								

DATE 04-23-69

REVISION NO.

221-30

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWUP		P F	58209228702	B	CONN-SPT 19B202230G4 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	20	20	7.7	7.7	20.0				38.9
BWUP A		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	60						W1	
BWUPB	BWUPA			C	TERMINAL,STUD M3549-5CHTC	95076		2	REF						E2,E4	
BWUPC		X1F		C	TRANSFORMER,RF 5498921P1	08771	EA	1	20						HY1	
BWUPD		X1F		C	RES,FXD,FILM RN20X69R8F	81349	EA	1	20						RL	
BWUP E		X1F		C	BRACKET,ANGLE 4034495G3	08771	EA	1	20							
BWUPF		X1F	59350442707	C	CONN,RECP,ELEC FD630S	95354	EA	1	423							

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWUPG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	40								
BWUQ		P F		B	CONN-SPT 19820262002 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	108	108	21.0	21.0	108.0				154.4	
BWUQA		X1F		C	BRACKET,ANGLE 19B202181P3	08771	EA	1	108								
BWUQ B		X1F		C	CONN.RECP,ELEC 19B209014P1	08771	EA	1	108								
BWUR		P F	58959420941	B	CONN-SPT 19B202230G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	403	403	50.0	10.0	403.0				484.8	
BWURA	BWUPF			C	CONN.RECP,ELEC FD630S	95354		1	REF								
BWURB		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	806								

DATE 04-23-69

REVISION NO.

221-32

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWURC		X1F		C	BRACKET,ANGLE 19B202181P1	08771	EA	1	403								
BWUS		P F		B	CONN-SPT 19B202230G5 ALUMINUM, 2.50 X 4.92 X 6.75 IN, O/A	08771	EA	20	20	7.7	7.7	20.0				38.9	
BWUT		A F	5935999s880	B	COVER,ALARM 5492912G1 AL, CADMIUM PLATED, 2 X 4.500 IN. O/A	08771	EA	17	17								
BWUTA		X 2F		C	RET,ELEC CONN 5492910G1	08771	EA	1	17								
BWUTB		P F	59359228133	C	CONN,RECP,ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	17	6.5	6.5	17.0				31.4	
BWUTC		X 2F		C	POSY,ELEC-MECH 5491541P204	08771	EA	2	34								
BWUTD		C R	93107235414	C	WASHER,FLAT N402P7C13	06771	A	2	34								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWUTE		C F	53050597679	C	SCREW,MACHINE N80P13010C13	08771	EA	2	34								
BWUU	BWPE			B	EXTRUSION 4034526G7	08771		108	REF								
BWUV		C F		B	GROMMET,RUBBER 5490407P50	08771	EA	18	18								
BWUW				B	GROMMET,RUBBER 5490407P56	08771	EA	17	17								
BWUX		X 21F		B	GUIDE,SHELF P90741A	02768	EA	1548	1548								
BWUY		X 2F		S	INSULATOR 4036150P1	08771	EA	2	2								
BWUZ		P 0	53409446037	B	KNOB 19C310121P1 PHEN,0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	126	126	23.6	23.6	126.0					178.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWVA		C F		B	NUT,PLAIN,HEX 7141225P2	08771	EA	252	252								
BWVB		C F	53109589209	B	NUT,PLAIN,HEX N210P19C13	08771	EA	126	126								
BWVC		C F		B	NUT,PLAIN,HEX 7141225P3	08771	EA	126	126								
BWVD		X 2F		B	PLATE 5492521P12	08771	EA	108	108								
BWVE		X 2F		B	PLATE 5498720616	08771	EA	126	126								
BWVF		M H		B	PLATE,IDENT NP248814	08771	EA	9	9								
BWVG		M H		B	PLATE,IDENT NP248847	06771	EA	64	64								

DATE 04-23-69

REVISION NO.

221-35

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BWVH		P F		B	PRINTED CKT BD 198202667P1 PHENOLIC, 0.062 IN. X 3,070 IN. X 3.500 IN.	08771	EA	1	1	2.7	2.7	3.0				10.3
BWVJ		C F		B	SCREW,DRIVE N539P103	08771	EA	252	252							
BWVK		C F	53199576636	B	SCREW,MACHINE MS35190-223	96906	EA	6	6							
BWVL		C F		B	SCREW,MACHINE N80P19006C13	08771	EA	126	126							
BWVM		C F		B	SCREW,MACHINE N37P9021C13	08771	EA	252	252							
BWVN		C F	53858892997	B	SCREW,MACHINE NS35206-215	96906	EA	12	12							
BWVP		C F	53059844983	B	SCREW,MACHINE N535206-226	96906	EA	130	130							

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWVQ		C F	53858893116	B	SCREW,MACHINE MS35206-213	96906	EA	2	2								
BWVR		C F		B	SCREW,MACHINE N82P13010D	08771	EA	126	126								
BWVS		X 2F		B	SHELF 5498699G34	08771	EA	1	1								
BWVT		X 2F		B	SHELF 19D405255G1	08771	EA	1	1								
BWVU		X 2F		B	SHELF 19D401943G2	08771	EA	8	8								
BWVV		X 2F		B	SHELF 5498699G32	08771	EA	54	54								
BWVW		C F	53108505723	B	SPACER,SLEEVE 5491541P106	08771	EA	4	4								

DATE 04-23-69

REVISION NO.

221-37

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWVX		X 2F		B	SPRING 5492956P1	08771	EA	126	126								
BWVY		X 2F		B	SPRING 5492956P2	08771	EA	126	126								
BWVZ		X 2F		B	STRIP 198203025P5	08771	EA	126	126								
BWWA		X 2F		B	STRIP,FOIL 198203072P1	08771	EA	126	126								
BWWB		X 2F		B	STUD,FRICTION P101-499-248	78553	EA	130	130								
BWWC		X 2F		B	SUPPORT,CABLE 5492920P1	08771	EA	4	4								
BWWD		P F	59359420103	B	SUPPORT,CONN 198202620G1 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	80	80	17.5	17.5	80.0					117.9

DATE 04-23-69

REVISION NO.

221-38

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWWE		A F		B	TERMINAL,BLK 5496135G24 AL, CHROMATE FINISH, 5.200 X 58.875 IN.	08771	EA	9	9								
BWWEA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	72								
BWWEB		X1F		C	CHAS,ELEC EQUIP 5496862G2	08771	EA	1	9								
BWWF		A F		B	TERMINAL,BLK 5496356G3 AL, CHROMATE FINISH, 5.200 X 58.875 IN. O/A	08771	EA	4	4								
BWWFA		X1F		C	CWAS,ELEC,EQUIP 5492483G1	08771	EA	1	4								
BWWFB		X 2F		C	SHLD,ELEC CONN 4034205P1	08771	EA	20	80								
BWWFC		C F		C	TERMINAL,LUG 5491581P1	08771	EA	20	80								

DATE 04-23-69

REVISION NO.

221-39

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWWFD		X 2F		C	TERMINAL BOARD 403419304	08771	EA	10	40								
BWWFE		X 2F		C	TERMINAL BOARD 403419305	08771	EA	10	40								
BWWG		X 2F	58150857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1								
BWWH		C F	59403084357	B	TERMINAL LUG 7878455P1	06771	EA	40	40								
BWWJ		C F		B	WASHER,FLAT N402P5C13	08771	EA	256	256								
BWWK		C F	53205790079	B	WASHER,LOCK MS35333-37	96906	EA	130	130								
BWWL		C F	53202090940	B	WASHER,LOCK N403P21C13	08771	EA	126	126								

DATE 04-23-69

REVISION NO.

221-40

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BWWM		C P		B	WASHER,NM 4035306P51	08771	EA	4	4								
BWWN		C F		B	WASHER,NM 4035306P21	08771	EA	4	4								
BWWP		C F	56150857218	B	WASHER,NM 4036555P1	08771	EA	25	25								

DATE 04-23-69

REVISION NO.

221-41

EQUIPMENT: 19D405396-50
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BWLT	62401558707	19D401607G69	BWLNQ	5805
1819-28V	BWPK	6240	19D401607G69	BWPC	5805
1819-28V	BWRY	6240	19D401607G70	BWMT	5805
1819-28V	BWTE	6240	19D401607G70	BWNH	5805
19A101105P1	BWUND		19D401607G70	BWNN	5805
19A115562P2	BWMN	59610601655	19D401607G70	BWNV	5805
19B200642P3	BWUB	5805	19D401607G71	BWMX	5805
19B201599P1	BWUC	5805	19D401607G71	BWNA	5805
19B202181P1	BWURC		19D401607G71	BWNS	5805
19B202181P3	BWUQA		19D401607G71	BWNX	5805
19B202230G1	BWUR	58959420941	19D401607G72	BWSD	5805
19B202230G4	BWUP	58209228702	19D401607G73	BWSH	5805
19B202230G5	BWUS	5805	19D401607G74	BWPT	5805
19B202566P1	BWUNA		19D401607G74	BWSU	5805
19B202603G1	BWUN	5805	19D401607G75	BWPV	5805
19B202620G1	BWWD	59359420103	19D401607G75	BWSS	5005
19B202620G2	BWUQ	5805	19D401607G76	BWSW	5805
19B202667P1	BWVH	5999	19D401607G79	BWPU	5805
19B203028P5	BWVZ	5805	19D401607G80	BWPW	5805
19B203067P1	BWUA	5999	19D401607G81	BWSR	5805
19B203072P1	BWWA	9535	19D401607G82S2	BWSC	5805
19B208237G1	BWUF	5805	19D401607G83S1	BWSJ	5805
19B209014P1	BWUQB		19D401607G84	BWSG	5805
19C310121G1	BWUZ	53409446037	19D401607G85	BWTN	5805
19C310121P1	BWUG	6150	19D401607G85	BWTW	5805
19C310849G1	BWUNB		19D401607G86	BWTK	5805
19D401142P2	BWSX	5805	19D401607G86	BWTU	5805
19D401607G102	BWST	5805	19D401607G87S1	BWTY	5805
19D401607G103	BWMO	5805	19D401607G88	BWTT	5805
19D401607T64	BWNE	5805	19D401607G88S1	BWTN	5805
19D401607G64	BWNP	5805	19D401607G89	BWTX	5805
19D401607G64	BWNY	5805	19D401607G89S1	BWTJ	5805
19D401607G64	BWNU	5805	19D401607G8	BWSF	5805
19D401607G65	BWNC	5805	19D401607G90	BWTV	5805
19D401607G65	BWNM	5805	19D401607G90S1	BWTL	5805
19D401607G65	BWPA	5805	19D401607G91	BW TZ	5805
19D401607G65	BWMS	5805	19D401607G92	BWTS	5805
19D401607G66	BWNG	5805	19D401607G98	BWSK	5805
19D401607G66	BWNR	5805	19D401607G99S1	BWSV	5805
19D401607G66	BWNW	5805	19D401607G99S2	BWSE	5805
19D401607G66	BWMW	5805	19D401943G2	BWVU	5805
19D401607G67	BWNB	5805	19D405255G1	BWVT	5805
19D401607G67	BWPB	5805	19D405396-50	BWLP M	58201798484
19D401607G67	BWMR	5805	19D405396P136	BWPX	5805
19D401607G68	BWNF	5805	19D405396P137	BWSL	5805
19D401607G68	BWNL	5805	19D405396P138	BWPD	5805
19D401607G68	BWNZ	5805	19D405396P139	BWTP	5805
19D401607G69	BWMV	5805	19D405396P140	BWSY	5805
19D401607G69	BWND	5805	19D405396P142	BWLQ	5805

EQUIPMENT: 19D405396-50
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
19D405396P143	BWNJ	5805	5491581P1	BWWFC	
19D405396P144	BWMY	5805	5492483G1	BWWFA	
19D405396P145	BWNT	5805	5492521P12	BWVD	5805
19E500088G10	BWPH	5805	5492680G1	BWQB	58209074749
19E500088G10	BWSQ	5805	5492713P1	BWUJE	
19E500088G13	BWTC	5805	5492750P3	BWUPG	
19E500088G13	BWTR	5805	5492750P3	BWURB	5805
19E500088G8	BWPZ	5805	5492901P1	BWUE	5805
19E500088G9	BWLR	5605	5492908P1	BWUD	
19E500088G9	BWMZ	5805	5492910G1	BWUTA	
19E500088G9	BWNK	5805	5492912G1	BWUT	59359995880
19E500088G9	BWNU	5805	5492920P1	BWWC	5805
1-5M56Z55	BWRL	59618547455	5492929G1	BWMA	58209074748
1N198	BWRM	59614460270	5492929G1	BWPS	5820
1N712	BWRR	59618266631	5492929G1	BWSB	5820
1N91	BWRS	59616774875	5492929G1	BWTH	5820
1N979B	BWMJ	59618920748	5492937G1	BWUM	5805
1N979B	BWRP	5961	5492956P1	BWVX	5805
207-360231-00	BWUL	53400850856	5492956P2	BWVY	5805
262-31-12-010	BWLX	59358929607	5493030G1	BWPG	5805
262-31-12-010	BWPP	5935	5493030G1	BWPY	5805
262-31-12-030	BWLW	59352370456	5493030G1	BWSP	5805
262-31-12-030	BWPN	5935	5493030G1	BWTB	5805
2N1039	BWRX	59618218977	5493030G1	BWTQ	5805
2N2302	BWRW	59618507646	5493566P1	BWUJB	
2N2395	BWRU	59610805233	5493567G1	BWUJ	61309419731
2N1614	BWRV	59610860040	5495589G182	BWQL	59500852525
2N3053	BWMP	59619859073	5495948P125	BWUJA	
30054-1	BWLZ	59357336326	5496078P3	BWUJD	
30054-1	BWPR	5935	5496085P1	BWUTB	59359228133
4034193T4	BWWFD		5496133G1	BWLS	62209261323
4034193G5	BWWFE		5496133G1	BWPJ	6210
4034205P1	BWWFB		5496133G1	BWQA	6210
4034495G3	BWUPE		5496133G1	BWTD	6210
4034526G7	BWPE	5805	5496135G24	BWHE	5940
4034526G7	BWSM	5805	5496139G8	BWPF	5805
4034526G7	BWSZ	5805	5496139G8	BWSN	5805
4034526G7	BWUU	5805	5496139G8	BWTA	5805
4035306P21	BWWN	5330	5496216G1	BWPM	5805
4035306P51	BWWW	5330	5496216G2	BWLW	5945
4035306P63	BWUNC		5496216G2	BWSA	5945
4035338P1	BWUJG		5496216G2	BWTG	5945
4036150P1	BWUY	5970	5496356G3	BWWF	5940
4036555P1	BWWP	58050857218	5496651G1	BWUH	5805
4038477G1	BWUJC		5496735P1	BWWG	58050857236
5490407P50	BWUV	5325	5496857G3	BWLU	5805
5490407P56	BWUW	5325	5496857G3	BWPL	5805
5491541P106	BWVW	53108505723	5496857G3	BWRZ	5805
5491541P204	BWUTC		5496857G3	BWTF	5805

EQUIPMENT: 19D405396-50
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5496862G2	BWWEB		RN65D1471F	BWQN	59059936012
5498699G32	BWVV	5805	RN65D1781F	BWRD	59059936975
5498699G34	BWVS	5805	RN65D1961F	BWQZ	59052258175
5498720G16	BWVE	5805	RN65D2152F	BWQV	95059932268
5498921P1	BWUPC		RN65D2372F	BWQP	59059884710
601PE2240-5W	BWQJ	59109641345	RN65D2610F	BWQU	59050880987
601PE3340-5W	BWQK	59100852730	RN65D2612F	BWQR	59050602484
7141225P2	BWVA	5310	RN65D3161F	BWRM	59059931362
7141225P3	BWVC	5310	RN65D31R6F	BWRJ	59059932271
7491823P4	BWUJF		RN65D3480F	BWQM	59059905023
7774524P3	BWWEA		RN65D3481F	BWRE	59059931363
7878455P1	BWWH	59403084357	RN65D4642F	BWRB	59059932261
CM07F512J03	WBQG	59100500086	RN65D51110F	BWRC	59059895580
CS13AF220M	BWQC	59108468098	RN65D5111F	BWQS	59058138640
CS138F105M	BWQE	59109040519	RN65D5112F	BWRA	59059932267
FD630S	BWUPF	59350442707	RN65D6811F	BWRK	59050602481
FD630S	BWURA		RN65D7500F	BWQT	59059936341
M3449-5CHTC	BWUPA	59406659982	RN65D7502F	BWQW	59059903029
M3549-5CHTC	BWUPB		RN65D09092F	BWQX	59059529435
MS35190-223	BWVK	53059576636	SSD753	BWML	59610601689
MS35206-213	BWVQ	53058893116	T154X101	BWLY	59459230411
MS35206-215	BWVN	53058892997	T154X101	BWPQ	5945
MS95206-226	BWVP	53059844983	UT66	BWMW	596105664403
MS35333-37	BWWK	53105790079	UT66	BWRG	5961
N210P19C13	BWVB	53109585209			
N37P9021C13	BWVM	5305			
N402P5C13	BWWJ	5310			
N402P7C13	BWUTD	53107235414			
N403P21C13	BWWL	53102090940			
N529P18C13	BYUK	5340			
N539P103	BWVJ	5305			
N80P13010C13	BWUTE	53050597679			
N80P19006C13	BWVL	5305			
N82P130100	BWVR	5305			
NP2188214	BWVF	5805			
NP248847	BWVG	5805			
P181-499-248	BWWB	5325			
P50741A	BWUX	5805			
RC20GF103J	BWMC	59051858510			
RC20GF204J	BWMB	59051712003			
RC20GF271J	BWMD	59051712006			
RC20GF273J	BWMG	59052793499			
RC20GF512J	BWMF	59052792019			
RC20GF513J	BWME	59052793496			
RN20X69R8F	BWUPD				
RN65D1001F	BWQQ	59058839198			
RN65D1002F	BWRF	59050640555			
RN65D1102F	BWQY	59050620537			
RB65D1334F	BWRG	59057620663			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INVENTORY CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW. PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BXWPM		A FR	58201798481	A	MUX SYSTEM 19D405396-50A 117 VAC, 60 CYC, 1 PHASE, 120-CHAN EACH DIR	08771	EA	1	1				
BXWT		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	6	22.5			11
BYBV		P O	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	65	65	15.3			

DATE 04-23-69

REVISION NO.

222-1

DATE: 04-23-6

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-50A

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONQUIN RD DES PLAINES ILL	80131	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C
0908	GENERAL ELECTRIC CO SEMI- CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	81349	MILITARY SPECIFICATIONS
04713	MOTOROLA INC SEMI-CONDUCTOR PRIDUCTS. 500 E MC DOWELL RD PHOENIX ARIZONA	84411	TRW CAPACITOR DIV OGALLALA NEBR DIVISION
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HARRISON N J
90886	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95076	GARDE MFG CO 53 JOHN ST CUMBERLAND R I
15141	UNITODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	95354	METHODE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906	MILITARY STANDARDS
70809	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK N Y		
71705	CINCH MFBG CO AND HOWAID B JONES DIV 1026 S HOMAN AVE CHICAGO ILL		
71953	TINNERMAN PRODUCTS INC CLEVELAND OHIO		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXWPM		A FR	58201798481	A	MUX SYSTEM 19D405396-50A 117 VAC, 60 CY. 1 PHASE, 120 CHAN EACH DIR	08771	EA	1	1								
BXWQ		A FR		B	CHANNEL RACK 19D405396P51 115 VAC, 19.5 X 2015 IN. X 7 FT O/A	08771	EA	1	1								
BXWR		A FR		C	RACK,ASSY 194E50088G9 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BXWS		P R	62209261383	D	ALARM ASSEMBLY 5496133G1 28 VDC, 0.90 IN. X 0.90 IN. X 4.30 IN, O/A	08771	EA	1	4	5.2	5.2	12.0				83.3	
BXWT		P O	62401558707	D	LAMP,INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	6	22.5	22.5	300.0			11	166.4	
BXWU		X1F		D	RACK,EL EQUIP 5496857G3	08771	EA	1	4								
BXWV		A FR		D	RELAY ASSY 5496216G2 STL, CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN.	08771	EA	1	4								

DATE 04-23-69

REVISION NO.

222-3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T O R
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXWW		P F	59392370456	E	CONN,PLUG,ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1.2	71785	EA	1	4	3.2	3.2	4.0			P1	12.4
BXWX		P F	59358929607	E	CONN,REC,ELEC 261-31-12-010 PHEN, 12 PN BRZ MALE CONT, 7.5A RATED	71785	EA	1	4	3.2	3.2	4.0			J2	12.4
BXWY		P F	59499230411	E	RELAY,ARMATURE T154X101 115 VDC, 6 PDT, 1.5W, O.013A, 9000 OHM RES	70309	EA	2	8	8.7	8.7	24.0			K1,K2	46.2
BXWZ		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TERM, .921IN	70309	EA	2	8	4.6	4.6	24.0			XK1,XK2	19.9
BXXA		A F	58209074748	D	TERMINAL BOARD 5492929G1 PWENCLIC, 0.062 IN. X 3.500 IN. X 3.875 IN.	08771	EA	1	4							
BXXB		P F	5911712003	E	RES,FXD,COMP RC20GF204J 200000 OHM, 5 PCT. 1/2W	81349	EA	1	4	4.6	4.6	12.0			R1	19.9
BXXC		P F	59351858510	E	RES#FXD,COMP RC20GF103J 10000 OWMS, 5 PCT, 1/2	81349	EA	1	4	4.6	4.6	12.0			R3	19.9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T O R
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXXD		P F	59951712006	E	RES,FXD,COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	8	6.5	6.5	24.0			R6,R9	31.4
BXXE		P F	59152793496	E	RES,FXD,COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	8	6.5	6.5	24.0			R2,R4	31.4
BXXF		P F	59952792019	E	RES,FXD,COMP RC20GF512J 5100 OHM, 5 PCT, 1/2 W	81349	EA	2	8	6.5	6.5	24.0			R7,R8	31.4
BXXG		P F	59052793499	E	RES,FXD,COMP RC20GF273J 27000 OHM, 5 PCT, 1/2W	81349	EA	1	4	4.6	4.6	12.0			R5	19.9
BXXH		P F	59610566403	E	SEMICOND,DIOEDE UT66 SILICON, RECTIFIER, 100 PIV, 0.600 MAX DCA	13141	EA	1	8	8.7	8.7	40.0			CR4	46.2
BXXJ		P F	59618920748	E	SEMICOND,DIODE 1N9796 ZENER, 56V, 2.2 MA, 150 OHM MAX, S PCT	81349	EA	1	5	6.5	6.5	25.0			VR1	31.4
BXXL		P F	59610601689	E	SEMICOND,DIODE SSD753 SILICON, NPN, 300 HA AT 25 C, FAST RECOVERY	13715	EA	3	12	10.6	10.6	60.0			CR1THRUCR3	60.0

DATE 04-23-69

REVISION NO.

222-5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXXN		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.25IN	08771	EA	2	8	8.7	8.7	40.0			Q2,Q3	46.2
BXXP		P F	59619859073	E	TRANSISTOR 2N3053 SILICON, NPN, 60V. 100 MC, 5W, 1A	86684	EA	1	4	5.2	5.2	20.0			Q1	23.3
BXXQ		X 2F		C	SHELF ASSY 19D401607G65	08771	EA	1	1							
BXXR		X 2F		C	SHELF ASSY 19D401607G64	08771	EA	1	1							
BXXS		A FR		B	COM EQUIP RCK 19D405396P1 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
BXXT		X 2F		C	PANEL,FRONT 5493030G1	08771	EA	46	65							
BXXU		A FR		C	RACK ASSY 19E500088G8 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

222-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXXV	BXWS		5496133G1	D	ALARM ASSEMBLY	08771		1	REF							
BXXW		A FR	58209074749	D	ALARM BD, MAJ 5492680G1 PHENOLIC. 0.500 IN, X 3.500 IN. X 4.77 IN,	08771	EA	1	1							
BXXX		P F	59108468098	E	CAP,FXD,ELECT CS13AF220M 22 MFD, 20 PCT, 35 VDCW	81349	EA	2	2	3.2	3.2	6.0			C3, C8	12.4
BXXZ		P F	59109040519	E	CAP,FXD,ELECT CS13BF105M 1 PF, 10 PCT. 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C6	6.8
BXYB		P F	59100500086	E	CAP,FXD.MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C1	6.8
BXYD		P F	59109641345	E	CAP,FXD,PLSTC 601PE2240-5W 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C25	12.4
BXYE		P F	59100852730	E	CAP,FXD,PLSTC 601PE3340-5W 33000 PF. 20 PCT, 50 VDCW	84411	EA	1	C4	2.2	2.2	3.0				6.8

DATE 04-23-69

REVISION NO.

222-7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXYF	P F		59500852525	E	COIL,RF 5495589G182 7/16 X 9/16 IN. O/A, 74.5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
BXYG	P F		59595905023	E	RES,FXD,FILM RN65D3480F 348 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BXYH	P F		59059936012	E	RES,FXD,FILM RN65D1471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
BXYJ	P F		59059884710	E	RES,FXD,FILM RN65D2372F 23700 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BXYK	P F		59058839198	E	RES,FXD,FILM RN65D1001F 1000 OHM. 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R22,R29	12.4
BXYL	P F		59050602484	E	RES,FXD,FILM RN65D2612F 26100 OHM, 1PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R4	6.8
BXYM	P F		59058138640	E	RES,FXD,FILM RN65D5111F 5110 OHM. 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXYN		P F	59059936341	E	RES,FXD,FILM RN65D7500F 750 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BXYP		P F	59050880987	E	RES,FXD,FILM RN65D2610F 261 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,R14	12.4
BXYQ		P F	59059932268	E	RES,FXD,FILM RN65D2152F 21500 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20,R21	12.4
BXYR		P F	59159903029	E	RES,FXD,FILM RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BXYS		P F	5909529435	E	RES,FXD,FILM RN65D9092F 90900 OHM, 1 PCT, 1/2W	81349	EA	1	2	2.2	2.2	3.0			R16	6.8
BXYT		P F	59050620537	E	RES,FXD,FILM RN65D1102F 11000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8
BXYU		P F	59152258175	E	RES,FXD,FILM RN69D1961F 1960 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8

DATE 04-23-69

REVISION NO.

222-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXXYV		P F	59059932267	E	RES,FXD,FILM RN65D5112F 51100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BXYW		P F	59059932261	E	RES,FXD,FILM RN65D4642F 46400 OHM 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BXYX		P F	59059895580	E	RES,FXD,FILM RN65D5110F 511 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BXYY		P F	59059936975	E	RES,FXD,FILM RN65D1781F 1780 OHM, 1 PCT, 1/2W	61349	EA	1	1	2.2	2.2	3.0			R31	6.8
BXYZ		P F	59059931363	E	RES,FXD,FILM RN65D3481F 3480 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19,R24	12.4
BXZA		P F	59050640555	E	RES,FXD,FILM RN65D1002F 10000 OHM, 1 PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0			R5,R11,R17	16.5
BXZB		P F	59057620663	E	RES,FXD,FILM RN6501334F 1330000 OHM, 1 PCT 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8

DATE 04-23-69

REVISION NO.

222-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S C R I P T I O N
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXZC		P F	59059931362	E	RES,FXD,FILM RN65D3161F 3160 OHMS, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R7,R23	12.4
BXZD		P F	59059932271	E	RES,FXD,FILM RN65D31R6F 31.6 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BXZE		P F	59050602481	E	RES,FXD,FILM RN65D6811F 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6.8
BXZF		P F	59618547455	E	SEMICOND DIODE 1-5M56Z5 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BXZG		P F	59614460270	E	SEMICOND,DIODE 1N198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5,CR6	16.5
BXZJ	BXXJ			E	SEMICOND,DIODE 1N979B	81349		1	REF	VR1						
BXZK	BXXH			E	SEMICOND,DIODE UT66	13141		4	REF	CR2, CR3, CR4, CR7						

DATE 04-23-69

REVISION NO.

222-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXZL		P F	59618266631	E	SEMICOND.DIODE 1N712 ZENER, 8.2V, 25 MA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2	10.3
BXZM		P F	59616774875	E	SEMICOND,DIODE IN91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1	10.3
BXZP		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM, PNP, 240 MW, -40V. 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRUQ7	21.7
BXZQ		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V. 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			02,03	16.5
BXZR		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE, 3 HHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			01	10.3
BXZS		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC, 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4	10.3
BXZT	BXWT			D	LAMP,INCAND 1819-28V	08806		2	REF						11,12	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXZU	BXWU			D	RACK,EL EOUIP 5496857G3	08771		1	REF							
BXZV	BXWV			D	RELAY ASSY 5496216G2	08771		1	REF							
BXZW	BXXA			D	TERMINAL BOARD 5492929G1	08771		1	REF							
BXZX		X 2F		C	SHELF ASSY 19D401607G72	08771	EA	1	1							
BXZV		X 2F		C	SHELF ASSY 19D401607G8	08771	EA	1	1							
BXZZ		X 2F		C	SHELF ASSY 19D401607G84	08771	EA	1	1							
BYAA		X 2F		C	SHELF ASSY 19D401607G82S1	06771	EA	1	1							

B D E S P O T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYAB		X 2F		C	SHELF ASSY 19D401607G99	08771	EA	1	1							
BYAC		X 2F.		C	SHELF ASSY 19D401607G73	08771	EA	1	1							
BYAD		X 2F		C	SHELF ASSY 19D401607G98	08771	EA	1	1							
BYAE		X 2F		C	SHELF ASSY 19D401607G83	08771	EA	1	1							
BYAF		X 2F		B	GP REG TNT RCK 19D405396P150	08771	EA	1	1							
BYAG		X 2F		C	PANEL BLANK 5496139G8	08771	EA	4	4							
BYAH		BXXT		C	PANEL FRONT 5493030G1	08771		19	REF							

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYAJ		A FR		C	RACK ASSY 19E500088G7 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
BYAK	BXWS			D	ALARM ASSEMBLY 5496133G1	08771		1	REF							
BYAL	BXWT			D	LAMP,INCAND 1819-28V	08806		1	REF						11	
BYAM	BXWU			D	RACK,EL.EQUIP 5496857G3	08771		1	REF							
BYAN	BXWV			D	RELAY ASSY 5496216G2	08771		1	REF							
BYAP	BXXA	58209074748		D	TERMINAL BOARD 5492929G1	08771		1	REF							
BYAQ		X 2F		C	SHELF ASSY 19D401607G87	08771	EA	1	1							

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYAR		X 2F		C	SHELF ASSY 19D40167G101	08771	EA	1	1								
BYAS	BXWS			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BYAT	BXWT			D	LAMP,INCAND 1819-28V	08806		2	REF							11, 12	
BYAU	BXWU			D	RACK, EL EQUIP 5496857G3	08771		1	REF								
BYAV	BXWV			D	RELAY ASSY 5496216G2	08771		1	REF								
BYAW	BXXA		58209074748	D	TERMINAL BOARD 5492929G1	06771		1	REF								
BYAX		X 2F		C	SHELF ASSY 19D401607G88	068771	EA	1	1								

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYAY		X 2F		C	SHELF ASSY 19D401607G95	08771	EA	1	1								
BYAZ		X 2F		B	BLOCK 19B200642P3	08771	EA	6	6								
BYBA		X 2F		B	BLOCK 19B201599P1	08771	EA	2	2								
BYBB		X 2F		B	BRACKET 5492908P1	08771	EA	3	3								
BYBC		X 2F		B	BRKT,DBL,ANGLE 5492901P1	08771	EA	3	3								
BYBD		X 2F		B	BUS BAR 5496651G1	08771	EA	1	1								
BYBE		P F	61309419731	B	BUS BAR,48KC 5493567G1 48 KHZ, COPPER, 2,500 IN, LG	08771	EA	1	1	2.7	2.7	3.0					10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS					
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL			
BYBEA		X1F		C	RES,FXD,FILM 5495948P125	08771	EA	1	1									
BYBEB		X1F		C	BRKT,DBL,ANGLE 5493566P1	08771	EA	1	1									
BYBEC		X1F		C	SHLD,ELEC CONN 4038477G1	08771	EA	1	1									
BYBED		X1F		C	CONN,RECP,ELEC 5496078P3	08771	EA	7	7									
BYBEE		X1F		C	INSULATOR,PLATE 5492713P1	08771	EA	1	1									
BYBEF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1									
BYBEG		C F		C	TERMINAL,LUG 4035338P1	08771	EA	1	1									

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYBF		X 2F		B	BUTTONDPLUG N529P18C13	08771	EA	12	12								
BYBG		X 2F	53400650856	B	BUTTON.PLUG 207-360231-00	02768	EA	65	65								
BYBH		X 2F		B	CLAMP-SPT CABLE 5492937G1	06771	EA	19	19								
BYBJ		P F		B	CONN-SPT 19B202620G2 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	36	36	10.6	10.6	36.0				60.0	
BYBJA		X1F		C	BRACKET,ANGLE 19B202181P3	08771	EA	1	36								
BYBJB		X1F		C	CONN,RECP,ELEC 19B209014P1	08771	EA	1	36								
BYBK	P F		58209228702	B	CONN-SPT 19B202230G4 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4	

DATE 04-23-69

REVISION NO.

222-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYBKA		C F	59406699982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	5							W1
BYBKB		C F	59406659982	C	TERMINAL,STUD M3449-SCHTC	95076	EA	2	10							E2,E4
BYBKC		X1F		C	TRANSFORMER,RF 5498921P1	08771	EA	1	5							WY1
BYBKD		X1F		C	RES,FXD,FILM RN20X69R8F	81349	EA	1	5							R1
BYBKE		X1F		C	BRACKET,ANGLE 4034495G3	08771	EA	1	5							
BYBKF		X1F	59350442707	C	CONN,RECP,ELEC FD630S	95354	EA	1	5							
BYBKG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	10							

DATE 04-23-69

REVISION NO.

222-20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYBL		P F	58959420941	B	CONN-SPT 19B202230G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	122	122	22.5	22.5	122.0				166.4
BYBLA		X1F	59350442707	C	CONN,RECP,ELEC FD630S	95354		1	122							
BYBLB		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	244							
BYBLC		X1F		C	BRACKET,ANGLE	08771	EA	1	122							
BYBM		P F		B	CONN-SPT 19B202603G1 STL, 0.090 IN, X 0,090 IN. X 4.810 IN. O/A	08771	EA	23	23	8.7	8.7	23.0				46.2
BYBMA		X1F		C	BRKT,DBL,ANGLE 19B202566P1	08771	EA	1	23							
BYBMB		X1F		C	SHELL,ELEC,CONN 19D401142P2	08771	EA	1	23							

DATE 04-23-69

REVISION NO.

222-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYBMC		C F		C	WASHER,NM 4055306P63	08771	EA	2	46								
BYBMD		C F		C	WASHER, FLAT 19A101105P1	08771	EA	2	46								
BYBN		P F		B	CONN-SPT 198202230G5 ALUMINUM. 2.50 X 4.92 X 6.75 N., O/A	08771	EA	5	5	3.6	3.6	5.0				14.4	
BYBP		A F	59359995880	B	COVER-,ALARM 5492912G1 AL, CADMIUM PLATED, 2 X 4.500 IN. O/A	08771	EA	6	6								
BYBPA		X 2F		C	RET,ELEC CONN 5492910G1	08771	EA	1	6								
BYBPB		P F	59359228133	C	CONN,RECP,ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	6	3.9	3.9	6.0				16.5	
BYBPC		X 2F		C	POST,ELEC-MECH 5491541P204	08771	EA	2	12								

DATE 04-23-69

REVISION NO.

222-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYBPD		C F	53107235414	C	WASHER, FLAT N402P7C13	08771	EA	2	12							
BYBPE		C F	53050597679	C	SCREW MACHINE N80P13010C13	08771	EA	2	12							
BYBQ		X 2F		B	EXTRUSION 4034526G7	08771	EA	36	36							
BYBR		C F		B	GROMMET,RUBBER 5490407P56	08771	EA	6	6							
BYBS		C F		B	GROMMET,RUBBER 5490407P50	08771	EA	6	6							
BYBT		X 2F		B	GUIDE,SHELF P50741A	02768	EA	478	478							
BYBU		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2							

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYBV		P 0	53409446037	B	KNOB 19C310121P1 PHEN,0.317 X 0.470 X 1.030 IN. O/A DIZ	08771	EA	65	65	15.3	15.3	65.0				99.1
BYBW		C F	53109585209	D	NUT,PLAIN,HEX N210P19C13	08771	EA	65	65							
BYBX		C F		B	NUT,PLAIN,HEX 7141225P3	08771	EA	65	65							
BYBY		C F		B	NUT,PLAIN,HEX 7141225P2	08771	EA	130	130							
BYBZ		X 2F		B	PLATE 5498720G16	08771	EA	65	65							
BYCA		X 2F		B	PLATE 5492521P12	08771	EA	36	36							
BYCB		M H		B	PLATE,IDENT NP248847	08771	EA	19	19							

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BYCC		M H		B	PLATE,IDENT NP248814	08771	EA	3	3								
BYCD		P F		B	PRINTED CKT BD 19B202667P1 PHENOLIC, 0.062 IN. X 3.070 IN. X 3,500 IN.	08771	EA	1	1	2.7	2.7	3.0					10.3
BYCE		C F		B	SCREW,DRIVE N539P103	08771	EA	130	130								
BYCF		C F	53058893116	B	SCREW, MACHINE MS35206-213	96906	EA	2	2								
BYCG		C F	53059844983	B	SCREW, MACHINE MS35206-226	96906	EA	69	69								
BYCH		C F		B	SCREW, MACHINE N82P13010D	08771	EA	65	65								
BYCJ		C F		B	SCREW, MACHINE N37P9021C13	08771	EA	130	130								

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYCK		C F	53058892997	B	SCREW,MACHINE MS35206-215	96906	EA	12	12							
BYCL		C F		B	SCREW,MACHINE N80P19006C13	08771	EA	65	65							
BYCM		C F	53059576636	B	SCREW,MACHINE MS35190-223	96906	EA	6	6							
BYCN		X 2F		B	SHELF 19D401943G2	08771	EA	3	3							
BYCP		X 2F		B	SHELF 5498699G32	08771	EA	14	14							
BYCQ		X 2F		B	SHELF 19D405255G1	08771	EA	1	1							
BYCR		X 2F		B	SHELF 5498699G34	08771	EA	1	1							

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYCS		C F	53108505723	B	SPACER,SLEEVE 5491541P106	08771	EA	4	4							
BYCT		X 2F		B	SPRING 5492956P2	08771	EA	65	65							
BYCU		X 2F		B	SPRING 5492956P1	08771	EA	65	65							
BYCV		X 2F		B	STRIP 19B203025P5	08771	EA	65	65							
BYCW		X 2F		B	STRIP,FOIL 19B203072P1	08771	EA	65	65							
BYCX		X 2F		B	STUD,FRICTION P101-499-24B	78553	EA	134	134							
BYCY		X 2F		B	SUPPORT,CABLE 5492920P1	08771	EA	1	1							

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS		
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BYCZ		P F	59359420103	B	SUPPORT,CONN 19B202620G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	10	10	5.2	5.2	10.0			
BYDA		A F		B	TERMINAL BLK 5496356G3 AL, CHROMATE FINISH, 5,200 X 58.875 IN. O/A	08771	EA	3	3						
BYDAA		X1F		C	CHAS,ELEC,EQUIP 5492483G1	08771	EA	1	3						
BYDAB		X 2F		C	SHLD,ELEC CONN 4034205P1	08771	EA	20	60						
BYDAC		C F		C	TERMINAL,LUG 5491581P1	08771	EA	20	60						
BYDAD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	30						
BYDAE		X 2F		C	TERMINAL BOARD 4034193G5	08771	EA	10	30						

B
D
E
S
E
P
O
T

23.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYDB		A F		B	TERMINAL BLK 5496135G24 AL, CHROMATE FINISH, 5,200 X 58.875 IN,	08771	EA	3	3							
BYDBA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	24							
BYDBB		X1F		C	CHAS,ELEC EQUIP 5496862G2	08771	EA	1	3							
BYDC		X 2F	58050857236	B	TERNINAL BOARD 5496735P1	08771	EA	1	1							
BYDD		X1F		B	TERMINAL BOARD 19B203067P1	08771	EA	6	6							
BYDE		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							
BYDF		C F		B	WASHER,FLAT N402P5C13	08771	EA	134	134							

B
D
E
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BYDG		C F	53105790079	B	WASHER, LOCK MS35333-37	96906	EA	69	69							
BYDH		C F	53102090940	B	WASHER, LOCK N403P21C13	086771	EA	65	65							
BYDJ		C F		B	WASHER, NM 4035306P51	08771	EA	4	4							
BYDK		C F		B	WASHER, NM 4035306P21	08771	EA	4	4							
BYDL		C F	58050857218	B	WASHER, NM 4036555P1	08771	EA	25	25							

B
D
E
S
E
P
O
T

EQUIPMENT: 19D405396-50A
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BXWT	62401558707	1N712	BXZL	59618266631
1819-28V	BXZT	6240	1N91	BXZM	59616774875
1819-28V	BYAL	6240	1N979B	BXXJ	59618920748
1819-28V	BYAT	6240	1N979B	BXZJ	5961
19A101105P1	BYBMD		207-360231-00	BYBG	53400850856
19A115562P2	BXXN	59610601655	261-31-12-010	BXWX	59358929607
19B200642P3	BYAZ	5805	261-32-12-030	BXXW	59352370456
19B201599P1	BYBA	5805	2N1039	BXZS	59618218977
19B202181P1	BYBLC		2N1302	BXZR	59618507642
19B202181P3	BYBJA		2N1395	BXZP	59610805233
19B202230G1	BYBL	58959420941	2N1614	BXZQ	59610860040
19B202230G4	BYBK	58209228702	2N3053	BXXP	596198S9073
19B202230G5	BYBN	5805	30054-1	BXWZ	59357336326
19B202566P1	BYBMA		4034193G4	BYDAD	
19B202603G1	BYBM	5805	4034193G5	BYDAE	
19B202620G1	BYCZ	59359420103	4034205P1	BYDAB	
19B202620G2	BYBJ	5805	4034495G3	BYBKE	
19B202667P1	BYCD	5999	4034526G7	BYBQ	5805
19B203025P5	BYCV	5805	4035306P21	BYDK	5330
19B203067P1	BYDD	5999	4035306P51	BYDJ	5330
19B203072P1	BYCW	9535	4035338P1	BYBEG	
19B209014P1	BYBJB		4036150P1	BYBU	5790
19C310121P1	BYBV	53409446037	4036555P1	BYDL	58050857218
19D401142P2	BYBMB		4038477G1	BYBEC	
19D401607G101	BYAR	5805	4055306P63	BYBMC	
19D401607G64	BXXR	5805	5490407P50	BYBS	5325
19D401607G65	BXQO	5805	5490407P56	BYBR	5325
19D401607G72	BXZX	5805	5491541P106	BYCS	53108505723
19D401607G73	BYAC	5805	5491541P204	BYBPC	
19D401607G82S1	BYAA	5805	5491581P1	BYDAC	
19D401607G83	BYAE	5805	5492483G1	BYDAA	
19D401607G84	BXZZ	5805	5492521P12	BYCA	5805
19D401607G87	BYAQ	5805	5492680G1	BXXW	58209074749
19D401607G88	BYAX	5805	5492713P1	BYBCE	
19D40160708	BXZY	5805	5492750P3	BYBKG	
19D401607G95	BYAY	5805	5492750P3	BYBLB	
19D401607G98	BYAD	5809	5492901P1	BYBC	5805
19D401607G99	BYAB	5805	5492908P1	BYBB	5085
19D401943G2	BYCQ	5805	5492910G1	BYBPA	
19D405255G1	SYCO	5805	5492912G1	BYBP	59359995880
19D405396-50A	BXWP M	58201798481	5492920P1	BYCY	5805
19D405396P150	BYAF	5805	5492929G1	BXXA	58209074748
19D405396P151	BXWQ	5805	5492929G1	BXZW	5820
19D405396P1	BXXS	5805	5492929G1	BYAP	58209074748
19E500088G7	BYAJ	5805	5492929G1	BYAW	58209074748
19E500088G8	BXXU	5805	5492937G1	BYBH	5805
19E500088G9	BXWR	5805	5492956P1	BYCU	5805
1-5M5625	BXZF	59618547455	5492956P2	BYCT	5805
1N198	BXZG	59614460270	5493030G1	BXXT	5805

EQUIPMENT: 19D405396-50A

** NUMERICAL PARTS INDEX **

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5493303G1	BYAH	5805	N37P9021C13	BYCJ	5305
5493566P1	BYBEB		N402P5C13	BYDF	5310
5493567G1	BYBE	61309419731	N402P7C13	BYBPD	53107235414
5495589G182	BXYF	59500852525	N403P21C13	BYDH	53102090940
5495948P125	BYBEA		N529P18C13	BYDF	5340
5496078P3	BYBED		N539P103	BYCE	5305
5496085P1	BYBPB	59359228133	N80P13010C13	BYBPE	53050597679
5496133G1	BXWS	62109261323	N80P19006C13	BYCL	5305
5496133G1	BXXV	6210	N82P13010D	BYCW	5305
5496133G1	BYAK	6210	NP248814	BYCC	5805
5496133G1	BYAS	6210	NP248847	BYCB	5805
5496135G24	BYDB	5940	P101-499-24B	BYCX	5325
5496139G8	BYAG	5805	P50741A	BYBT	5805
5496216G2	BXWV	5945	RC20GF103J	BXXC	59051858510
5496216G2	BXZV	5945	RC20GF204J	BXXB	59051712003
5496216G2	BYAN	5945	RC20GF271J	BXXD	59051712006
5496216G2	BYAV	5945	RC20GF273J	BXXG	59052793499
5496356G3	BYDA	5940	RC20GF512J	BXXF	59052792019
5496651G1	BYBD	5805	RC20GF513J	BXXE	59052793496
5496735P1	BYDC	58050857236	RN20X69R8F	BYBKD	
5496857G3	BXWU	5805	RN65D1001F	BXYK	59058839198
5496857G3	BXZU	5805	RN65D1002F	BXZA	59050640555
5496857G3	BYAM	5805	RN65D1102F	BXYT	59050620537
5496857G3	BYAU	5805	RN69D1334F	BXZB	59057620663
5496862G2	BYDBB		RN65D1471F	BXYN	59059936012
5498699G32	BYCP	5805	RN65D1781F	BXYW	59059936975
5498699G34	BYCR	5805	RN65D1961F	BXYV	59052258175
5498720G16	BYBZ	5805	RN65D2152F	BXYQ	59059932268
5498921P1	BYBKC		RN65D2372F	BXYJ	59059984710
601PE2240-5W	BXYD	59109641345	RN65D2610F	BXYP	59050880987
601PE3340-5W	BXYE	59100852730	RN65D2612F	BXYL	59050602484
7141225P2	BYBY	5310	RN65D3161F	BXZC	59059931362
7141225P3	BYBX	5310	RN65D31R6F	BXZD	59059932271
7491823P4	BYBEF		RN65D3480F	BXYG	59059905023
7774524P3	BYDBA		RN65D3411F	BXYZ	59059931363
7878455P1	BYDE	59403084357	RN65D4642F	BXYW	59059932261
CM07F512J03	BXYB	59100500086	RN65D5110F	BXYX	59059895580
CS13AF220M	BXXX	59108468098	RN65D5111F	BXYM	59058138640
CS13BF105M	BXXZ	59109040519	RN65D5112F	BXYV	59059932267
FD630S	BYBKF	59350442707	RN65D6811F	BXZE	59050602481
FD630S	BYBLA	59350442707	RN65D7500F	BXYN	59059936341
M3449-5CHTC	BYBKA	59406659982	RN65D7502F	BXYR	59059903029
M3449-5CHTC	BYBKB	59406659982	RN65D9092F	BXYS	59059529435
MS35190-223	BYCM	53059576636	SSD753	BXXL	59610601689
MS35206-213	BYCF	53058893116	T154X101	BXWY	59459230411
MS35206-215	BYCK	53058892997	UT66	BXXH	59610566403
MS35206-226	BYCG	53059844983	UT66	BXZK	5961
MS35333-37	BYDG	53105790079			
N210P19C13	BYBW	53109585209			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW. PER 100 EQUIP. (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BXFHM		A FR	58201798483	A	MUX SYSTEM 19D405396-50E 117 VAC, 60 CY, 1 PHASE, 60 CHAN EACH DIR	08771	EA	1	1				
BXFM		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5			11
BXIM		P O	5340944037	B	KNOB 19C310121P1 PHEN.O.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	30	30	9.7			

DATE 04-23-69

REVISION NO.

223-1

DATE: 04-23-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-50E

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONOUI N RD DES PLAINES ILL	80131	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C
03508	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	81349	MILITARY SPECIFICATIONS
04713	MOTOROLA INC SEMICONDUCTOR PRODUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIZONA	84411	TRW CAPACITOR DIV OGALLALA NEBR
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS AND DEVICES HARRISON N J
08806	GENERAL ELECTRIC CO MINIATURE LAMP DEPT CLEVELAND OHIO	95076	GARDE MFG CO 53 JOHN ST CUMBERLAND R I
13141	UNITRODE TRANSISTOR PRODUCTS INC CALABASAS CALIF	95354	METHODE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13715	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906	MILITARY STANDARDS
70309	ALLIED CONTROL CO INC 2 EAST END AVE NEW YORK N Y		
71785	CINCH MFG CO AND HOWARD B JONES DIV 1026 S HOMAN AVE CHICAGO ILL		
78553	TINNERMAN PRODUCTS INC CLEVELAND OHIO		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXFH M		A FR	58201798483	A	MUX SYSTEM 19D405396-50E 117 VAC, 60 CY. 1 PHASE, 60 CHAN EACH DIR	08771	EA	1	1								
BXFJ		A FR		B	CHANNEL RACK 19D405396P163 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BXFK		A FR		C	RACK,ASSY 19E500088G9 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BXFL		P F	62209261323	D	ALARM ASSEMBLY 5496133G1 28 VDC, 0.90 IN X 0.90 IN. X 4.30 IN, O/A	08771	EA	1	3	4.9	4.9	9.0					21.7
BXFM		P O	62401558707	D	LAMP,INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	4	17.5	17.5	200.0			11		117.9
BXFN		X1F		D	RACK,EL EQUIP 5496857G3	08771	EA	1	3								
BXFP		A FR		D	RELAY ASSY 5496216G2 STL. CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN,	08771	EA	1	3								

DATE 04-23-69

REVISION NO.

223-3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BFXQ		P F	59352370456	E	CONN.PLUG,ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1.2	71785	EA	1	3	2.7	2.7	3.0			P1	10.3
BXFR		P F	59358929607	E	CONN.REC.ELEC 261-31-12-010 PHEN, 12 PH BRZ MALE CONT, 7.5A RATED	71785	EA	1	3	2.7	2.7	3.0			J2	10.3
BXFS		P F	59459230411	E	RELAY,ARMATURE T154X101 115 VDC, 6 PDT, 1.5W, 0.013A, 9000 OHM RES	70309	EA	2	6	7.7	7.7	18.0			K1,K2	38.9
BXFT		P F	59157336326	E	SOCKET,RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TERM,O.921 IN	70309	EA	2	6	3.9	3.9	18.0			XK1,XK2	16.5
BXFU		A F	58209074748	D	TERMINAL BOARD 5492929G1 PHENOLIC. 0.062 IN, X 3.500 IN. X 3.875 IN.	06771	EA	1	3							
BXFV		P F	59051712003	E	RES,RXD,COMP RC20GF204J 200000 OHM. 5 PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R1	16.5
BXFW		P F	59051858510	E	RES,FXD,COMP RC20GF103J 10000 OHMS, 5 PCT, 1/2 W	81349	EA	1	3	3.9	3.9	9.0			R3	16.5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXFX		P F	59051712006	E	RES,FXD,COMR RC20GF271J 270 OHM, 5 PCT, 1/2 W	81349	EA	2	6	5.2	5.2	18.0			R6,R9	23.3
BXFY		P F	59052793496	E	RES,FXD,COMP RC20GF5134 51000 OHM, 5 PCT, 1/2W	81349	EA	2	6	5.2	5.2	18.0			R2,R4	23.5
BXFZ		P F	59152792019	E	RES,FXD,COMP RC20GF512J 5100 OHM, 5 PCT, 1/2 W	81349	EA	2	6	5.2	5.2	18.0			R7,R8	23.3
BXBA		P F	59052793499	E	RES,FXD,COMP RC20GF273J 27000 OHM, 5 PCT, 1/2W	81349	EA	1	3	3.9	3.9	9.0			R5	16.5
BXBB		P F	59610566403	E	SEMICOND, DIODE UT66 SILICON, RECTIFIER, 100 PIV, 0.600 MAX DCA	13141	EA	1	7	7.7	7.7	35.0			CR4	38.9
BXBC		P F	59916920748	E	SEMICOND,DIODE 1N979B ZENER, 56V, 2.2 MA, 150 OHM MAX, 5 PCT	81349	EA	1	4	5.2	5.2	20.0			VR1	23.3
BXBE		P F	59010601669	E	SEMICOND,DIODE SSD753 SILICON, NPN, 300 MA AT 25 C, FAST RECOVERY	13715	EA	3	9	8.7	8.7	45.0			CR1THRUCR3	46.2

DATE 04-23-69

REVISION NO.

223-5

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BKGG		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.25IN	08771	EA	2	6	7.7	7.7	30.0			Q2, Q3	38.9
BXBH		P F	59619869073	E	TRANSISTOR 2N3053 SILICON, NPN, 60V, 100 HC, 5W. 1A	86684	EA	1	3	4.9	4.9	15.0			Q1	21.7
BXBJ		X 2F			C SHELF ASSY 19D401607G68	08771	EA	1	1							
BXBK		X 2F			C SHELF ASSY 19D401607G64	08771	EA	1	1							
BXBL		X 2F			C SHELF ASSY 19D401607G70	08771	EA	1	1							
BXBM		X 2F			C SHELF ASSY 19D401607G66	08771	EA	1	1							
BXBN		X 2F			C SHELF ASSY 19D401607G69	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

223-6

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXBP		X 2F		C	SHELF ASSY 19D401607G65	08771	EA	1	1							
BXBQ		X 2 F		C	SHELF ASSY 19D401607G71	08771	EA	1	1							
BXBR		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	1							
BXBS		A FR		B	COM EQUIP RCK 19D405396P161 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1							
BXBT		X 2F		C	PANEL BLANK 5496139G8	08771	EA	2	8							
BXBU		X 2F:		C	PANEL,FRONT 5493030G1	08771	EA	25	34							
BXBV		A FR		C	RACK ASSY 19E500088G8 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXBW	BXFL			D	ALARM ASSEMBLY 5496133G1	08771		1	REF							
BXBX		A FR	58209074749	D	ALARM BD, MAJ 5492680G1 PHENOLIC, 0,500 IN. X 3.500 IN. X 4.77 IN,	08771	EA	1	1							
BXBY		P F	59108468098	E	CAP,FXD,ELECT CS13AF220M 22 MFD, 20 PCT, 35 VDCW	81349	EA	2	2	3.2	3.2	6.0			C3,C8	12.4
BXHA		P F	59109040519	E	CAP,FXD,ELECT CS13BF105M 1 PF. 10 PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C6	6.8
BXWC		P F	59100500086	E	CAP,FXD,MICA CM07F512J03 5100 PF, 5PCTo 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C1	6.8
BXWE		P F	99109641345	E	CAP,FXD,PLSTC 601PE2240-5W 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2,C5	12.4
BXWF		P F	59100652730	E	CAP,FXD,PLSTC 601PE3340-5W 330000 PF, 20 PCT, 50 VDCW	84411	EA	1	1	C4 2.2	2.2	3.0				6.8

DATE 04-23-69

REVISION NO.

223-8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXWG		P F	59500852525	E	COIL,RF 5495589G182 7/16 X 9/16 IN. O/A, 74.5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.8
BXWH		P F	59059905023	E	RES,FXD,FILM RN69D3480F 348 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BXWJ		P F	59059936012	E	RES,FXD,FILM RN65D1471F 1470 OHM. 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
BXWK		P F	59059884710	E	RES,FXD,FILM RN65D2372F 23700 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BXWL		P F	59158839198	E	RES,FXD,FILM RN65D1001F 1000 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R22,R29	12.4
BXKW		P F	59650602484	E	RES,FXD,FILM RN65D2612F 26100 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R4	6.8
BXWN		P F	59158138640	E	RES,FXD,FILM RN65D5111F 5110 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8

DATE 04-23-69

REVISION NO.

223-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXWP		P F	59199936341	E	RES,FXD,FILM RN65D7500F 750 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BXWQ		P F	59050880987	E	RES,FXD,FILM RN65D2610F 26.1 OHM, 1 PCT. 1/2W	81349	EA	2	2	3.2	3.2	6.0			R12,R14	12.4
BXWR		P F	59059932268	E	RES,FXD,FILM RN65D2152F 21500 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R20,R21	12.4
BXWS		P F	59159903029	E	RES,FXD,FILM RN69D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BXWT		P F	59059529435	E	RES,FXD.FILM RN65D9092F 90900 OHM. 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8
BXWU		P F	599150610537	E	RES,FXD,FILM RN65D1102F 11000 OHM. 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R16	6.8
BXWV		P F	59152258175	E	RES,FXD,FILM RN65D1961F 1960 OHM. 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8

DATE 04-23-69

REVISION NO.

223-10

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXWW		P F	59159932267	E	RES,FXD,FILM RN65D5112F 51100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BXWX		P F	59859932261	E	RES,FXD,FILM RN65D4642F 46400 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BXWY		P F	59059895580	E	RES,FXD,FILM RN65D5110F 511 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BXWZ		P F	59059936975	E	RES,FXD,FILM RN65D1781F 1780 OHM, 1 PCT. 1/2W	81349	EA	1	1	2.2	2.2	3.0			R31	6.8
BXJA		P F	59059931363	E	RES,FXD,FILM RN65D3481F 3480 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19,R24	12.4
BXJB		P F	59050640555	E	RES,FXD,FILM RN65D1002F 10000 OHM, 1PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0			R5,R11,R17	16.5
BXJC		P F	59057620663	E	RES,FXD,FILM RN65D1334F 1330000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8

DATE 04-23-69

REVISION NO.

223-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXJD		P F	59059931362	E	RES,FXD,FILM RN65D3161F 3160 OHMS, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R7,R23	12.4
BXJE		P F	59099932271	E	RES,FXD,FILM RN65D31R6F 31.6 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BXJF		P F	59050602481	E	RES,FXD,FILM RN65D6811F 6810 OHM. 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6.8
BXJG		P F	59618547455	E	SEMICOND DIODE 1-5M56Z9 ZENER, 56V. 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	10.3
BXJH		P F	59614460270	E	SEMICOND.DIODE IN198 GERMANIUM, POINT CONTACT. T0-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5,CR6	16.5
BXJK	BXGC			E	SEMICOND,DIODE 1N9798	81349		1	REF						VR1	
BXJL	BXGB			E	SEMICOND,DIODE UT66	13141		4	REF						CR2,CH3,CR4,CR7	

DATE 04-23-69

REVISION NO.

223-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXJM		P F	59618266631	E	SEMICOND,DIODE 1N712 ZENER, 8.2V, 25 MA, 6 OHM	80131	EA	1	1	2.7	2.7	5.0			VR2	10.3
BXJN		P F	59616774875	E	SEMICOND,DIODE IN91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1	10.3
BXJQ		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM., PNP, 240 MW, -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRUQ7	21.7
BXJR		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW, -60V, 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			Q2,Q3	16.5
BXJS		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE, 3 MHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1	10.3
BXJT		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM. MEDIUM POWER, ROUND, 20 PC, 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4	10.3
BXJU	BXFM			D	LAMP,INCAND 1819-28V	08806		2	REF						11,12	

DATE 04-23-69

REVISION NO.

223-13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXJV	BXFW			D	RACK,EL EQUIP 5496887G3	08771		1	REF							
BXJW	BXFP			D	RELAY ASSY 5496216G2	08771		1	REF							
BXJX	BXFU			D	TERMINAL BOARD 5492929G1	06771		1	REF							
BXJY		X 2F		C	SHELF ASSY 190401607G72	08771	EA	1	1							
BXJZ		X 2F		C	SHELF ASSY 19D401607G8	08771	EA	1	1							
BXMA		X 2F		C	SWELF ASSY 19D401607G84	08771	EA	1	1							
BXMB		X 2F		C	SHELF ASSY 19D401607G82	08771	EA	1	1							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXKC		X 2F		C	SHELF ASSY 19D401607G77	08771	EA	1	1								
BXKD		X 2F		C	SHELF ASSY 19D401607G83	08771	EA	1	1								
BXKE		A FR		B	GP REG INT RCK 19D405396P162 115 VAC. 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BXKF	BXGT			C	PANEL BLANK 5496139G8	08771		6	REF								
BXKG	BXGU			C	PANEL,FRONT 5493030G1	08771		9	REF								
BXKH		A PR		C	RACK ASSY 19E500088G7 115 VAC. 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BXKJ	BXFL			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								

DATE 04-23-69

REVISION NO.

223-15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXKK	BXFM			D	LAMP,INCAND 1819-28V	08806		1	REF							11
BXKL	BXFN			D	RACK,EL EQUIP 5496857G3	08771		1	REF							
BXKM	BXFP			D	RELAY ASSY 5496216G2	08771		1	REF							
BXKN	BXFU		58209074748	D	TERMINAL BOARD 5492929G1	08771		1	REF							
BXKP		X 2F		C	SHELF ASSY 19D401607G87	08771	EA	1	1							
BXKQ		X 2F		C	SHELF ASSY 19D401607G88	08771	EA	1	1							
BXKR		X 2F		B	BLOCK 19B200642P3	08771	EA	6	6							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXKS		X 2F		B	BLOCK 19B201599P1	08771	EA	2	2							
BXKT		X 2F		B	BRACKET 5492908P1	08771	EA	3	3							
BXKU		X 2F		B	BRKT,DBL,ANGLE 5492901P1	08771	EA	3	3							
BXKV		X 2F		B	BUS BAR 5496651G1	08771	EA	1	1							
BXKW		P F	61809419731	B	BUS BAR 549356701 48 KHZ, COPPER. 2.500 IN. LG	08771	EA	1	1	2.7	2.7	3.0				10.3
BXKWA		X1F		C	RES,FXD,FILM 5495948P125	08771	EA	1	1						R1	
BXKWB		X1F		C	BRKT,DBL,ANGLE 5493566P1	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

223-17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXKWC		X1F		C	SHLD,ELEC CONN 4038477G1	08771	EA	1	1							
BXKWD		X1F		C	CONN,RECP,ELEC 5496078P3	08771	EA	7	7							
BXKWE		X1F		C	INSULATOR,PLATE 5492713P1	08771	EA	1	1							
BXKWF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1							
BXKWG		C F		C	TERMINAL,LUG 4035338P1	08771	EA	1	1							
BXKX		C F		B	BUTTON,PLUG N529P18C13	08771	EA	12	12							
BXKY		C F	53400850856	B	BUTTON,PLUG 207-360231-00	02768	EA	30	30							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXKZ		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	16	16							
BXLA		P F		B	CONN-SPT 198202620G2 ALUMINUM, 2.50 X 4.92 X 6.75 IN, O/A	08771	EA	36	36	10.6	10.6	36.0				60.0
BXLAA		X1F		C	BRACKET,ANGLE 19B202181P3	08771	EA	1	36							
BXLAB		X1F		C	CONN,RECP,ELEC 19B209014P1	08771	EA	1	36							
BXLB		P F	58209228702	B	CONN-SPT 198202230G4 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4
BXLBA		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	5						W1	
BXLB B		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	2	10						E2,E4	

DATE 04-23-69

REVISION NO.

223-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS					
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL			
BXLBC		X1F		C	TRANSFORMER,RF 5498921P1	08771	EA	1	5									
BXLBD		X1F		C	RES,FXD,FILM RN20X69R8F	81349	EA	1	5									R1
BXLBE		X1F		C	BRACKET,ANGLE 4034495G3	08771	EA	1	5									
BXLBF-		X1F	59350442707	C	CONN,RECP,ELEC FD630S	95354	EA	1	102									
BXLBG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	10									
BXLC		P F	58999420941	G	CONN-SPT 198202230G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN, O/A	08771	EA	97	97	19.5	19.5	97.0						
BXLCA	BXLBF			C	CONN,RECP,ELEC FD630S	95354		1	REF									

B D A E S P O T

136.2

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXLCB		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	194								
BXLC		X1F		C	BRACKET,ANGLE 198202181P1	08771	EA	1	97								
BXLD		P F		B	CONN-SPT 19B202603G1 STL, 0.090 IN, X 0.090 IN, X 4.810 IN. O/A	08771	EA	26	26	8.7	8.7	26.0					
BXLDA		X1F		C	BRKT,DBL,ANGLE 198202566P1	08771	EA	1	26								
BXLDB		X1F		C	SHELL,ELEC,CONN 19D401142P2	08771	EA	1	26								
BXLDB-		C F		C	WASHER,NM 4035306P63	08771	EA	2	52								
BXLDD		C F		C	WASHER,FLAT 19A101105P1	08771	EA	2	52								

B
D
A
E
S
E
P
O
T

46.2

DATE 04-23-69

REVISION NO.

223-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXLE		P F		B	CONN-SPT 198202230G5 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0				14.4
BXLF		A F	59359995880	B	COVER,ALARM 5492912G1 AL, CADMIUM PLATED, 2 X 4.500 IN. O/A	08771	EA	6	6							
BXLFA		X 2F		C	RET,ELEC CONN 5492910G1	08771	EA	1	6							
BXLFB		P F	59359226133	C	CONN.RECP,ELEC 5496085P1 20 MALE CONT, 0.34 X 0.58 X 2.72 IN. O/A	08771	EA	1	6	3.9	3.9	6.0				16.5
BXLFC		X 2F		C	POST,ELEC-MECH 5491541P204	08771	EA	2	12							
BXLFD		C F	53107235414	C	WASHER,FLAT N402P7C13	08771	EA	2	12							
BXLFE		C F	53050597679	C	SCREW,MACHINE NB0P13010C13	08771	EA	2	12							

DATE 04-23-69

REVISION NO.

223-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXLG		X 2F		B	EXTRUSION 403526G7	08771	EA	30	30							
BXLH		X 2F		B	GROMMET,RUBBER 5490407P56	08771	EA	6	6							
BXLJ		X 2F		B	GROMMET,RUBBER 5490407P50	08771	EA	6	6							
BXLK		X 2F		B	GUIDE, SHELF P90741A	02768	EA	400	400							
BXLL		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2							
BXLM		P 0	53409446037	B	KNOB 19C310121P1 PHEN, 0.317 X 0.470 X 1.030 IN. 0/A DIM	08771	EA	30	30	9.7	9.7	30.0				
BXLN		c F	53209989209	B	NUT,PLAIN,HEX N210P19C13	08771	EA	30	30							

B D
A E
S P
E O
T

53.1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXLP		C F		B	NUT,PLAIN,HEX 7141225P3	08771	EA	30	30								
BXLQ		C F		B	NUT,PLAIN,HEX 7141225P2	08771	EA	60	60								
BXLR		X 2F		B	PLATE 5498720G16	08771	EA	30	30								
BXLS		X 2F		B	PLATE 5492521P12	08771	EA	30	30								
BXLT		M H		B	PLATE,IDENT NP248847	08771	EA	16	16								
BXLU		M H		B	PLATE,IDENT NP248814	08771	EA	3	3								
BXLV		P F		B	PRINTED CKT 8 198202667P1 PHENOLIC, 0.062 IN. X 3.070 IN. X 3.500 IN.	08771	EA	1	1	2.7	2.7	3.0					

B
D
A
S
E
P
O
T

10.3

DATE 04-23-69

REVISION NO.

223-24

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXLW		C F		B	SCREW,DRIVE N539P103	08771	EA	60	60							
BXLX		C F	53058893116	B	SCREW,MACHINE MS35206-213	96906	EA	2	2							
BXLY		C F	53059844983	B	SCREW,MACHINE MS35206-226	96906	EA	64	64							
BXLZ		C F		B	SCREW,MACHINE N82P13010D	08771	EA	30	30							
BXMA		C F		B	SCREW,MACHINE N37P9021C13	08771	EA	60	60							
BXMB		C F	53058892997	B	SCREW,MACHINE MS35206-215	96906	EA	12	12							
BXMC		C F		B	SCREW,MACHINE N80P19006C13	08771	EA	30	30							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXMD		C F	53159576636	B	SCREW,MACWINE MS35190-223	96906	EA	6	6							
BXME		X 2F		B	SHELF 19D401943G2	08771	EA	2	2							
BXMF		X 2F		B	SHELF 5498699G32	08771	EA	12	12							
BXMG		X 2F		B	SHELF 19D405255G1	08771	EA	1	1							
BXMH		X 2F		B	SHELF 5498699G34	08771	EA	1	1							
BXWJ		C F	53108505723	B	SPACER,SLEEVE 5491541P106	08771	EA	4	4							
BXHK		X 2F		B	SPRING 5492956P2	08771	EA	30	30							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BXML		X 2F		B	SPRING 5492956P1	08771	EA	30	30								
BXMM		X 2F		B	STRIP 198203025P5	08771	EA	30	30								
BXMN		X 2F		B	STRIP,FOIL 19B203072P1	08771	EA	30	30								
BXMP		X 2F		B	STUD, FRICTION P101-499-24B	78553	EA	60	60								
BXMQ		X 2F		B	SUPPORT, CABLE 5492920P1	08771	EA	1	1								
BXMR		P F	59359420103	B	SUPPORT, CONN 198202620G1 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	10	10	5.2	5.2	10.0					23.3
BXMS		A F		B	TERMINAL BLK 5496356G3 AL, CHROMATE FINISH, 5,200 X 58.875 IN, O/A	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

223-27

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXMSA		X1F		C	CHAS.ELEC.EQUIP 5492483G1	08771	EA	1	1							
BXMSB		X 2F		C	SHLD.ELEC CONN 4034205P1	08771	EA	20	20							
BXMSC		C F		C	TERMINAL,LUG 5491581P1	08771	EA	20	20							
BXMSD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	10							
BXMSE		X 2F		C	TERMINAL BOARD 4034193G5	08771	EA	10	10							
BXMT		A F		B	TERMINAL BLK 5496135G24 AL, CHROMATE FINISH, 5,200 X 58.875 IN,	08771	EA	3	3							
BXMTA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	24							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXMTB		X1F		C	CHAS,ELEC EQUIP 5496862G2	08771	EA	1	3							
BXMU		X 2F	58050857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							
BXMV		X 2F		B	TERMINAL BOARD 199203067P1	08771	EA	6	6							
BXMW		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							
BXMX		C F		B	WASHER,FLAT N402P5C13	08771	EA	60	60							
BXMY		C F	53120790079	B	WASHER,LOCK MS35333-37	96906	EA	30	30							
BXMZ		C P	53302090940	B	WASHER,LOCK N403P21C13	08771	EA	30	30							

B D
A E
S P
E O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BXNA		C F		B	WASHER,NM 4035306P51	08771	EA	4	4							
BXNB		C F		B	WASHER,NM 4035306P21	08771	EA	4	4							
BXNC		C F	58101857218	B	WASHER,NM 4036555P1	08771	EA	25	25							

B
D
A
E
S
P
O
T

DATE 04-23-69

REVISION NO.

223-30

EQUIPMENT: 19D405396-50E
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BXFM	62401558707	1N198	BXJH	59614460270
1819-28V	BXJU	6240	1N712	BXJM	59618266631
1819-28V	BXKK	6240	1N91	BXJN	59616774875
19A101105P1	BXLDD		1N979B	BXGC	59616920746
19A115562P2	BXGG	59610601655	1N9798	BXJK	5961
19B200642P3	BXKR	5805	207-346031-00	BXKY	53400850865
19B201599P1	BXKS	5805	261-31-12-010	BXFR	59358929607
19B202181P1	BXLCC		261-32-12-030	BXFQ	59352370456
19B202181P3	BXLAA		2N1039	BXJT	59618218997
19B202230G1	BXLC	58959420941	2N1302	BXJS	59618507646
19B202230G4	BXLB	58209228702	2N1395	BXJQ	59610805133
19B202230G5	BXLE	5805	2N1614	BXJR	59610860040
19B202566P1	BXLDA		2N3053	BXGH	59619859073
19B202603G1	BXLD	5805	30054-1	BXFT	59357336326
19B202620G1	BXMR	59359430103	4034193G4	BXMSD	
19B822620G2	BXLA	5805	4034193G5	BXMSE	
19B202667P1	BXLV	5999	4034205P1	BXMSB	
19B203025P5	BXMM	5805	4034495G3	BXLBE	
19B203067P1	BXMV	5999	4034526G7	BXLG	5805
19B203072P1	BXMN	9535	4035306P21	BXNB	5330
19B209014P1	BXLAB		4035306P51	BXNA	5330
19C310121P1	BXLM	53409446037	4035306P63	BXLDL	
19D401142P2	BXLDB		4035338P1	BXKWC	
19D401607G64	BXGK	5805	4036150P1	BXLL	5970
19D401607G65	BXGP	5805	4036555P1	BXNC	58050857218
19D401607G66	BXGM	5805	4036477G1	BXKWC	
19D401607G67	BXGR	5805	5490407P50	BXLJ	5325
19D401607G68	BXGJ	5805	5490407P56	BXLH	5325
19D401607G69	BXGN	5805	5491541P106	BXMJ	53108505723
19D401607G70	BXGL	5805	5491541P204	BXLFC	
19D401607G71	BXGQ	5805	5491581P1	BXMSC	
19D401607G72	BXJY	5805	5492483G1	BXMSA	
19D401607G77	BXKC	5805	5492521P12	BXLS	5805
19D401607G82	BXKB	5805	5492680G1	BXGX	58209074749
19D401607G83	BXKD	5805	5492713P1	BXKWE	
19D401607G84	BXKA	5805	5492750P3	BXLBG	
19D401607G87	BXKP	5805	5492750P3	BXLCB	
19D401607G88	BXKQ	5805	5492901P1	BXKU	5805
19D401607G8	BXJZ	5805	5492908P1	BXKT	5805
19D401943G2	BXME	5805	5492910G1	BXLFA	
19D405255Gs	BXMG	5805	5492912G1	BXLF	59059995880
19D405396-50E	BXFHM	58201798483	5492920P1	BXMQ	5805
19D405396P161	BXGS	5805	5492929G1	BXFU	58209074748
19D405396P162	BXKE	5805	5492929G1	BXJX	5820
19D405396P163	BXFJ	5805	5492929G1	BXKN	5820
19E500088G7	BXKH	5805	5492937G1	BXKZ	5805
19E500088G8	BXGV	5805	5492956P1	BXML	5805
19E500088G9	BXFK	5805	5492956P2	BXMK	5805
1-5M56Z5	BXJG	59616547455	5493030G1	BXJU	5805

EQUIPMENT: 19D405396-50E
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
5493030G1	BXKG	5805	N402P7C13	BXLFD	53107235414
5493566P1	BXKWB		N403P21C13	BXMZ	53102090940
5493567G1	BXKW	61309419731	N529P18C13	BXKX	5340
5495589G182	BXHG	59500852525	N539P103	BXLW	5305
54995948P125	BXKWA		N80P13010C13	BXLFE	53050597679
5496078P3	BXKWD		N80P19006C13	BXMC	5305
5496085P1	BXLFB	59359228133	N82P13010D	BXLZ	5305
5496133G1	BXFL	62109261323	NP248811	BXLU	5805
5496133H1	BXGW	6210	NP248847	BXLT	5805
5496133H1	BXKJ	6210	P101-499-24B	BXMP	5325
5496135G24	BXMT	5940	P50741A	BXLK	5885
5496139G8	BXGT	5805	RC20GF103J	BXFW	59051858510
5496139G8	BXKF	5805	RC20GF204J	BXJV	59051712003
5496216G2	BXFP	5945	RC20GF271J	BXFX	59051712006
5496216G2	BXJW	5945	RC20GF273J	BXGA	59052793499
5496216G2	BXKM	5945	RD20GF512J	BXFZ	59052792019
5496356G3	BXMS	5940	RD20GF512J	BXFY	59052793496
5496651G1	BSKV	5805	RD20GF513J	BXLBD	
5496735G3	BXMU	58050857236	RD20X69R8F	BXHL	59058839198
5496857G3	BXFN	5805	RN65D1001F	BXJB	59050640555
5496857G3	BXJV	5805	RN65D1002F	BXHU	59858620537
5496857G3	BXKL	5805	RN65D1102F	BXJC	59857620663
5496862G2	BXMTB		RN65D1334F	BXJH	59059936012
5498699G32	BXMF	5805	RN65D1471F	BXHZ	59059936975
5498699G34	BXMW	5805	RN65D1781F	BXHV	59052258175
5498720G16	BXLR	58005	RN65D1961F	BXHR	59059932268
5498921P1	BXLBC		RN65D2152F	BXHK	59059884710
601PE2240-5W	BXHE	59109641345	RN65D2372F	BXHQ	59050688907
601PE3340-5Q	BXHF	59100852730	RN65D2610F	BXHM	59050602484
7141225P2	BXLQ	5310	RN65D2612F	BXJD	59059931362
7141225P3	BXLP	5310	RN65D3161F	BXJE	59059932271
7491823P4	BXKWF		RN65D31R6F	BXWW	59059905023
7774524P3	BXMTA		RN65D3480F	BXJA	59059931363
7878455P1	BXMW	59403084357	RN65D3481F	BXHX	59059932261
CMO07F512JO3	BXHC	59100500086	RN65D4642F	BXHY	59059895580
CS13AF220M	BXGY	59108468098	RN65D5110F	BXHN	59058138640
CS13BF105M	BXHA	59109040519	RN65D5111F	BXWW	59059932267
FD630S	BXLB	59350442707	RN65D5112F	BXJF	59050602481
FD630S	BXLCA		RN65D6811F	BXHP	59059936341
M3449-5CHTC	BXLBA	59406659985	RN65D7500F	BXHS	59059903029
M3449-5CHTC	BXLBB	59406659985	RN65D7502F	BXHT	59059529435
MS35190-223	BXMD	53059576636	RN65D9092F	BXGE	59610601689
MS35206-213	BXLX	53058893116	SSD753	BXFZ	59459230411
MS35206-215	BXMF	53058892997	T154X101	BXGB	59610566403
MS85206-226	BXLY	53059844983	UT66	BXJL	5961
MS35333-37	BXY	53105790079	UT66		
N210P19C13	BXLN	53109585209			
M37P9021C213	BXMA	5305			
N402P5C13	BXMX	5310			

REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

ITEM SEQUENCE NUMBER	FOR AUTHORIZED ALLOWANCES SEE SEQ. NO.	MAINTAINABILITY AND RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INVENTORY CODE	DESCRIPTION	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY PER EQUIPMENT	ORGANIZATION 15 DAY MAINT. ALLOW. PER 100 EQUIP (0)	ILLUSTRATIONS		
											FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BZCPM		A FR	58201798494	A	MUX SYSTEM 19D405396-50X 117 VAC, 60 CY, 1 PHASE, 288 CHAN EACH DIR	08771	EA	1	1				
BZCU		P O	62401558707	D	LAMP, INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	6	22.5			11
BZKB		P O	53409446037 B	NOB	08771 19C310121P1 PHEN. O.317 X 0.470 X 1.030 IN. O/A DIM		EA	103	103	20.0			

DATE 04-23-69

REVISION NO.

224-1

DATE: 04-23-69

FEDERAL MANUFACTURING CODE TO NAME INDEX
EQUIP NO.: 19D405396-50X

02768	FASTEX DIV OF ILLINOIS TOOL WORKS 195 ALGONOUIN RD DES PLAINES ILL	80131	ELECTRONIC INDUSTRIES ASSOCIATION WASHINGTON D C
03508	GENERAL ELECTRIC CO SEMI-CONDUCTOR PRODUCTS DEPT SYRACUSE N Y	81349	MILITARY SPECIFICATIONS
04713	MOTOROLA INC SEMICONDUCTOR PRGDUCTS DIVISION 5005 E MC DOWELL RD PHOENIX ARIRONA HARRISON N J	84411	TRW CAPACITOR DIV OGALLALA NEBR
08771	GENERAL ELECTRIC CO COMMUNICATION PRODUCTS DEPT LYNCHBURG VA	86684	RADIO CORP OF AMERICA ELECTRONIC COMPONENTS'AND DEVICES
08806	GENERAL ELECTRIC CO MEIZATURE LAMP DEPT CLEVELAND OHIO	95076	GANDE MFG CO 53 JOHN ST CUMBERLAND R I
15141	UNITRODE TRANSISTOR PRODUCTS INC CALAIASAS CALIF	95354	METHODE MANUFACTURING CO 1700 SO HICKS CHICAGO ILL
13719	FAIRCHILD CAMERA AND INSTRUMENT CORP SEMICONDUCTOR DIVISION SAN RAFAEL CALIF	96906	MILITARY STANDARDS
70109	ALLIED CONTROL CG INC 2 EAST END AVE NEW YORK N Y		
71785	CINCH MFG CO ANU HOWARD B JONES DXV 1026 S HOMAN AVE CHICAGO ILL		
78553	TINNERMAN PRODUCTS INC CLEVELAND OHIO		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZOP M		A FR	58201798494	A	MUX SYSTEM 190405396-50X 117 VAC, 60 CY, 1 PHASE, 288 CHAN EACH DIR	08771	EA	1	1								
BZOQ		A FR		B	CHANNEL RACK 19D405396P168 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BZCR		X 2F		C	PANEL, FRONT 5493030G1	08771	EA	24	103								
BZCS		A FR		C	RACK,ASSY 19E500088G9 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1								
BZCT		P F	6209261323	D	ALARM ASSEMBLY 5496133G1 28, VDC. 0.90 IN. X 0.90 IN. X 4.30 IN. O/A	08771	EA	1	5	6.5	6.5	15.0				31.4	
BZCU		P 0	62401558707	D	LAMP,INCAND 1819-28V 28V, 0.04 AMP, MINIATURE BAYONET BASE	08806	EA	1	1	22,5	22,5	300.0				166.4	
BZOV		X 2F		D	RACK,EL EQUIP 5496857G3	08771	EA	1	5								

DATE 04-23-69

REVISION NO.

224-3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZCW		A FR		D	RELAY ASSY 5496216G2 STL, CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN.	08771	EA	1	4								
BZCX		P F	59352370456	E	CONN,PLUG,ELEC 261-32-12-030 PHEN 12 CONTACTS SOCKET, 0.938 X 1.25 X 1.2	71785	EA	1	5	3.6	3.6	5.0			P1		14.4
BZCY		P F	59358929607	E	CONN.REC,ELEC 261-31-12-010 PHEN, 12 PH BRZ MALE CONT. 7.5A RATED	71785	EA	1	5	3.6	3.6	5.0			J2		14.4
BZCZ		P F	59458230411	E	RELAY,ARMATURE T154X101 115 VDC, 6 PDT, 1.5W, 0.013A, 9000 OHM RES	70309	EA	2	9	8.7	8.7	27.0			K1,K2		46.2
BZDA		P F	59357336326	E	SOCKET,RELAY 30054-1 BAKELITE,10 GL PL BE COP SOLDER TER,0.921IN	70309	EA	2	9	4.9	4,9	27.0			XK1,XK2		21.7
BZDB		A F	58209074748	D	TERMINAL BOARD 5492929G1 PHENOLIC, 0.062 IN. X 3,500 IN. X 3.875 IN.	08771	EA	1	5								
BZDC		P F	59051712003	E	RES,FXD,CONP RC20GF204J 200000 OHM, 5 PCT, 1/2W	81349	EA	1	5	5.2	5.2	15.0			R1		23.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZDD		P F	59051858510	E	RES.FXD.COMP RC20GF103J 10000 OHMS, 5 PCT, 1/2 W	81349	EA	1	5	5.2	5.2	15.0			R3	23.3
BZDE		P F	59051712006	E	RES.FXD.COMP RC20GF271J 270 OHM, 5 PCT, 1/2W	81349	EA	2	10	7.7	7.7	30.0			R6,R9	38.9
BZDF		P F	59152793496	E	RES.FXD.COMP RC20GF513J 51000 OHM, 5 PCT, 1/2W	81349	EA	2	10	7.7	7.7	30.0			R2,R4	38.9
BZDG		P F	59052792019	E	RES.FXD.COMP RC20GF512J 5100 OHM, 5 PCT, 1/2 w	81349	EA	2	10	7.7	7.7	30.0			R7,R8	38.9
BZDH		P F	590512793499	E	RES.FXD.COMP RC20GF273J 127000 OHM, 5 PCT, 1/2W	81349	EA	1	5	5.2	5.2	15.0			R5	23.3
BZDJ		P F	59610566403	E	SEMICOND,DIODE UT66 SILICON, RECTIFIER# 100 PIV, 0.600 MAX DCA	13141	EA	1	9	8.7	8.7	45.0			CR4	46.2
BZDK		P F	59618920748	E	SEMICOND,DIODE 1N979P ZENER, 56V, 2.2 MA, 150 OHM MAX, 5 PCT	81349	EA	1	6	7.7	7.7	30.0			VR1	38.9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZDH		P F	59610601689	E	SEMICOND.DIODE SS0753 SILICON, NPN, 300 HA AT 25 C, FAST RECOVERY	13715	EA	3	15	12.2	12.2	75.0			CRITHRUCR3	73.4
OZDP		P F	59610601655	E	TRANSISTOR 19A115562P2 SILICON PNP 300 MA AT 25 DEG C 0.38 X 0.25IN	08771	EA	2	10	9.7	9.7	50.0			Q2,Q3	53.1
BZDQ		P F	59619859073	E	TRANSISTOR 2N3053 SILICON, NPN, 60V, 100 MC, 5W. 1A	86684	EA	1	5	6.5	6.5	25.0			Q1	31.4
BZOR		X 2F		C	SHELF ASSY 19D401607G66	08771	EA	1	1							
BZDS		X 2F		C	SHELF ASSY 19D401607G64	08771	EA	1	1							
BZDT		X 2F		C	SHELF ASSY 19D401607G70	08771	EA	1	1							
BZDU		X 2F		C	SHELF ASSY 19D401607G65	08771	EA	1	1							

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZDV		X 2F		C	SHELF ASSY 19D401607G68	08771	EA	1	1								
BZDW		X 2F		C	SHELF ASSY 19D401607G71	08771	EA	1	1								
BZBX		X 2F		C	SHELF ASSY 19D401607G67	08771	EA	1	1								
BZCY		X 2F		C	SHELF ASSY 19D401607G69	08771	EA	1	1								
BZDZ		A FR		B	COM EQUIP RCK 19D405396P 164 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BZEA		BZCH		C	PANEL,FRONT 5493030G1	08771		28	MEF								
BZEB		A FH		C	RACK ASSY 19E500088G8 115 VAC, 19.5 X 20,5 IN. X 7 FT O/A	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

224-7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZEC	BZCT			D	ALARM ASSEMBLY 5496133G1	08771		1	REF							
BZED		A FR	58209074749	D	ALARM BD,MAJ 5492680G1 PHENOLIC, 0.500 IN. X 3.550 IN. X 4.77 IN.	08771	EA	1	1							
BZEE		P F	59108468098	E	CAP,FXD,ELECT CS13AF220M 22 MFD, 20 PCT, 35 VDCW	81349	EA	2	2	3.2	3.2	6.0			C3,C8	12.4
BZEG		P F	59109040519	E	CAP,FXD,ELECT CS138F105M 1 PF, 10 PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0			C6	6.8
BZEJ		P F	59100500086	E	CAP,FXD,MICA CM07F512J03 5100 PF, 5PCT, 500 VDCW	81349	EA	1	1	2.2	2.2	3.0				6.8
BZEL		P F	59109641345	E	CAP,FXD,PLSTC 601PE2240-5W 220000 PF, 20 PCT, 50 VDCW	84411	EA	2	2	3.2	3.2	6.0			C2,C5	12.4
BZEM		P F	59100852730	E	CAP,FXD,PLSTC 601PE3340-5W 330000 PF, 20 PCT, 50 VDCW	84411	EA	1	1	2.2	2.2	3.0			C4	6.8

DATE 04-23-69

REVISION NO.

224-8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZEN		P F	59500852525	E	COIL,RF 5495589G182 7/16 X 9/16 IN. O/A 74,5 MH, 419 TURNS	08771	EA	1	1	2.2	2.2	3.0			L1	6.81
BZEP		P F	59059905023	E	RES,FXD.FILM RN65D3480F 348 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R18	6.8
BZEQ		P F	59059936012	E	RES,FXD,FILM RN65D1471F 1470 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R6	6.8
BZER		P F	59059884710	E	RES,FXD,FILM RN65D2372F 23700 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R15	6.8
BZES		P F	59058839198	E	RES,FXD,FILM RN65D1001F 1000 OHMH, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R22,R29	12.4
BZET		P F	59050602484	E	RES,FXD.FILM RN65D2612F 26100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R4	6.8
BZEU		P F	59058138640	E	RES,FXD,FILM RN65D5111F 5110 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R2	6.8

DATE 04-23-69

REVISION NO.

224-9

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZEV		P F	59059936341	E	RES,FXD,FILM RN65D7500F 750 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R27	6.8
BZEW		P F	59050880987	E	RES,FXD,FILM RN65D2610F 261 OHM, 1 PCT, 1/2W /	81349	EA	2	2	3.2	3.2	6.0			R12,R14	12.4
BZEX		P F	59059932268	E	RES,FXD,FILM RN65D2152F 21500 OHM, 1 PCT, 1/2w	81349	EA	2	2	3.2	3.2	6.0			R20,R21	12.4
BZEY		P F	59059903029	E	RES,FXD,FILH RN65D7502F 75000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R8	6.8
BZ EZ		P F	59059529435	E	RES,FXD,FILM RN65D9092F 90900 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R25	6.8
BZFA		P F	59050620537	E	RES,FXD,FILM RN65D1102F 11000 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R16	6.8
BZFB		P F	59052258175	E	RES,FXD,FILM RN65D1961F 1960 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R10	6.8

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZFC		P F	59059932267	E	RES,FXD,FILM RN65D5112F 51100 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R1	6.8
BZPD		P F	59059932261	E	RES,FXD,FILM RN65D4642F 46400 OHM, 1 PCT, 1/2w	81349	EA	1	1	2.2	2.2	3.0			R28	6.8
BZFE		P F	59059895580	E	RES,FXD,FILM RN65D5110F 511 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R13	6.8
BZFF		P F	59059936975	E	RES,FXD,FILM RN65D1781F 1780 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R31	6.8
BZFG		P F	59059931363	E	RES,FXD,FILM RN65D3481F 3480 OHM, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R19,R24	12.4
BZFH		P F	59050640555	E	RES,FXD.FILM RN65D1002F 10000 OHM, 1 PCT, 1/2W	81349	EA	3	3	3.9	3.9	9.0			R5,R11,R17 1	6.5
BZFJ		P F	59057620663	E	RES,FXD,FILM RN65D1334F 1330000 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R30	6.8

DATE 04-23-69

REVISION NO.

224-11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZPK		P F	59059931362	E	RES,FXD,FILM RN65D3161F 3160 OHMS, 1 PCT, 1/2W	81349	EA	2	2	3.2	3.2	6.0			R23	12.4
BZFL		P F	59059932271	E	RES,FXD,FILM RN65D31R6F 31.6 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R3	6.8
BZFM		P F	59050602481	E	RES,FXD,FILM RN65D681IF 6810 OHM, 1 PCT, 1/2W	81349	EA	1	1	2.2	2.2	3.0			R9	6.8
BZFN		P F	59618547455	E	SEMICOND DIODE 1-5M56Z5 ZENER, 56V, 10 PCT TOL	04713	EA	1	1	2.7	2.7	5.0			VR3	1.3
BZFP		P F	59614460270	E	SEMICOND,DIODE 1N198 GERMANIUM, POINT CONTACT, TO-7 CASE	81349	EA	2	2	3.9	3.9	10.0			CR5,CR6	16.5
BZFR	BZDK			E	SEMICOND,DIODE 1N979B	81349		1	REF						VR1	
BZFS	BZDJ			E	SEMICOND,DIODE UT66	13141		4	REF						CR2,Cn3,CR4,CR7	

DATE 04-23-69

REVISION NO.

224-12

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZFT		P F	596i8266631	E	SEMICOND.DIODE 1N712 ZENER, 8.2V, 25 MA, 6 OWM	80131	EA	1	1	2.7	2.7	5.0			VR2	10.3
BZFU		P F	59616774875	E	SEMICOND,DIODE 1N91 GERMANIUM, RECTIFIER TYPE, 150 MA AT 55C DEG	03508	EA	1	1	2.7	2.7	5.0			CR1	10.3
BZFW		P F	59610805233	E	TRANSISTOR 2N1395 GERMANIUM, PNP, 240 MW., -40V, 30 MC	03508	EA	3	3	4.9	4.9	15.0			Q5THRUQ7	31.4
BZFX		P F	59610860040	E	TRANSISTOR 2N1614 GERMANIUM, PNP, 240 MW., -60V, 0.5 MC	03508	EA	2	2	3.9	3.9	10.0			Q2,Q3	16.5
BZFY		P F	59618507646	E	TRANSISTOR 2N1302 GERMANIUM, NPN, LOW LEVEL TYPE, 3 MHZ 20 PF	81349	EA	1	1	2.7	2.7	5.0			Q1	10.3
BZFZ		P F	59618218977	E	TRANSISTOR 2N1039 GERMANIUM, MEDIUM POWER, ROUND, 20 PC. 3 IC	81349	EA	1	1	2.7	2.7	5.0			Q4	10.3
BZGA	BZCU			D	LAMP,INCAND 1819-28V	08806		2	REF						11,12	

DATE 04-23-69

REVISION NO.

224-13

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZGB	BZCV			D	RACK,EL EQUIP 5496857G3	087711		1	REF							
B9GC	BZCW			D	RELAY ASSY 5496216G2	08771		1	REF							
BZGD	BZUB			D	TERMINAL BOARD 5492929G1	08771		1	REF							
BZGE		X 2F		C	SHELF ASSY 190401607G98	08771	EA	1	1							
BZGF		X 2F		C	SHELF ASSY 19D401607G73	08771	EA	1	1							
BZGG		X 2F		C	SHELF ASSY 190401607G99	08771	EA	1	1							
BZGH		X 2F		C	SHELF ASSY 19D401607G8	08771	EA	1	1							

DATE 04-23-69

REVISION NO.

224-14

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZGJ		X 2F		C	SHELF ASSY 190D401607G83	08771	EA	1	1								
BZGK		X 2F		C	SHELF ASSY 19D401607G72	08771	EA	1	1								
BZGL		X 2F		C	SHELF ASSY 19D401607G82S1	08771	EA	1	1								
BZGM		X 2F		C	SHELF ASSY 19D401607G84	08771	EA	1	1								
BZGN		A FR		B	CON EQUIP RCK 19D405396P165 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BZGP		X 2F		C	PANEL BLANK 5496139G8	08771	EA	4	10								
BZGC	BZCR			C	PANEL,FRONT 5493030G1	08771		14	REF								

DATE 04-23-69

REVISION NO.

224-15

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZGR		A FR		C	RACK ASSY 19E500088G10 115 VAC, 19.5 X 20.5 IN. X 7FT O/A	08771	EA	1	1								
BZGS	BZCT			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BZGT	BZCU			D	LAMP,INCAND 1819-28V	08806		1	REF						I1		
BZGU	BZCV			D	RACK,EL.EQUIP 5496857G3	08771		1	REF								
BZGV		A FR		D	RELAY ASSY 5496216G1 STL, CHROMATE FINISH, 0.09 X 1.25 X 2.50 IN	08771	EA	1	1								
BZGW	BZCX			E	CONN,PLUG,ELEC 261-32-12-030	71785		1	REF							P1	
BZGX	BZCY			E	CONN,REC,ELEC 261-31-12-010	71785		1	REF							J2	

DATE 04-23-69

REVISION NO.

224-16

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZGY	BZCZ			E	RELAY,ARMATURE T154X101	70309		1	REF							K1	
BZGZ	ZDOA			E	SOCKET,RELAY 30054-1	70309		1	REF							XK1	
BZHA	BZUB			D	TERMINAL ROARD 5492929G1	08771		1	REF								
BZHB		X 2F		C	SHELF ASSY 19D401607G75	08771	EA	1	1								
BZHC		X 2F		C	SHELF ASSY 19D401607G74	08771	EA	1	1								
BZHD		X 2F		C	SHELF ASSY 19D401607G80	08771	EA	1	1								
BZHE		X 2F		C	SHELF ASSY 19D401607G79	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

224-17

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZHF		A FR		B	GP REG INT RCK 19D405396P166 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BZHG	BZCR			C	PANEL.FRONT 5493030G1	08771		20	REF								
BZHH		A FR		C	RACK ASSY 19E500088G13 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	2								
BZHJ	BZCT			D	ALARM ASSEMBLY 5496133G1	08771		1	REF								
BZHK	BZCU			D	LAP. INCAND 1819-28V	08806		1	REF							11	
BZHL	BZCV			D	RACK.EL EOUIP 5496857G3	08771		1	REF								
BZHM	BZCW			D	RELAY ASSY 5496216G2	08771		1	REF								

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZHN	BZDB			D	TERMINAL BOARD 5492929G1	08771		1	REF								
BZHP		X 2F		C	SHELF ASSY 19D401607G87S1	08771	EA	1	1								
BZHO		X 2F		C	SHELF ASSY 19D401607G85	08771	EA	1	2								
BZHR		X 2F		C	SHELF ASSY 19D401607G91	08771	EA	1	1								
BZHS		X 2F		C	SHELF ASSY 19D401607G86	08771	EA	1	1								
BZHT		X 2F		C	SHELF ASSY 19D401607G89	08771	EA	1	1								
BZHU		X 2F		C	SHELF ASSY 19D401607G92	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

224-19

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZHV		X 2F		C	SHELF ASSY 19D401607G88	08771	EA	1	1								
BZHW		X 2F		C	SHELF ASSY 19D401607G90	08771	EA	1	1								
BZHX		A FR		B	GP REG INT RCK 19D405396P167 115 VAC, 19.5 X 20.5 IN. X 7 FT O/A	08771	EA	1	1								
BZHY	BZJW			C	EXTRUSION 4034526G7	08771		4	REF								
BZHZ	BZGP			C	PANEL BLANK 5496139G8	08771		6	REF								
BZJA	BZCR			C	PANEL,FRONT 5493030G1	08771		17	REF								
BZJB	BZHH			C	RACK ASSY 19E500088G13	08771		1	REF								

DATE 04-23-69

REVISION NO.

224-20

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZJC		X 2F		C	SHELF ASSY 19D401607,886S1	08771	EA	1	1								
8ZJD	BZHO	X 2F		C	SHELF ASSY 19D401607G85	08771		1	REF								
BZJE		X 2F		B	BLOCK 198200642P3	08771	EA	10	10								
BZJF		X 2F		B	BLOCK 198201599P1	08771	EA	3	3								
BZJG		X 2F		8	BRACKET 5492908P1	08771	EA	5	5								
BZJH		X 2F-		8	BRKT,DBL,ANGLE 5492901P1	08771	EA	6	6								
BZJJ		X 2F		8	BUS BAR 5496651G1	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

224-21

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S P E O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZJK		X 2F		B	BUS BAR 19C310849G1	08771	EA	5	5								
BZJL		P F	61309419731	B	BUS BAR,48KC 5493567G1 48 KHZ, COPPER# 2.500 IN. LG	08771	EA	1	1	2.7	2.7	4.0					10.3
BZJLA		X1F		C	RES,FXD,FILM 5495948P125	08771	EA	1	1	R1							
BZJLB		X1F		C	BRKT,DBL,ANGLE 5493566P1	08771	EA	1	1								
BZJLC		X1F		C	SHLD,ELEC CONN 4038477G1	08771	EA	1	1								
BZJLD		X1F		C	CONN,RECP,ELEC 5496078P3	08771	EA	7	7								
BZJLE		X1F		C	INSULATOR,PLATE 5492713P1	08771	EA	1	1								

DATE 04-23-69

REVISION NO.

224-22

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZJLF		C F		C	TERMINAL,LUG 7491823P4	08771	EA	1	1								
BZJLG		C F		C	TERMINAL,LUG 4 035338P1	08771	EA	1	1								
BZJM		X 2F		B	BUTTON,PLUG N529P18C13	08771	EA	20	20								
BZJN		X 2F	53400850856	B	BUTTON,PLUG 207-360231-00	02768	EA	103	103								
BZJP		X 2F		B	CLAMP-SPT CABLE 5492937G1	08771	EA	30	30								
BZJQ		P F		B	CONN-SPT 198202620G2 ALUMINUM, 2.50 X 4992 X 6.75 IN. O/A	08771	EA	36	36	10.6	10.6	36.0					60.0
BZJQA		X1F		C	BRACKET,ANGLE 19B202181P3	08771	EA	1	36								

DATE 04-23-69

REVISION NO.

224-23

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZJQB		X1F		C	CONN.RECP,ELEC 198209014P1	08771	EA	1	36							
BZJR		P F	58209228702	8	CONN-SPT 198202230G4 ALUMINUM, 2.50 x 4.92 X 6.75 IN. O/A	08771	EA	5	5	3,6	3.6	5.0				14.4
BZJRA		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	1	5						W1	
BZJRB		C F	59406659982	C	TERMINAL,STUD M3449-5CHTC	95076	EA	2	10						E2,E4	
BZJRC		X1F		C	TRANSFORMER,RF 5498921PI	08771	EA	1	5						HY1	
BZJRD		X1F		C	RES.FXD*FILM RN20X69R8F	81349	EA	1	5						R1	
OZJRE		X1F		C	BRACKET,ANGLE 4034495G3	08771	EA	1	5							

DATE 04-23-69

REVISION NO.

224-24

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZJRF		X1F	59350442707	C	CONN,RECP,ELEC FD630S	95354	EA	1	5								
BZJRG		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	10								
BZJS		P F	58959420941	B	CONN-SPT 198202230G1 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	188	188	30.0	30.0	188.0				248.4	
BZJSA		X1F	59350442707	C	CONN,RECP,ELEC FD630S	95354	EA	1	188								
BZJSB		C F		C	TERMINAL,LUG 5492750P3	08771	EA	2	376								
BZJSC		X1F		C	BRACKET,ANGLE 198202181P1	08771	EA	1	188								
BZJT		P F		B	CONN-SPT 198202603G1 STL. 0.090 IN. X 0,090 IN. X 4.810 IN. O/A	08771	EA	37	37	10.6	10.6	37.0				60.0	

DATE 04-23-69

REVISION NO.

224-25

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZJTA		X1F		C	8RKT,DBL.ANGLE 198202566P1	08771	EA	1	37								
BZJTB		X1F		C	SHELL,ELEC.CONN 19D401142P2	08771	EA	1	37								
BZJTC		C F		C	WASHER,NM 4035306P63	08771	EA	2	74								
BZJTD		C F		C	WASHER,FLAT 19AO11005P1	08771	EA	2	74								
8ZJU		P F		B	CONN-SPT 198202230G5 ALUMINUM, 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	5	5	3.6	3.6	5.0					
BZJV		A F	59359995880 8	B	COVER,ALARM 5492912G1 AL, CADMIUM PLATED, 2 X 4.500 IN. O/A	08771	EA	9	9								
BZJVA		X 2F		C	RET.ELEC CONN 5492910G1	08771	EA	1	9								

B D
A E
S P
E O
T

14.4

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS		
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
BZJVB		P F	59359228133	C	CONN,RECP,ELEC 5496085P1 20 MALE CONT. 0.34 X 0,58 X 2.72 IN. O/A	08771	EA	1	9	4.9	4.9	9.0			
BZJVC		X 2F		C	POST,ELEC-HECW 5491541P204	08771	EA	2	18						
BZJVD		P F	53107235414	C	WASHER,FLAT N402P7C13	08771	EA	2	18						
BZJVE		C F	53850597679	C	SCREW,MACHINE N80P13010C13	08771	EA	2	18						
BZJW		X 2F		B	EXTRUSION 4034526G7	08771	EA	68	72						
GZJX		C F		B	GROMMET,RUBBER 5490407P56	08771	EA	9	9						
BZJY		C F		B	GROMMET,RUBBER 5490407P50	08771	EA	10	10						

B
D
A
E
S
P
O
T

21.7

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZJZ		X 2F		B	GUIDE,SHELF P50741A	02768	EA	716	716								
BZKA		X 2F		B	INSULATOR 4036150P1	08771	EA	2	2								
BZKB		P 0	53409446037	B	KNOB 19C310121P1 PHEN.O.317 X 0.470 X 1.030 IN. O/A DIM	08771	EA	103	103	20,0	20,0	103,0					142,4
BZKC		C F	5309585209 8	B	NUT,PLAIN,HEX N210P19C13	08771	EA	103	103								
BZKD		C F		B	NUT,PLAIN,HEX 7141225P3	08771	EA	103	103								
BZKE		C F		B	NUT,PLAIN,HEX 7141225P2	08771	EA	206	206								
BZRF		X 2F		B	PLATE 5492521P2	08771	EA	10	10								

DATE 04-23-69

REVISION NO.

224-28

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS				
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZKG		X 2F		B	PLATE 5492521P12	08771	EA	68	68								
BZKH		X 2F		B	PLATE 5498720G16	08771	EA	103	103								
BZKJ		M W		B	PLATE.IDENT NP248814	08771	EA	5	5								
BZKK		M H		B	PLATE.IDENT NP24847	08771	EA	30	30								
BZKL		P F		B	PRINTED CKT 80 198202667P1 PHENOLIC, 0.062 IN. X 3,070 IN. X 3.500 IN.	08771	EA	1	1	2.7	2.7	3.0					
BZKM		C F		B	SCREW.DRIVE N539P103	08771	EA	206	206								
BZKN		C F	53159576636	B	SCREW,MACHINE MS35190-223	96906	EA	6	6								

B D
A E
S P
E O
T

10.3

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZMP		C F		B	SCREW,MACHINE N80P19006C13	08771	EA	103	103							
BZKQ		C F		B	SCREW,MACHINE N37P9021C13	08771	EA	206	206							
BZNR		C F	53058892997	B	SCREW,MACHINE MS35206-215	96906	EA	12	12							
BZKS		C F	53059844983	B	SCREW,MACHINE MS35206-226	96906	EA	125	125							
BZNT		C F	53058893116 8	B	SCREW,MACHINE MS35206-213	96906	EA	2	2							
BZKU		C F		B	SCREWHMACHINE N82P130100	08771	EA	103	103							
BZKV		X 2F		B	SHELF 5498699G34	08771	EA	1	1							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZKW		X 2F		B	SHELF 19D405255G1	08771	EA	1	1							
BZKX		X 2F		B	SHELF 19D401943G2	08771	EA	5	5							
BZKY		X 2F		B	SHELF 5498699G32	08771	EA	23	23							
BZMZ		X 2F	53108505723	B	SPACER,SLEEVE 5491541P106	08771	EA	4	4							
BZLA		X 2F		B	SPRING 5492956P1	08771	EA	103	103							
BZLB		X 2F		B	SPRING 5492956P2	08771	EA	103	103							
BZLC		X 2F		B	STRIP 19B203025P5	08771	EA	103	103							

B
D
A
E
S
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S E P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZLD		X 2F		B	STRIP,FOIL 19B203072P1	08771	EA	103	103								
BZLE		X 2F		B	STUD.FRICTION P101-499-248	78553	EA	125	125								
BZLF		X 2F		B	SUPPORT,CABLE 5492920P1	08771	EA	1	1								
BZLG		P F	591594201035	B	SUPPORT,CONN 19B202620G1 ALUMINUM. 2.50 X 4.92 X 6.75 IN. O/A	08771	EA	60	60	14.6	14.6	60.0					92.8
BZLH		A F		B	TERMINAL BLK 5496135G24 AL, CHROMATE FINISH, 5,200 X 58.875 IN,	08771	EA	5	5								
BZLHA		X 2F		C	TERMINAL BOARD 7774524P3	08771	EA	8	40								
BZLHB		XIF		C	CHAS,ELEC EQUIP 5496862G2	08771	EA	1	5								

DATE 04-23-69

REVISION NO.

224-32

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDA-BILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZLJ		A F		B	TERMINAL BLK 5496356G3 AL. CHROMATE FINISH, 5,200 X 58.875 IN, O/A	08771	EA	1	1							
BZLJA		X1F		C	CHAS,ELEC.EQUIP 5492483G1	08771	EA	1	1							
BZLJB		X 2F		C	SHLD,ELEC CONN 4034205P1	08771	EA	20	20							
BZLJC		C F		C	TERMINAL,LUG 5491561P1	06771	EA	20	20							
BZLJD		X 2F		C	TERMINAL BOARD 4034193G4	08771	EA	10	10							
BZLJE		X 2F		C	TERMINAL BOARD 4034193G5	08771	EA	10	10							
BZLK		X 2F		B	TERMINAL BOARD 198203067P1	08771	EA	6	6							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	INDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL	
BZLL		X 2F	58050857236	B	TERMINAL BOARD 5496735P1	08771	EA	1	1							
BZLM		C F	59403084357	B	TERMINAL LUG 7878455P1	08771	EA	10	10							
BZLN		C F		B	WASHER,FLAT N402P5C13	08771	EA	210	210							
BZLP		C F	53102090940	B	WASHER,LOCK N403P21C13	08771	EA	103	103							
BZLQ		C F	53105790079	B	WASHER,LOCK MS35333-37	96906	EA	125	125							
BZLR		C F		B	WASHER,NM 4035306P21	08771	EA	4	4							
BZLS		C F	56050857218	B	WASHER,NM 4036555P1	08771	EA	25	25							

B
D
A
S
E
P
O
T

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

SEQ. NUMBER	FOR AUTH. ALLOWANCES SEE SEQ. NO.	SOURCE MAINT. & RECOVERABILITY CODE	FEDERAL STOCK NUMBER	IDENT CODE	DESCRIPTION	UNIT OF ISSUE	EX PENDABILITY	QTY. IN USE	QTY. PER EQUIP.	DIRECT SUPPORT	GENERAL SUPPORT	DEPOT	ILLUSTRATIONS			B D A E S P O T	
													FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL		
BZLT		CF		B	WASHER,NM 4035306P51	08771	EA	4	4								

DATE 04-23-69

REVISION NO.

224-35

EQUIPMENT: 19D405396-50X
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
1819-28V	BZCU	62401558707	19U1401607G8	BZGW	5805
1819-28V	BZGA	6240	190401607G90	BZHW	5805
1819-28V	BZGT	6240	19U401607G91	BZHR	5805
1819-28V	BZHK	6240	190401607G92	BZJU	5805
19A11556P21	BZJTD		19U401607098	BZG 9	5805
19A115562P2	BZDP	59610601655	19U401607G99	BZGG	5805
199200642P3	BZJE	5805	19040194302	BZKX	5805
190201599P1	BZJF	5805	190405255G1	BZKW	5805
198202181P1	BZJSC		190405396-50X	BZCP M	58201798494
199202181P3	BZJQA		190405396P164	BZ0Z	5805
19020223001	BZJS	58959420941	190405396P165	BZGN	5805
19020223004	BZJR	58209228702	1'0405396P166	BZH1	5805
19820223005	BZJU	5805	190405396P167	BZWX	5805
190202566P1	BZJTA		19D405396P\$68	BZCQ	s80s
19820260301	BZJT	5805	19E50008G10	9ZGR	5805
19820262001	BZLG	59359420103	19E500088G13	BZNG	5805
19820262002	BZJO	5805	19E500088G13	BZMM	5805
1912026671	BZKL	5999	19E50008808	BZE8	5805
198203025P5	BZLC	5805	19E50008809	BZCS	5805
1982030672P	BZLK	5999	1-5M56Z5	BBZFN	59618547455
199203072P1	BZLD	9535	1N198	BZFP	59614460270
1912090124P	BKJQB		1N712	BZFT	59618266631
19C3101214P	BZKB	53409446037	1N91	BZFU	59616774875
19C31084901	BZJK	6150	1N9799	BZDK	59618920748
190401142F2	BSZT8		XN9790	BZ0R	5961.
190401607064	BZDS	5805	207-360231-00	BZFN	53400850856
190401607065	BZDU	5805	261-31-12-010	BZCY	59358929607
190401607666	BZDR	5805	261-31-12-010	BZ0X	5935
190401607067	BZDX	5805	261-32-12-030	BZCX	59352370456
190401607G68	BZDV	5805	261-32-12-030	BZ0W	5935
19D401607969	BZDY	5935			
190401607969	BZDY	5805	2N1039	BZRZ	59618218977
190401607070	BZDT	5805	2N1302	BZRY	59618507646
-90401607071	BZDW	5805	2N1395	BZFW	59610805233
190401607072	BZGK		58052N1614	BZX	59610860040
190401607073	BZGF	5805	2N3053	BLD0	59619859073
190401607074	BZNC	5805	30054-1	BZDA	59357336326
19D401607G75	BZHB	5805	30054-1	BZGZ	5935
190401607079	BZHE	5805	403419304	BZLJD	
190401607680	BZHD	5805	403419305	BZLJD	
190401607082S1	BZGL	5805	403420P1	BZLJB	
190401607083	BZGJ	5805	403449503	BZJRE	
19D401607d84	BZGM	5805	403452607	BZNY	5805
190401607085	BZH0	5805	403452607	BZJW	5805
91 1401607085	BZJD	5805	4035306P21	BZLR	5330
9D4:1607U186	BZHS	5805	4035306P51	BZLT	5330
19D4 1607087S1	BZHP	5805	4035306P63	BZJTC	
19D401607088	BZNV	5805	4035338P1	BZJLG	
190D401607081S1	BZJC	5805	4036150P1	BZKA	5970
190401607089	BZHT	5805	4036555P1	BZLS	58050857218

EQUIPMENT: 19D405396-50X
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
4038477G1	BZJLC		5496735P!	BZLL	58050857236
5490407P50	BZJY	5325	5496857G3	BZCV	5805
5490407P56	BZJX	5325	5496857G3	BZG8	5805
5491541P106	BZKZ	53108505723	S496B57G3	BZGU	5805
5491541P204	BJVC		5496857G3	BZWL	5805
5491581P1	BZLJC		5496862G2	BZLB	
5492483G1	BZLJA		5498699G32	BZKY	5805
5492521P1	BZKG	5805	5498699034	BZKV	5805
5492521P2	BZKF	5805	5498720616	BZKW	5805
5492680G1	BZED	58209074749	549892%P1	BZJRC	
5492713P1	BZJLE		6011P2240-SW	BZEL	59109641345
5492750P3	BJRG		601PL3340-5W	BZEM	59100852730
5492750P3	BZJSB		7141225P2	BZKE	5310
5492901P1	BZJH	5805	714122P3	BZKD	5310
5492908P1	BZJG	5805	7491823P4	BZJL	
5492910G1	BZJVA		774524P3	BZLWA	
5492912G1	BZJV	59359995880	787845SP1	BZLJ	59403084357
492920P1	BZLR	5805	CM07F512J03	BZEJ	59400500086
549292981	BZD8	58209074748	CS13AF220M	BZEE	59108468098
5492929G1	BZGD	5820	CS138F105M	BZEG	59109040519
5492929G1	BZHA	5820	FD630S	BZJRF	59350442707
5492929G1	BZHN	5820	FD630S	BZJSA	59350442707
5492937G1	B2JR	5805	A3449-5CHTC	BZJRA	59406659982
5492956P1	BZLA	5805	M3449-SCHTC	BZJRB	59406659982
5492956P2	BZLB	5805	MS35190-223	BZKN	53059576636
5493030G1	BZCR	5805	S535206-213	BZKT	53058893116
5493030G1	BZEA	5805	H535206-215	BZKR	53058892997
5493030G1	BZGQ	5805	MS35206-226	BZKS	53059844983
549303011	WZHG	5805	M535333-37	8ZLO	53105790079
5493030G1	BZJA	5805	N210P19C13	BZKC	53109585209
5493566P1	BZJLB		N37P9021C13	BZKQ	5305
5493567G1	BZJL	61309419731	N402P5C13	BZLN	5310
5495589G182	BZEN	59500852525	N402P7C13	BZJVD	531072354t4
5495948P125	BZJLA		N403P21C13	BZLP	53102090940
5496078P3	BZJLD		N529P18C13	BZJH	5340
549608SP1	BZJVB	59359228133	N539P103	BZKM	5305
5496133G1	BZCT	62109261323	N80P13010C13	BZJVE	53050597679
5496133G1	BZEC	6210	N80P19006C13	BZKP	5305
5496133G1	BZGS	6210	N82P13010D	BZKU	5305
5496133G1	BZHJ	6210	NP248814	BZKJ	5805
5496t35G24	BZLH	5940	NP248847	BZKK	5805
5496139G8	BZGP	5805	P1010499-24B	BZLE	5325
5496139G8	BZHZ	5805	P50741A	BZJZ	5805
549621611	BZGV	5805	RC200F103J	BZDD	59051858510
5406216G2	BZCW	5945	RC20GF204J	BZDD	59051712003
549621602	BZGC	5945	RC20GF271J	BZDC	59051712006
949621602	8ZhM	5945	RC20Gf273J	BZDM	59052793499
549635603	BZLJ	5940	RC20GF512J	BZDG	59052792019
5416451G1	BZJJ	5805	RC20GF513J	BZDF	59052793496

EQUIPMENT: 19D405396-50X
**** NUMERICAL PARTS INDEX ****

MFR. PART NUMBER	ITEM NO.	FED. STOCK NO.	MFR PART NUMBER	ITEM NO.	FED STOCK NO.
RN20X69R8F	BZJRD				
RN65D1001F	BZES	59058839198			
RN65O1002F	BZFH	59050640555			
RN6501102F	BZFA	59050620537			
RN65D1334F	BRFJ	59057620643			
RN65D1471t	BZEQ	59059936012			
RN6501781t	QZFF	59059936975			
RN65D1961F	BZFB	59052258175			
RN65D2152;	BZEX	59059932268			
RN65D2372F	BZER	59059884710			
RN5g026100	BZEW	59050880987			
RN65D26120	BZET	59050602484			
RN6503161	BZFK	59059931362			
RN65D31R6F	BZFL	59059932271			
RN5OD3480t	BZEP	59059905023			
RN6503481F	BZFG	59059931363			
RN6I04642F	BRFD	59059932261			
RN65D5110o	BZRE	59059895580			
RN6505111F	BZEU	59058138640			
RN6505112F	BZFC	59059932267			
RN65D6861F	BZFR	59050602481			
RN650795It	BZEV	59059936341			
RN65D7502t	BZEY	59059903029			
RN6509092i	BZEX	59059529435			
SSD753	BZDM	59610601689			
T154X101	BECZ.	59459230411			
T154X101	BZGY	5945			
UT66	BZDJ	59610566403			
UT66	BZFS	5961			

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:


CNGB (1)	Sig Dep (Europe) (4)
USASA (2)	USAINTS (3)
USASA (PAC) (2)	JUSMAG, Korea (1)
USAMB (10)	ARADCOM (2)
ACSC-E (2)	ICC (3)
USACDCEC (5)	1st Sig Bde (10)
USACDCCEA (1)	29th Sig G-IUS-ASTRATCOM) (50)
USADCCEA Ft Huachuca (1)	Sig FL-S (Pac) J- Eur (1)
OS Maj Comd (2)	SAAD (10)
USASTRATCOM (5)	TOAD (10)
USASTRATCOM (PAC) (10)	LEAD (7)
USASTRATCOM-SIG-GP-T (6)	USACSA (2)
USASTRATCOM-CONUS (5)	USATECOM (2)
USASTRATCOM Comm Op Bn, Korea (2)	USAESC (25)
USASTRATCOM-SO (2)	USA Ascom Depot (3)
USASTRATCOM-EUR (25)	USA Cp Carroll Depot (3)
USASTRATCOM Sig Bde, Korea (5)	USA Depot, Cam Rahn Bay (3)
USASTRATCOM Sig Cen-EUR (5)	USA Depot, Long Binh (3)
USASTRATCOM Sig Cen USEUCOM (5)	USA Depot, Qui Nhon (3)
USASTRATCOM-EUR, Sig Bde (5)	USARPAC (2)
USASTRATCOM-EUR, Sig Svc Gp	USASCS (100)
#4 (3)	Units org under fol TOE:
USASTRATCOM-EUR, Sig Gp #22 (3)	(2 copies each)
USASTRATCOM Sig Gp #106 (8)	11-15
USASTRATCOM Sig Gp, Japan (3)	11-45
USASTRATCOM Rgn Comm Gp (75)	11-85
USASTRATCOM COMSEC/ Log Spt Cen (2)	11-97
USASTRATCOM Comm Op Fac, Korea (2)	11-98
USASTRATCOM Integrated Comm (2)	11-158
LOGCOMDS (5)	11-302
Eighth USA (10)	11-303
USARV (10)	11-347
USASUPCOM-CRB (6)	11-357
USASUPCOM-QN (5)	11-367
USASUPCOM-SGN (5)	11-368
USARYIS (5)	11-377
USAREUR (10)	11-500 (AA-AC)
7th USA (10)	29-118
USA Dep (Europe) (2) except	29-134
Pirmasens (10)	29-136
Sig Sec USA Dep (Europe) (4)	29-137

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 310-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

 <div style="border: 1px solid black; border-radius: 15px; padding: 5px; margin: 10px auto; width: 80%; text-align: center;"> <p><i>THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL.</i></p> </div>		SOMETHING WRONG WITH PUBLICATION		
		FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)		
PUBLICATION NUMBER		DATE SENT		
PUBLICATION DATE		PUBLICATION TITLE		
BE EXACT PIN-POINT WHERE IT IS				
PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.	<p style="text-align: center; font-weight: bold;">IN THIS SPACE, TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT.</p>
PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER			SIGN HERE	

