

6. AHW. 5. Gx 2, 1/53

DEPARTMENT OF THE
ARMY SUPPLY CATALOG

ORD 7-8 SNLG-545

N3-28

GROUP G

B I
Geregistreerd

Geregistreerd
15 Nov 1952
L.G.W. JB

ORGANIZATIONAL, FIELD, AND DEPOT MAINTENANCE ALLOWANCES

FOR

**SEMITRAILER, 6-TON, 2-WHEEL, VAN
(OLSON, MODEL LV10)**

Supersedes 7-8 portions of ORD 7-8-9 SNL G-545, 1 February 1944, including ORD 7-8 portions of C 1, 4 October 1944

Ref: TM 9-888

This catalog is correct to 23 March 1950

DEPARTMENT OF THE ARMY

MAY 1950

DEPARTMENT OF THE ARMY SUPPLY CATALOG **ORD 7-8 SNLG-545**

GROUP G

SGV TD

ORGANIZATIONAL, FIELD, AND DEPOT MAINTENANCE ALLOWANCES

FOR

**SEMITRAILER, 6-TON, 2-WHEEL, VAN
(OLSON, MODEL LV10)**

Supersedes 7-8 portions of ORD 7-8-9 SNL G-545, 1 February 1944, including ORD 7-8 portions of C 1, 4 October 1944

Ref: TM 9-888

This catalog is correct to 23 March 1950

DEPARTMENT OF THE ARMY

MAY 1950

DEPARTMENT OF THE ARMY
WASHINGTON 25, D. C., 4 May 1950

Department of the Army Supply Catalog ORD 7-8 SNL G-545 is published for the information and guidance of all concerned.

[AG 461 (10 Apr 50)]

BY ORDER OF THE SECRETARY OF THE ARMY:

OFFICIAL:

EDWARD F. WITSELL
Major General, USA
The Adjutant General

J. LAWTON COLLINS

Chief of Staff, United States Army

DISTRIBUTION:

Tech Sv (2) except 9 (50); Arm & Sv Bd (2); AFF (2); OS Maj Comd (10); Base Comd (2); MDW (3); A (20); CHQ (2); D (2); R 9 (2); Bn 9 (2); C 9 (2); FC (1); Sch (5) except 9 (50); Gen Dep (1); Dep 9 (3); PE (Ord O) (5), OSD (1); PG 9 (3); Ars 9 (3); Dist 9 (3); SPECIAL DISTRIBUTION. For explanation of distribution formula, see SR 310-90-1.

CONTENTS

	Page
INTRODUCTION.....	1
ORGANIZATIONAL MAINTENANCE ALLOWANCES:	
VEHICULAR SPARE PARTS.....	5
ORGANIZATIONAL SPARE PARTS.....	5
TOOLS AND EQUIPMENT.....	5
APPLICABLE CLEANING AND PRESERVING MATERIALS.....	5
FIELD AND DEPOT MAINTENANCE ALLOWANCES:	
GROUP 06 ELECTRICAL SYSTEM.....	7
11 REAR AXLE.....	15
12 BRAKES.....	15
13 WHEELS, HUBS, AND DRUMS.....	24
15 FRAME AND BRACKETS.....	26
16 SPRINGS AND SHOCK ABSORBERS.....	29
22 MISCELLANEOUS ACCESSORIES.....	31
23 GENERAL USE STANDARDIZED PARTS.....	31
MAINTENANCE TOOLS FOR ORDNANCE PERSONNEL.....	46
NOTES.....	46
ALPHABETICAL INDEX.....	47
ORDNANCE AND MANUFACTURERS' PART NUMBER INDEX.....	50
STOCK NUMBER INDEX.....	53

MAJOR ITEMS

The major item semitrailer, 6-ton, 2-wheel, van (Olson, Model LV10) is stored, issued, and reviewed under ORD 3 SNL G-1. This item is nonexpendable.

INTRODUCTION

1. GENERAL. *a.* This catalog contains the following information for the maintenance, overhaul, and rebuild of 6-ton 2-wheel van semitrailer (Olson, Model LV10):

(1) Equipment and spare parts issued to the *using* arm or service for performing organizational maintenance. It supplements tables of organization and equipment, tables of basic allowances, and tables of allowances.

(2) Estimated quantities of major items, component parts, and equipment stocked for maintenance and rebuild.

b. An explanation of reference symbols used throughout this catalog is included under NOTES.

c. Ordnance installations will find classification codes in ORD 5-2, Alphabetical Index to Stock List of All Items, for Federal stock numbers listed herein.

d. For prices of items contained herein, see the appropriate catalog of the ORD 5-3 series.

e. For full information relative to the Ordnance section of the Department of the Army Supply Catalog, including the purposes and uses thereof, the procedure followed, and the principles employed in its compilation, see ORD 1, Introduction and Index, and the Ordnance Provision System Regulations (OPSR).

2. REQUISITION NOTES. If the exact item requisitioned is not furnished or other action is necessary, the action taken by the supplying agency will be indicated on prescribed forms by standard symbols explaining the exact nature of the action.

Note. Requisitioning of stock items. When requisitioning an item containing the note "Issue until stock is exhausted, then use" the requisitioning agency will requisition the item being exhausted and not the superseding item, whether the supersession is to an individual item or to a kit, set, or assembly. All requisitions received by supplying agencies will be processed accordingly.

3. UNIT OF ISSUE. The Unit of Issue column lists the unit of issue used for each item. This may be in the form of an actual unit of issue, such as "oz," "lb," etc., or, as in the case of most items, merely by the use of "each" designated by "ea."

4. QUANTITY INCORPORATED IN UNIT. The Quantity Incorporated in Unit column lists the actual quantity of the part required for the particular use indicated.

5. FIELD STOCK GUIDE. *a.* The Field Stock Guide column lists the quantities of spare parts and equipment to be used as a stock guide for medium and heavy maintenance organizations and field depots.

b. In order that the Ordnance Department at large may be able to make equitable distribution of the total stock of any one item, ordnance organization commanders should limit their requisitions and stocks to the *absolute minimum* requirements that are estimated to be necessary for *each* contemplated tactical operation. The chief ordnance officer of a force is responsible that various ordnance units in the force do *not* use this *same* number of major items in computing their stocks; for example, if there is a grand total of 168 semitrailers in the entire force, each ordnance unit in the force should not claim the entire 168 semitrailers as a basis for computing its stocks. The chief ordnance officer must allocate, for spare parts stockage purposes, the number of major items of the force among the various ordnance units. See paragraphs 150 through 157, FM 9-10.

6. DEPOT GUIDE. The Depot Guide column lists the quantities of spare parts and equipment estimated to be required for 1 year's maintenance of 100 major items.

7. INITIAL STOCKAGE GUIDE. The Initial Stockage Guide column lists the quantity of parts required to rebuild 100 major assemblies included in the major item, and also the quantity of parts required to rebuild 100 major items.

Note. Quantities reflected in Initial Stockage Guide column and *not* reflected in Field and Depot columns will indicate items normally required by and issued *only* to establishments engaged in rebuild.

8. **PLAN FOR MAINTENANCE.** Maintenance operations to be performed in each category of maintenance are indicated by the availability of spare parts as shown in a particular column or a symbol signifying authority to requisition them for use in that category of maintenance.

9. **MAJOR ITEM DESIGNATION.** The major item covered by this catalog is designated a general purpose vehicle as defined in AR 700-105.

10. **COMPONENTS OF KITS, SETS, AND ASSEMBLIES.** Whenever any doubt might exist as to what items are included as components of kits, sets, or assemblies, an explanatory note or complete listing of such components is shown.

11. **ATTACHING PARTS.** Attaching parts, such as bolts, nuts, rivets, screws, washers, etc., are indented immediately under the item which they attach. Attaching parts for any attached item not procured will be found listed under their proper alphabetical listing in the appropriate group; but they will not be indented. Whenever two similar items having the same attaching parts, such as left and right brackets, are listed, they are placed one immediately following the other and the attaching parts for both are covered by a single listing under the second item.

12. **STANDARD HARDWARE AND BULK MATERIAL.** Ordnance standard hardware, and bulk material (except such items as BATTERIES; electrical material; BEARINGS; and oil SEALS) applicable to this major item are summarized in subgroups 2304.1 and 2304.2 with all procurement quantities indicated.

13. **DEFINITION OF LOCATIONAL TERMS.** All like parts pertinent to the vehicle which are not interchangeable are designated *left* or *right* with respect to the vehicle when it is viewed from the rear facing forward. The front of the vehicle is located by the landing gear.

14. **NOMENCLATURE.** *a.* Items appearing within a subgroup that lists components of and/or items applicable to only one assembly automatically assume as part of their official nomenclature the title of the pertinent subgroup. (Example—"ARM, hand crank" is an entry in subgroup 1507.15. The complete nomenclature of the item is "ARM, landing gear hand crank"; "Landing Gear" being the subgroup title.)

b. Items appearing within a subgroup that lists *more than one* assembly or *more than one* group of related items are listed with their complete nomenclature. (Example—"COVER, brake drum inspection hole" is an entry in subgroup 1312. The complete nomenclature is as shown, while the title of the subgroup is "Hubs and Drums.")

15. **HOW TO FIND PARTS.** This catalog is arranged and cross-indexed so that parts can be found easily even though only one of the several identifying factors is known. The various ways in which parts can be located are as follows:

a. If the general nomenclature only is known but the subgroup location is not, refer to the alphabetical index in the back of the catalog. This index will give the subgroup in which the part is listed in detail. As the part names (basic nouns) are arranged in alphabetical order within this subgroup, the complete listing of the part can be found readily. Exceptions are for vehicular tools and equipment and general use standard parts which are summarized in their own respective subgroups.

b. If any one of the part numbers—ordnance, manufacturer's, or stock—is known, refer to the appropriate numerical index in the back of the catalog. These indexes will give the subgroup in which the part can be found by following the procedure in the previous paragraph with same exceptions.

16. **STOCK NUMBERS.** The prefix letter and number of the stock number (i. e., G104, G103, or G067) usually signifies that the particular part or component was originally coded under the major item designation for that SNL and does NOT mean that the part is used ONLY in that major item. All subsequent lists for different vehicles will include the same stock number for this same part.

17. STANDARD GOVERNMENT GROUPING. The parts listed in this catalog are arranged by groups and subgroups and alphabetically within these groups. Parts are grouped primarily on the basis of their function rather than location. This arrangement facilitates identification and selection of parts. Refer to paragraph 15.

06—ELECTRICAL SYSTEM

- 0608 Switches and Junction Block.
- 0609.1 Tail and Clearance Lights, Lamps, and Lamp-Units.
- 0609.2 Dome Lights and Lamps.
- 0613.1 Chassis Wiring Harnesses.
- 0617 Trailer Coupling (Electric).

11—REAR AXLE

- 1100 Rear Axle Assembly.
- 1101 Axle (Beam).

12—BRAKES

- 1202.3 Service Brakes.
- 1206 Slack Adjusters.
- 1208 Air System.
- 1209.3 Air Reservoir.

13—WHEELS, HUBS, AND DRUMS

- 1311 Wheels.
- 1312 Hubs and Drums.
- 1313 Tires and Tubes.

15—FRAME AND BRACKETS

- 1506 King Pins.
- 1507.15 Landing Gear.

16—SPRINGS AND SHOCK ABSORBERS

- 1601.23 Main Springs.
- 1602 Auxiliary Springs.
- 1605.21 Radius Rods.

22—MISCELLANEOUS ACCESSORIES

- 2202 Reflectors.

23—GENERAL USE STANDARDIZED PARTS

- 2304.1 Standard Hardware, etc.
- 2304.2 Bulk Material.

18. LIST OF ABBREVIATIONS. The following is a list of abbreviations appearing in this catalog:

al.....	aluminum	in.....	inch, inches
alloy-S.....	alloy-steel	incand.....	incandescent
alws.....	allowance	int-teeth.....	internal teeth
amp.....	ampere	L.....	light (weight)
assy.....	assembly	lb.....	pound(s)
AWG.....	American Wire Gage	lgh.....	length
bay.....	bayonet (lamp base)	LH.....	left hand
bdg-hd.....	binding head	lubr.....	lubricator, lubricating, or lubrication
b-hd.....	button head	mach.....	machine
br.....	brass	maint.....	maintenance
btry.....	battery	med.....	medium
bz.....	bronze	mfr.....	manufacture
cand-bay-base.....	candelabra bayonet base	MI.....	malleable iron
cap.....	capacity	min.....	miniature
cd.....	cadmium	min.....	minimum
cold-fin-S.....	cold-finished steel	mm.....	millimeter
cop.....	copper (cuprum)	mtl.....	metal
cp.....	candlepower	NC.....	National Coarse Thread
cup-pt.....	cup-point	NF.....	National Fine Thread
dbld.....	double	ni-S.....	nickel-steel
deg.....	degree (angle)	NPT.....	National Taper Pipe Thread
diam.....	diameter	NS.....	National Form Thread, Special Pitch
dld-f/c-pin.....	drilled for cotter pin	od.....	olive-drab
ea.....	each	OD.....	outside diameter
elec.....	electric, electrician, or electrical	orgn.....	organization
ext-teeth.....	external teeth	oval-hd.....	oval head
fil.....	filament	oz.....	ounce(s)
fil-hd.....	fillister-head	phos-ctd.....	phosphate coated
fl-hd.....	flat-head	pkg.....	package
ft.....	foot (or feet)	psi.....	pounds per square inch
ga.....	gage	pt.....	pint
gal.....	gallon	pt.....	point
glvd.....	galvanized	qr.....	quire
gr.....	grade	qt.....	quart
hd.....	head	rd.....	round
hex.....	hexagonal	rd-end.....	round-end
hex-hd.....	hexagon-head	rd-hd.....	round-head
hv.....	heavy	rect.....	rectangular
ID.....	inside diameter	reg.....	regular

RH	right hand	stght	straight
ru	rubber	thd(s)	thread, threaded, threads
S	steel	thk	thick
SAE	Society of Automotive Engineers	tnd	tinned
s-fin	semifinished	trp	troop
sgle	single	tun-fil	tungsten-filament
sgle-tun-fil	single-tungsten-filament	unfin	unfinished
socket-hd	socket-head	ungr	unground
sp	special	US std	US standard
sq	square	v	volt
sq-end	square-end	w/	with
sq-hd	square-head	x	x (by, in dimensions only, as 2 x 4)
sq-nk	square-neck	yr	year
SR	single-row	zn-pltd	zinc plated
std	standard		

19. MANUFACTURERS' SYMBOLS. The following is a list of symbols preceding the part numbers for manufacturers appearing in this catalog:

<i>Symbol</i>	<i>Manufacturer</i>	<i>Symbol</i>	<i>Manufacturer</i>
AMB	American Bantam Car Co.	HBL	Hubbell, Inc., Harvey
BSM	Bussman Mfg. Co.	HG	Highway Trailer Co.
BW	Budd Wheel Co.	HLH	Holland Hitch Co.
BWE	Bendix-Westinghouse Automotive Air Brake Co.	KD	K-D Lamp Co.
CC	Chrysler Corp.	KY	Kay-Brunner Steel Products, Inc.
DM	Douglas Mfg. Co., H. A.	LFM	Lufkin Foundry & Machine Co.
DWC	Differential Wheel Corp.	LV	Luminator, Inc.
FF	Fruehauf Trailer Co.	OL	Olson Mfg. Co.
GE	General Electric Co.	TCA	Trailmobile Co. (The)
GM	General Motors Corp.	TD	Timken-Detroit Axle Co. (The)
GTT	Gramm Truck and Trailer Corp.	WEB	Warner Electric Brake Mfg. Co.

20. SUGGESTIONS. Notice of discrepancies or suggested changes should be directed to the Chief of Ordnance, WASHINGTON 25, D. C., ATTENTION: ORDFM-Pub.

(1) STOCK NO.	(2) ORDNANCE PART NO.	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) ORGANIZATIONAL ALLOWANCES PER MAJOR ITEM	(6) REFERENCE SYMBOLS
		ORGANIZATIONAL MAINTENANCE ALLOWANCES			
		VEHICULAR SPARE PARTS			
		None authorized.			
		ORGANIZATIONAL SPARE PARTS			
		Organizational spare parts are listed in column 7, Organizational Allowances, of the Field and Depot Maintenance Allowances section.			
		TOOLS AND EQUIPMENT			
		VEHICULAR TOOLS AND EQUIPMENT			
		CATALOG, ORD 7-8 SNL G-545 Organizational, Field, and Depot Maintenance Allowances.	ea	1 1	AG X
		FORM (ENVELOPE), WDAGO No 478, MWO and major unit assy replacement record and organizational equipment file.	ea	1 1	AG NX
		MANUAL, technical, 9-888	ea	1 1	AG X
		ORDER, lubr, 9-888	ea	1 1	AG X
		ORGANIZATIONAL TOOL SETS			
		None authorized.			
		APPLICABLE CLEANING AND PRESERVING MATERIALS			
		The following items, extracted from ORD 3 SNL K-1, are requisitioned as required. For usage see TM 9-850.			
38-B-2640		BRUSH, paint, flat, mtl bound, med gr, 3 x 3 1/4 in.	ea		K-1 NX
42-C-20398		CLOTH, abrasive, al oxide, sheet 9 x 11 in, gr 3/0-120 (Issue until stock is exhausted, then use CLOTH 42-C-20363-50).	qr		K-1 X
		or			
42-C-20363-50		CLOTH, abrasive, al oxide, sheet 9 x 11 in, gr 3/0-120, unit pkg 50 sheet sleeve	pkg		K-1 X
		CLOTH, wiping, cotton,			
27-C-2684-880		5 lb bag	ea		K-1 X
27-C-2690		100 lb bale	ea		K-1 X
		COMPOUND, rust preventive, L,			
14-C-349-880		5 lb	ea		K-1 X
14-C-349-890		25 lb	ea		K-1 X

¹ One each per major item to accompany matériel. Additional copies, when required, to be requisitioned, from the Adjutant General.

(1) STOCK NO.	(2) ORDNANCE PART NO.	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) ORGANIZATIONAL ALLOWANCES PER MAJOR ITEM	(6) REFERENCE SYMBOLS
ORGANIZATIONAL MAINTENANCE ALLOWANCES—Continued					
APPLICABLE CLEANING AND PRESERVING MATERIALS—Continued					
14-C-507	14-C-507	COMPOUND, rust preventive, thin film,	ea		X
14-C-507-10	14-C-507-10	1 gal.-----	ea		X
52-E-7574	52-E-7574	ENAMEL, rust inhibiting, od,			
52-E-7574-75	52-E-7574-75	1 gal.-----	ea		X
		5 gal.-----	ea		X
		ENAMEL, synthetic gloss (See ORD 3 SNL K-1 for appropriate colors)	ea		X
		ENAMEL, synthetic lustreless (See ORD 3 SNL K-1 for appropriate colors)	ea		X
		GREASE, lubr, general purpose, No 0 (QMC issue)	ea		X
		GREASE, lubr, general purpose, No 1 (QMC issue)	ea		X
		GREASE, lubr, general purpose, No 2 (QMC issue)	ea		X
		OIL, lubr, engine, 1 qt can	ea		X
		SAE 10 (QMC issue)	ea		X
		SAE 30 (QMC issue)	ea		X
		OIL, lubr, preservative, sp,			
14-O-2833-992	14-O-2833-992	2 oz (oblong screw top can)	ea		X
14-O-2833-994	14-O-2833-994	4 oz (oblong can w/spout)	ea		X
14-O-2834-10	14-O-2834-10	1 qt-----	ea		X
		PAINT, gasoline-soluble, lustreless (paste) (For removable camouflage, insignia, and identification markings) (See ORD 3 SNL K-1 for appropriate colors).	ea		X
		SOLVENT, dry cleaning (Use THINNER, paint, volatile mineral spirits).			
		SPONGE, cellulose, coarse pore, rect, size 6 (med), 1 3/8 x 3 1/4 x 5 in	ea		X
		THINNER, enamel, synthetic,			
40-S-4037	40-S-4037	1/2 pt-----	ea		X
52-T-441-75	52-T-441-75	1 gal-----	ea		X
52-T-445	52-T-445	5 gal-----	ea		X
52-T-450	52-T-450	THINNER, paint, volatile mineral spirits,	ea		X
52-T-750	52-T-750	1 gal-----	ea		X
52-T-760	52-T-760	5 gal-----	ea		X
52-T-770	52-T-770	55 gal-----	ea		X
		(Use in lieu of SOLVENT, dry cleaning.)			

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS			GUIDE PER 100 MAJOR ITEMS	STOCK (1 YR)	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
							MED MAINT	HV MAINT	DEPOT 30 DAYS					
FIELD AND DEPOT MAINTENANCE ALLOWANCES														
GROUP 06—ELECTRICAL SYSTEM														
0608—Switches and Junction Block														
G545-7366704	BSM-4532	7366704	BLOCK, fuse, 3 circuit	ea	1		1	1	1	4	5		X	
H001-1049029		101973	SCREW, wood, No 6 x 5/8 in	ea	4						**		H-1	
H004-0161860		120114	FUSE, cartridge, glass tube, 3AG, 30a mp, 1/4 x 1 1/4 (For use in circuits 25 v or less).	ea	1	0%	3	11	7	136	100		H-4	
G545-7368215	HBL-7210	7368215	RECEPTACLE, 110 v, twist lock, female	ea	2	0%	1	1	1	4	10		# X	
H101-0132776		132776	SCREW, mach, No 8-32NC-2 x 1	ea	4	0%					**		H-1	
H004-0506604		506604	SWITCH, blackout and service light, rotary, 2-pole, 2-position, slotted shaft, screw-driver operated.	ea	1	0%	1	1	1	9	17		H-4	
H001-4026501		220069	NUT, hex, 1/4-20NC-2	ea	3	0%					**		H-1	
H001-5150171		133046	SCREW, mach, 1/4-20NC-2 x 7/8	ea	3	0%					**		H-1	
H001-7025681		120380	WASHER, lock, 1/4 in	ea	3	0%					**		H-1	
G545-7368216	DM-2973 HBL-7983	7368216	SWITCH, 3-way, locking type, 110 v, exterior, w/KEY, assy (dome light).	ea	2	0%	1	1	1	9	15		G-9	
H001-4135581		134530	NUT, mach screw, No 6-32NC-2	ea	8	0%					**		H-1	
H001-5146481		132711	SCREW, mach, No 6-32NC-2 x 3/4	ea	8	0%					**		H-1	
H001-1049065		101998	SCREW, wood, No 10 x 1 in	ea	8	0%					**		H-1	
0609.1—Tail and Clearance Lights, Lamps, and Lamp-Units														
G545-7368217	OL-2748	7368217	BRACKET, mounting, tail light, left and right.	ea	2						5		X	
H001-4026521		220070	NUT, hex, 5/16-18NC-2	ea	4						**		H-1	
H101-0133138		133138	SCREW, mach, 5/16-18NC-2 x 3	ea	4						**		H-1	
H001-7025711		120214	WASHER, lock, 5/16 in	ea	4						**		H-1	
H004-0504430		504430	DOOR, blackout tail and stop light, w/LENS and FILTER, assy.	ea	1	0%	1	1	1	13	10		H-4	
H101-0132780		132780	SCREW, mach, No 8-32NC-2 x 1 1/4	ea	4	0%					**		H-1	

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	MED MAINT	HV MAINT	DEPOT 30 DAYS	GUIDE PER 100 MAJOR ITEMS	STOCK MAINT (1 YR)	PER 100 UNIT ASSY RE-BUILDS	
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 06—ELECTRICAL SYSTEM—Continued														
H004-0504432		504432	0609.1—Tail and Clearance Lights, Lamps, and Lamp Units—Continued	ea	1	%	1	1	1	1	9	8		H-4 # X
H104-0125588		125588	DOOR, blackout tail light and service tail and stop light.	ea	8	1	1	1	6	3	72	80		H-4 # X
H004-0504423		504423	LAMP, elec, incand, min, 6-8 v, sgle-tun-fil, No 55, 2 cp (sgle-contact, min bay base, G-4½ bulb, C-2R fil) (clearance light).	ea	1	1	1	1	2	1	27	12		H-4 # X
H004-0504420		504420	LAMP-UNIT, blackout stop light, sealed, 1-opening (upper), 6-8 v, 3 cp (right).	ea	2	1	1	1	2	1	53	12		H-4 # X
H004-0504417		504417	LAMP-UNIT, blackout tail light, sealed, 4-opening (lower), 6-8 v, 3 cp.	ea	1	1	1	1	3	1	32	23		H-4 # X
H004-0504446		504446	LAMP-UNIT, service tail and stop light, sealed (upper), 6-8 v, 21-3 cp, left.	ea	2	%	1	1	2	1	18	30		H-4 # X
H004-0504447		504447	LENS, blackout clearance light, blue	ea	2	%	1	1	2	1	18	30		H-4 # X
H004-0504444		504444	LENS, blackout clearance light, red	ea	2	%	1	1	2	1	18	30		H-4 # X
H004-0504445		504445	LENS, service clearance light, amber	ea	2	%	1	1	2	1	18	30		H-4 # X
H004-0504450		504450	LENS, service clearance light, red	ea	2	%	1	1	2	1	18	14		H-4 # X
H004-0504451		504451	LIGHT, clearance, blackout, 6-8 v, blue, w/(MZ-55) LAMP, assy.	ea	2	%	1	1	2	1	18	14		H-4 # X
H004-0504453		504453	LIGHT, clearance, blackout, 6-8 v, red, w/(MZ-55) LAMP, assy.	ea	2	%	1	1	2	1	18	14		H-4 # X
H004-0504454		504454	LIGHT, clearance, service, 6-8 v, amber, w/LAMP 125588.	ea	2	%	1	1	2	1	18	14		H-4 # X
H101-0164462		164462	LIGHT, clearance, service, 6-8 v, red, w/LAMP 125588.	ea	16	%						**		H-1 # X
H004-0504413		504413	SCREW, tapping, No 10-24NC-2 x 1---	ea	1	%						8		H-4 # X
H001-4167501		120375	LIGHT, tail and stop, blackout, 6-8 v, 7/8 in studs, assy.	ea	1	%						**		H-1 # X
H001-7025681		120380	NUT, hex, 1/4-20NC-2	ea	2	%						**		H-1 # X
			WASHER, lock, 1/4 in	ea	2	%						**		H-1 # X

H004-0504406	504406	LIGHT, tail and stop, blackout and service, 6-8 v, 7/8 in studs, assy.	ea	1	%	1	1	2	1	29	8	H-4 # X
H004-0506010	506010	PLUG, lamp connector, dble-contact, cand-bay-base, w/24 in long CABLE and LOOM.	ea	1	%	1	1	1	1	9	12	H-4 # X
H004-0506008	506008	PLUG, lamp connector, sgle-contact, cand-bay-base, w/24 in long CABLE and LOOM.	ea	3	%	1	1	2	1	18	20	H-4 # X
0609.2—Dome Lights and Lamps												
H104-0103642	103642	LAMP, elec, incand, min, 6-8 v, sgle-tun-fil, No 1129, 21 cp (sgle-contact, cand-bay-base, S-8 bulb, C-2V fil) (Used with LIGHT 7368221).	ea	6	1	1	1	5	2	54	60	H-4 # X
G545-7368220	7368220	LENS, dome light (Used with LIGHTS 7368221 and 7368222).	ea	6	%	1	1	1	1	11	18	G-9 # X
G545-7368221	7368221	LIGHT, dome, assy (6 v)	ea	6	%	1	1	1	1	11	18	G-9 # X
G545-7368222	7368222	LIGHT, dome, assy (110 v)	ea	6	%	1	1	1	1	11	18	G-9 # X
H001-1049029	101973	SCREW, wood, No 6 x 5/8 in	ea	48	%						**	H-1 # X
0613.1—Chassis Wiring Harnesses												
H005-0812465	15-C-2213-150	CABLE, automotive, AWG No 12, color white, tracers 3-black (100 ft rolls).	ft	†	%						**	H-5 # X
H005-0812600	15-C-2341	CABLE, automotive, AWG No 14, construction 19 x 27 tnd-cop.	ft	†	%						**	H-5 # X
H005-0812550	15-C-2266	CABLE, automotive, AWG No 14, construction 19 x 27 tnd-cop (100 ft rolls).	ft	†	%						**	H-5 # X
H005-0812455	15-C-2213-100	CABLE, automotive, AWG No 14, color white, tracers 2-black (100 ft rolls).	ft	†	%						**	H-5 # X
H005-0812460	15-C-2213-125	CABLE, automotive, AWG No 16, color white, tracer black (100 ft rolls).	ft	†	%						**	H-5 # X
G074-0100166	7165431	CLAMP, cable, S, zn-pltd, 3/4 wide, 1 1/32 long, 1/64 screw hole.	ea	2	%	1	1	2	1	18	20	M-5 # X
H004-0121600	A162441	CLIP, open, S or MI, cd or zn-pltd, 0.405 in OD tube, hole for No 10 screw.	ea	10	%	6	4	15	9	180	100	H-4 # X
H004-0328255	570089	CONNECTOR, snap terminal, 2-cable, 15 amp, bakelite, 3/8 OD x 1 3/8 long.	ea	4	%	1	1	3	1	24	60	H-4 # X
H004-0328250	570088	CONNECTOR, snap terminal, 3-cable, 15 amp, bakelite, 1 3/32 and 2 1/32 diam body x 1 3/8 long.	ea	1	%	1	1	1	1	9	15	H-4 # X
H004-0506010	506010	PLUG, lamp connector, dble-contact, cand-bay-base, w/24 in long CABLE and LOOM.	ea	1	%	1	1	1	1	9	12	H-4 # X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	GUIDE PER 100 MAJOR ITEMS	STOCK MAINT (1 YR)	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
			FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued											
			GROUP 06—ELECTRICAL SYSTEM—Continued											
			0613.1—Chassis Wiring Harnesses—Continued											
H004-0506008	-----	506008	PLUG, lamp connector, sgle-contact, cand-bay-base, w/24 in long CABLE and LOOM.	ea	3	%	1	1	2	1	27	24	-----	H-4 # X
H004-0368320	-----	507096	TERMINAL, cable, solder, eyelet, sgle-ear, cop, tnd, 0.032 in thk, insulation, No 18-14 AWG cable, hole for No 8 screw.	ea	21	%	2	2	8	4	90	200	-----	H-4 # X
H104-0200079	-----	200079	TERMINAL, cable, solder, spade (type H), dble-ear, br, cd-pltd, 0.032 in thk, No 16-14 AWG cable, slot for No 8 screw.	ea	16	%	2	2	6	3	72	100	-----	H-4 # X
H004-0370040	-----	506207	TERMINAL, cable, solderless, type A, insulation ear, 0.047 in thk, No 16-14 AWG cable, hole for No 8 screw.	ea	12	%	1	1	5	2	54	80	-----	H-4 # X
H004-0370080	-----	506208	TERMINAL, cable, solderless, type A, insulation ear, 0.047 in thk, No 16-14 AWG cable, hole for No 10 screw.	ea	11	%	1	1	4	2	50	75	-----	H-4 # X
H004-0366630	-----	507055	TERMINAL, snap, cable, male, type I, No 16-14 AWG cable.	ea	16	%	2	2	6	3	72	100	-----	H-4 # X
9400-110247	WEB-110247	A325616	0617—Trailer Coupling (Electric) BLADE, contact, receptacle (coupling socket) (Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	4	-----	-----	-----	-----	-----	-----	-----	-----	M-5 X
G544-0148520	WEB-110243	A325614	BOLT, sq-hd, br, tinned, No 10 (0.190)-32NF-2 x 1 $\frac{3}{16}$ (terminal coupling socket)	ea	4	-----	-----	-----	-----	-----	-----	-----	-----	M-5 X

9400-110589	WEB-110589	A325615	(Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	1															†	M-5	X
G074-0100092	WEB-3189	B152752	BOLT, sq-hd, S, cd-pltd, 1/4-28NF-2 x 1 13/32 (socket cap) (Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	1																G-9	X
G117-0103900	WEB-3731 WEB-3703 WEB-3169 WEB-4952	7071419	BRACKET, mounting. socket	ea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		G-9 # X
G518-7001004	WEB-4952	7001004	CABLE, coupling, w/PLUGS, assy (8 ft)	ea	1															†	M-5 # X	
G544-0169125	WEB-110634	A325611	CAP, cable plug terminal (coupling plug) (Issue until stock is exhausted, then use PLUG WEB-3695E).	ea	1															†	M-5	X
9400-20102	WEB-20102	A325612	CAP, electric brake receptacle (coupling socket) (Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	1															†	M-5	X
H004-0326450		A196340	CASE, coupling socket (Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			H-4 # X
H001-4027501		218584	CLAMP, half, S, cd-pltd, 3/4 in OD, 0.665 in thk, 1/4 in bolt hole (cable).	ea	1																	H-1 # X
H001-5025821		213880	NUT, hex, 1/4-28NF-2 (Also available as part of KIT WEB-11296A).	ea	1																	H-1 # X
H001-7025681		120380	SCREW, cap, 1/4-28NF-2 x 3/4 (Also available as part of KIT WEB-11296A).	ea	1																	H-1 # X
H004-0329000		500705	WASHER, lock, 1/4 in (Also available as part of KIT WEB-11296A).	ea	1																	H-1 # X
H001-4027501		218584	COVER, electric brake coupling socket (Includes PIN).	ea	2																	H-4 # X
H001-5025841		213888	NUT, hex, 1/4-28NF-2 (Also available as part of KIT WEB-11296A).	ea	4																	H-1 # X
H001-7025681		120380	SCREW, cap, 1/4-28NF-2 x 1	ea	4																	H-1 # X
H004-0500495		500495	WASHER, lock, 1/4 in (Also available as part of KIT WEB-11296A).	ea	4																	H-1 # X
G518-7001003	WEB-4951	7001003	GASKET, ring, coupling socket cover, ru, 1 3/4 ID, 4 1/8 OD, 1/16 thk.	ea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		H-4 # X
G525-7741031	HG-BA6455	7741031	HANDLE, coupling plug (Also available as part of KIT WEB-3695ES) (Issue until stock is exhausted, then use PLUG WEB-3695).	ea	2															†	M-5	# X
G525-7741031	HG-BA6455	7741031	HOOK, jumper cable spring	ea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			G-9 # X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO, BTRY, OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	MAINT	GUIDE PER 100 MAJOR ITEMS	STOCK (1 YR)	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
			FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued											
			GROUP 06—ELECTRICAL SYSTEM—Continued											
			0617—Trailer Coupling (Electric)—Continued											
G544-0366830	TCA-17-13-6 WEB-3528	B295030	INSERT, coupling socket (bakelite) (Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	2									G-9 X
G150-0232847	TCA-17-13-7 WEB-110417	A325613	INSULATOR, rd, canvas bakelite, 2 $\frac{5}{8}$ diam x $\frac{1}{8}$ thk, 4 holes (disk type) (Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	2									M-5 X
G074-0100007	WEB-11296A		KIT, mounting, coupling socket and cover (Issue until stock is exhausted, then use components listed as available separately). Composed of: 4 NUT, hex, $\frac{1}{4}$ -28NF-2 ² 2 SCREW, cap, $\frac{1}{4}$ -28NF-2 x $\frac{1}{2}$ 2 SCREW, cap, $\frac{1}{4}$ -28NF-2 x $\frac{3}{4}$ ² 4 WASHER, lock, $\frac{1}{4}$ in ²	ea	1									G-9 X
H001-5025811		218584 213875 213880 120380 7366639	KIT, repair, coupling cable plug (Issue until stock is exhausted, then use PLUG WEB-3695). Composed of: 1 CLAMP (in plug) 4 CLIP 1 INSULATOR 4 INSULATOR 3 NUT, mach, No 6 8 NUT, mach, No 8 2 SCREW	ea	1	%								H-1 X G-9 # X
G530-7366639	WEB-111015													
G518-7001005	WEB-110884													M-5 X
G518-7001001	WEB-110886 WEB-110889 WEB-110910	7001005 7001001												M-5 X M-5 X
H001-4135581		134530												H-1 X
H001-4135621		120622												H-1 X
	WEB-110879													

H001-5146481	132711	1 SCREW, mach, No 6	1			X
H001-1028078	100967	4 SCREW, mach, No 8				X
G518-7001418	7001418	4 TERMINAL				X
		4 WASHER				
H001-7017531	138473	2 WASHER, lock, ext-teeth, No 6				X
H001-7021651	138530	8 WASHER, lock, int-teeth, No 8				X
H001-7043561	131014	1 WASHER, plain, No 6				X
9400-3695ES	WEB-3695ES	KIT, repair, coupling cable plug (Issue until stock is exhausted, then use PLUG WEB-3695).	ea	1	†	X
G518-7001004	7001004	Composed of: 1 CAP				X
G518-7001005	7001005	1 CLAMP				X
		4 CLIP				
G518-7001001	7001001	1 HANDLE ²				X
H001-4135581	134530	1 INSULATOR				X
H001-4135621	120622	3 NUT, mach, No 6				X
		4 NUT, mach, No 8				X
		2 SCREW				
		4 SCREW				
H001-5146481	132711	1 SCREW, mach, No 6				X
G518-7001418	7001418	4 TERMINAL				X
H001-7017531	138473	2 WASHER, lock, ext-teeth, No 6				X
H001-7043561	131014	4 WASHER, plain, No 6				X
9400-111074	WEB-111074	KIT, repair, coupling socket (Issue until stock is exhausted, then use SOCKET 500703).	ea	1	†	X
		Composed of: 4 BLADE, contact ²				
		1 BOLT, cap ²				
		4 BOLT, terminal ²				
		1 CAP ²				
		1 CASE ²				
		1 INSERT ²				
		1 INSULATOR ²				
		4 NUT				
	A325617	1 NUT, hex, 1/4-28NF-2				X
	120613	1 NUT, jam, hex, 1/4-28NF-2				X
	142212	8 NUT, mach, No 10				X
	A190691	4 WASHER, cupped				X
	120423	1 WASHER, lock, int-teeth, 1/4 in				X
	115545	4 WASHER, lock, int-teeth, No 10				X
		4 WASHER, plain, br, large ²				X
		4 WASHER, plain, br, small ²				X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	MAINT	STOCK (1 YR)	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS		
			FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued											
			GROUP 06—ELECTRICAL SYSTEM—Continued											
			0617—Trailer Coupling (Electric)—Continued											
G664-7366661	WEB-7323A	736661	KIT, repair, plug (Issue until stock is exhausted, then use PLUG WEB-3695). Composed of: 4 CLAMP, cable 4 CLIP 1 INSULATOR 4 INSULATOR 3 NUT, cable, clamp and plug 8 NUT, clip screw 1 SCREW, cable clamp 4 SCREW, contact clip 2 SCREW, plug handle 1 SHIELD, plug handle 4 TERMINAL 4 WASHER, plain, No 8 8 WASHER, lock, int-teeth, No 8 2 WASHER, lock, plug handle PLUG, 4-contact, black composition, coupling cable, assy (bakelite). PLUG, 4-contact, coupling cable, assy RING, coupling socket cover, S, 3 1/8 ID, 4 1/8 OD, 0.083 thk. SOCKET, coupling, 4-contact, w/hinged cover.	ea	1	%								G-9 # X
G518-7001005	WEB-110884													M-5 X
G518-7001001	WEB-110886	7001005												M-5 X
G518-7000999	WEB-110889	7001001												M-5 X
H001-4135621	WEB-110919	7000999												H-1 X
H001-1030069	WEB-110898													H-1 X
G518-7001002	WEB-110912	120622												G-9 X
G518-7001418	WEB-110908	100740												M-5 X
G544-0583750	WEB-110880													M-5 X
9400-3695E	WEB-110879													M-5 X
H004-0500497	WEB-110970	7001002												G-9 # X
H004-0500703	WEB-110907	7001418												H-4 # X
H101-0548017	WEB-110887													H-4 # X
H001-4026501	WEB-110913													H-1 X
H001-7025681	WEB-110336	500497												H-1 X
	WEB-3695	500703												H-1 X
	WEB-3695E	548017												H-1 X
		220069												H-1 X
		120380												H-1 X

G117-0107477	WEB-3222	A173394	SPRING, extension, S, 0.080 diam stock, 1 $\frac{1}{16}$ OD, 26 $\frac{5}{8}$ in overall length (coupling cable support).	ea	1	%	1	1	1	1	1	9	15	-----	M-5	# X
G571-7698344	WEB-110110	7698344	WASHER, plain, br, cd-pltd, 1 $\frac{3}{4}$ ID, $\frac{5}{8}$ OD, 0.040 thk (small) (coupling socket) (Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	G-9	X
G147-0443074	WEB-110346	A322959	WASHER, plain, No 10 (large) (coupling socket) (Also available as part of KIT WEB-111074) (Issue until stock is exhausted, then use SOCKET 500703).	ea	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	M-5	X
G675-7703679	TD-T2090W-X-1	7703679	GROUP 11—REAR AXLE 1100—Rear Axle Assembly AXLE, w/BRAKES and HUBS, assy (Issue until stock is exhausted, then use AXLE 7097079 and other components listed as available separately).	ea	1	%	-----	-----	-----	-----	-----	-----	-----	-----	G-9	# X
G575-7097079	TD-B78-3274 W23 TD-A1-3274 J114 FF-60386	7097079	1101—Axle (Beam) AXLE (BEAM), w/integral FLANGES (Includes spindle NUTS and WASHERS).	ea	1	%	1	1	1	1	1	4	10	-----	G-9	# X
G538-7368061	TD-3268P146	7368061	GROUP 12—BRAKES 1202.3—Service Brakes ADAPTER, brake support	ea	2	-----	1	1	1	1	1	5	6	-----	G-9	X
H001-4171681	-----	121965	NUT, hex, $\frac{1}{2}$ -20NF-3	ea	4	-----	-----	-----	-----	-----	-----	-----	**	-----	H-1	X
G671-7001756	TD-15X79	7001756	SCREW	ea	4	-----	1	2	1	22	-----	24	**	-----	G-9	X
H001-7025801	-----	120384	WASHER, lock, $\frac{1}{2}$ in	ea	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	H-1	X
G509-0129087	TD-15015	7085144 A146178	BEARING, bz, 1.254 ID, 1.506 OD, 1 $\frac{1}{2}$ long.	ea	8	-----	1	2	1	18	-----	40	-----	-----	M-5	X
G509-0129085	TD-1225G85	-----	BEARING, bushing type, brake support	ea	2	-----	1	1	1	10	-----	24	-----	-----	G-9	X
G509-0126373	TD-3299B522	-----	BRACKET, brake camshaft and diaphragm, left.	ea	1	-----	1	1	1	15	-----	5	-----	-----	G-9	X
G509-0126425	TD-3299C523	-----	BRACKET, brake camshaft and diaphragm, right.	ea	1	-----	1	1	1	15	-----	5	-----	-----	G-9	X
H001-4167641	-----	120370	NUT, hex, $\frac{7}{16}$ -20NF-2	ea	8	-----	-----	-----	-----	-----	-----	-----	**	-----	H-1	X
H101-0426754	-----	426754	NUT, hex, $\frac{5}{8}$ -18NF-2	ea	4	-----	-----	-----	-----	-----	-----	-----	**	-----	H-1	X
H101-0181675	-----	181675	SCREW, cap, $\frac{7}{16}$ -20NF-3 x 2 $\frac{1}{4}$	ea	8	-----	-----	-----	-----	-----	-----	-----	**	-----	H-1	X
H001-7025771	-----	120383	WASHER, lock, $\frac{7}{16}$ in	ea	8	-----	-----	-----	-----	-----	-----	-----	**	-----	H-1	X
H001-7025861	-----	121574	WASHER, lock, $\frac{5}{8}$ in	ea	4	-----	-----	-----	-----	-----	-----	-----	**	-----	H-1	X

G510-0384922	TD-A27-3222 B210	7001697	SHOE, brake, upper, w/LINING, assy-----	ea	2	---	1	1	1	1	1	1	9	12	---	G-9	X
G509-0389792	TD-2258A53	---	SPRING, return, brake shoe-----	ea	4	---	2	1	3	2	40	40	40	---	G-9	X	
8500-1245W75	TD-1245W75	---	STRAP, brake shoe anchor pin-----	ea	2	---	1	1	1	9	12	---	G-9	X	X		
H001-5026131	---	193990	SCREW, cap, $\frac{5}{16}$ -18NC-2 x $\frac{7}{8}$ -----	ea	2	---	---	---	---	---	**	**	---	H-1	X		
H001-7025711	---	120214	WASHER, lock, $\frac{5}{16}$ in-----	ea	2	---	---	---	---	---	**	**	---	H-1	X		
G509-0384371	TD-A3211Q953	---	SUPPORT, brake shoe, w/BEARING, assy--	ea	2	---	1	1	1	4	5	---	G-9	X			
H101-0220073	---	220073	NUT, hex, $\frac{1}{2}$ -13NC-2-----	ea	12	---	---	---	---	---	**	**	---	H-1	X		
H001-0924364	---	104133	RIVET, b-hd, $\frac{1}{2}$ x $1\frac{3}{4}$ -----	ea	16	---	---	---	---	---	**	**	---	H-1	X		
H101-0122472	---	122472	SCREW, cap, $\frac{1}{2}$ -13NC-3 x $2\frac{1}{2}$ -----	ea	12	---	---	---	---	---	**	**	---	H-1	X		
H001-7025801	---	120384	WASHER, lock, $\frac{1}{2}$ in-----	ea	12	---	---	---	---	---	**	**	---	H-1	X		
G116-1843027	TD-1229R122	7014891	WASHER, spacing, brake camshaft-----	ea	4	---	1	2	1	18	20	---	G-9	X			
1206—Slack Adjusters																	
G509-0101933	BWE-217920	---	ADJUSTER, slack, left, assy-----	ea	1	%	1	1	1	4	10	---	G-9	# X	---	---	
G509-0101932	BWE-217919	---	ADJUSTER, slack, right, assy-----	ea	1	%	1	1	1	4	10	---	G-9	# X	---	---	
H002-0100243	---	147487	BALL, S, gr A, $\frac{5}{16}$ in (worm shaft) (Issue until stock is exhausted, then use KIT 7330851).	ea	2	%	---	---	---	---	---	---	---	H-2	# X	---	
G116-1528034	BWE-201225	A238202	BEARING, split, bushing type, bz, 0.499 ID, 0.626 OD, 0.533 long (Issue until stock is exhausted, then use KIT 7330851).	ea	6	%	---	---	---	---	---	---	---	M-5	# X	---	
0850-212716	BWE-212716	---	BODY, left (Issue until stock is exhausted, then use ADJUSTER BWE-217920).	ea	1	%	---	---	---	---	---	---	---	G-9	# X	---	
0850-212715	BWE-212715	---	BODY, right (Issue until stock is exhausted, then use ADJUSTER BWE-217919).	ea	1	%	---	---	---	---	---	---	---	G-9	# X	---	
G116-1540210	BWE-212631	---	COVER, body (Issue until stock is exhausted, then use KIT 7330851).	ea	4	%	---	---	---	---	---	---	---	G-9	# X	---	
G116-1596014	BWE-212629	7109344	GEAR, slack adjuster (Issue until stock is exhausted, then use KIT 7330851).	ea	2	%	---	---	---	---	---	---	---	M-5	# X	---	
G513-7330851	BWE-221382	7330851	KIT, repair----- Composed of:	ea	2	%	1	1	1	1	9	20	---	G-9	# X	---	
		147487	1 BALL, S, gr A, $\frac{5}{16}$ in ²														
			1 BEARING, bushing type, bz ²														
			2 COVER, body ²														
			1 GEAR ²														
		501591	1 PLUG, expansion, $\frac{5}{8}$ in diam ²														
		110803	1 PLUG, screw, $\frac{7}{16}$ -14NC-2 x $\frac{5}{32}$ ²														
			5 RIVET, b-hd, $\frac{5}{32}$ x $1\frac{3}{4}$ ²														
			1 SHAFT, worm ²														
			1 SPRING, worm shaft ball ²														
			1 WORM ²														
H001-0823006	---	114787	PIN, clevis, $\frac{1}{2}$ x $1\frac{13}{64}$ (slack adjuster)-----	ea	2	%	---	---	---	---	**	**	---	H-1	# X	---	
H001-0811052	---	103385	PIN, cotter, $\frac{1}{8}$ x 1-----	ea	2	%	---	---	---	---	**	**	---	H-1	# X	---	

² Also available separately.

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	STOCK GUIDE PER 100 MAJOR ITEMS	GUIDE PER 100 MAJOR ITEMS	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS		
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 12—BRAKES—Continued														
1206—Slack Adjusters—Continued														
G698-7741259	FF-901306 CC-929442	7741259	PIN, dowel, retaining washer.	ea	2	%	1	1	1	1	9	20		G-9 # X
H006-0282430		501591	PLUG, expansion, 5/8 in diam (worm shaft) (Also available as part of KIT 7330851).	ea	2	%						**		H-6 # X
H006-0283900		219188	PLUG, pipe, 1/8 in (body).	ea	2	%						**		H-6 # X
G671-7002180	BWE-201326	7002180	PLUG, screw, slotted-hd, S, 7/16-14NC-2 x 5/8 (Issue until stock is exhausted, then use KIT 7330851).	ea	2	%							†	M-5 # X
H001-0924067		110803	RIVET, b-hd, 5/32 x 1 3/4 (cover) (Also available as part of KIT 7330851).	ea	10	%						**		H-1 # X
G509-0382004	TD-10X39		SCREW, retaining washer.	ea	2	%	1	1	1	1	9	20		G-9 # X
G116-1784623	BWE-212630	7109345	SHAFT, slack adjuster worm (Issue until stock is exhausted, then use KIT 7330851).	ea	2	%							†	M-5 # X
G509-0389504	BWE-212633		SPRING, worm shaft ball (Issue until stock is exhausted, then use KIT 7330851).	ea	2	%							†	G-9 # X
G160-0443031	TD-A1229J166 FF-901304	A173491	WASHER, retaining, slack adjuster, w/ dowel, assy.	ea	2	%	1	1	1	1	9	20		M-5 # X
G671-7002179	BWE-212628	7002179	WORM, slack adjuster gear (Issue until stock is exhausted, then use KIT 7330851).	ea	2	%							†	M-5 # X
1208—Air System														
0850-210893	BWE-210893		BOOT, brake chamber (Used with CHAMBER BWE-220371).	ea	2	%	1	1	1	1	9	20		G-9 # X
G676-7014966	BWE-212741	7014966	BUSHING, reducing, brake line.	ea	4	%	1	1	1	1	9	20		G-9 # X
G594-7366032	BWE-212930	7366032	CHAIN, dummy hose coupling.	ea	2	%	1	1	1	1	9	20		G-9 # X
G509-0134581	BWE-220371		CHAMBER, brake, assy (type "C").	ea	2	%	1	1	1	1	4	8		G-9 # X
H001-4171641		121949	NUT, hex, 7/16-20NF-3.	ea	4	%						**		H-1 # X
H101-0214146		214146	SCREW, cap, 7/16-20NF-2 x 2.	ea	8	%						**		H-1 # X

H001-7025771																					H-1	#	X	
0850-200406	BWE-200406																					G-9	#	X
H001-4026501																						H-1	#	X
H001-5150171																						H-1	#	X
H001-7025681																						H-1	#	X
G098-5600050	BWE-202639																					M-5	#	X
H001-4026501																						H-1	#	X
H001-5150171																						H-1	#	X
H001-7025681																						H-1	#	X
H005-0100623																						H-5	#	X
H005-0100624																						H-5	#	X
H006-0101045																						H-6	#	X
G509-5228623	BWE-205730																					M-5	#	X
H006-0312600																						H-6	#	X
H006-0312620																						H-6	#	X
H006-0312640																						H-6	#	X
G509-7014965	BWE-220636																					G-9	#	X
H006-0221505																						H-6	#	X
H006-0221510																						H-6	#	X
0850-214232	BWE-214232																					†	M-5	X
G116-1551600	BWE-200001																					†	M-5	X
0850-201271	BWE-201271																					†	G-9	X
H006-0264442																						H-6	#	X
H006-0264042																						H-6	#	X
H006-0265475																						H-6	#	X
H006-0265110																						H-6	#	X
H006-0265480																						H-6	#	X
H006-0262500																						H-6	#	X
H006-0504375																						H-6	#	X
H006-0504255																						H-6	#	X
H006-0504257																						H-6	#	X
H006-0504258																						H-6	#	X
H006-0504361																						H-6	#	X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	MED MAINT	HV MAINT	DEPOT 30 DAYS	GUIDE PER 100 MAJOR ITEMS	STOCK MAINT (1 YR)	PER 100 UNIT ASSY RE-BUILDS	
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 12—BRAKES—Continued														
1208—Air System—Continued														
H006-0504363		504363	ELBOW, tube, extra long, 90 deg, 1/2 in (brake line).	ea	1	%						**		H-6 # X
G159-5585464	BWE-221022	C85464	FILTER, air, assy (type 'E')	ea	2	%	1	1	1	1	9	20		M-5 # X
D024-5194872	BWE-221087	A194872	FITTING, exhaust, assy (relay emergency valve).	ea	1	%	1	1	1	1	9	12		M-5 # X
H006-0504397		504397	GASKET, air brake hose connector	ea	2	%						**		H-6 # X
0850-214173	BWE-214173	A238215	GASKET, air filter dirt chamber (Issue until stock is exhausted, then use KIT BWE-221378).	ea	2								†	M-5 X
G665-7734210	BWE-214174	7734210	GASKET, flange (Issue until stock is exhausted, then use KIT BWE-221378).	ea	4								†	M-5 X
G584-7740869	GTT-2718	7740869	HOOK, dummy coupling	ea	1	%	1	1	1	1	4	5		G-9 # X
0850-215771	BWE-215771	7109699	HOSE, brake diaphragm air line, assy (42 1/2 in long) (Issue until stock is exhausted, then use HOSE 33-H-787-125 and CON-NECTOR 504395).	ea	2	%							†	M-5 # X
H007-0100405		33-H-787-125	HOSE, ID, 3/8 in, 5 ply (brake line)	ft	†	%								H-7 # X
G545-7368189	BWE-220862	7368189	HOSE, jumper, w/COUPLING, assy (7 ft 11 1/2 in long) (tractor to trailer).	ea	2	%	1	1	1	1	4	4		G-9 # X
G116-1767493	BWE-221368	7001769	KIT, quick release valve	ea	1		1	1	1	1	4	10		G-9 X
G509-7099667	BWE-203328		Composed of: 1 DAMPENER											
0850-202588	BWE-211379	7099667	1 DIAPHRAGM											G-9 X
0850-221378	BWE-202588		1 SPRING											G-9 X
	BWE-221378	7014993	KIT, repair, air filter (type 'E')	ea	1		1	1	1	1	9	30		G-9 X
	BWE-214173		Composed of: 1 GASKET, dirt chamber ¹											
	BWE-214174		2 GASKET, strainer flange ²											

Part Number	Description	QTY	Unit	Material	Notes	QTY	Unit	Material	Notes
BWE-221053	1 STRAINER (ELEMENT), filter ²	1	ea			1			
BWE-221376	KIT, repair, brake chamber (type "B")	1	ea			1			G-9
BWE-203151	Composed of:								
BWE-200001	4 BOLT	4							
BWE-214151	1 DIAPHRAGM ²	1				1			M-5
BWE-212294	4 NUT	4							M-5
BWE-212295	1 SPRING, inner	1				1			M-5
BWE-221373	1 SPRING, outer	1	ea			1			G-9
BWE-201271	KIT, repair, brake chamber (Used with CHAMBER BWE-220371).	1	ea			1			
BWE-214151	Composed of:								
BWE-212328	1 DIAPHRAGM ²	1				1			M-5
TCA-17A3-1	4 NUT	4							H-1
BWE-221371	4 SCREW	4							
BWE-214232	1 SPRING ²	1	ea			1			G-9
BWE-214233	KIT, repair, exhaust check valve	1	ea			1			
BWE-221385	Composed of:								
BWE-202692	1 DIAPHRAGM ²	1				1			H-1
BWE-202695	1 SCREW	1							H-1
BWE-221135	1 WASHER	1							M-5
BWE-202744	1 WASHER, diaphragm	1				1			G-9
BWE-211367	KIT, repair, relay emergency valve	1	ea			1			
BWE-202869	Composed of:								
BWE-204056	1 CAP	1				1			M-5
BWE-202738	1 DIAPHRAGM	1							M-5
BWE-202699	1 DIAPHRAGM, assy	1				1			G-9
BWE-203379	1 DIAPHRAGM, emergency	1				1			M-5
BWE-202693	1 GASKET, top cover	1				1			M-5
BWE-221366	1 RING, guide, diaphragm	1				1			M-5
BWE-202690	1 SPRING	1				1			M-5
BWE-202692	1 SPRING, supply valve	1				1			M-5
BWE-202695	1 STEM, valve	1				1			M-5
BWE-202735	1 VALVE, intake	1				1			M-5
BWE-211367	KIT, repair, relay valve, major	1	ea			1			G-9
BWE-202869	Composed of:								
BWE-221371	1 BUSHING, valve stem	1				1			M-5
BWE-202690	1 CAP	1							M-5
BWE-202692	1 DIAPHRAGM	1				1			M-5
BWE-202695	1 GASKET, blanking cover	1				1			M-5
BWE-202735	1 GASKET, top cover	1				1			M-5
BWE-211367	1 NUT, diaphragm guide screw	1				1			H-1
BWE-202869	1 RING, guide, diaphragm	1				1			M-5
BWE-221371	1 SCREW, cap, blanking cover	1				1			H-1

² Also available separately.

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO, BTRY, OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	STOCK PER 100 MAJOR ITEMS	MAINT (1 YR)	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS		
			FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued											
			GROUP 12—BRAKES—Continued											
			1208—Air System—Continued											
			KIT, repair, relay valve major—Continued.											
G116-1782011	BWE-204651	A238175	1 SCREW, guide, diaphragm											M-5 X
D024-5238169	BWE-202697	A238169	1 SEAT, spring, diaphragm											M-5 X
D024-5238168	BWE-202698	A238168	1 SPRING, diaphragm											M-5 X
D024-5238167	BWE-202699	A238167	1 SPRING, supply valve											M-5 X
D024-5238179	BWE-202693	A238179	1 VALVE, intake											M-5 X
D024-5238159	BWE-202696	A238159	1 WASHER, diaphragm											M-5 X
G116-1827273	BWE-221365		KIT, repair, relay valve, minor	ea	1			1	1	1	4	30		G-9 X
			Composed of:											
D024-5238158	BWE-202695	A238158	1 DIAPHRAGM											M-5 X
D024-5238166	BWE-202735	A238166	1 GASKET											M-5 X
D024-5238176	BWE-211367	A238176	1 GASKET											M-5 X
			LINE, air filter to hose coupling (Use TUBING 44-T-5080-25 and CONNECTOR 504264).											
			LINE, relay emergency valve to air filter (Use TUBING 44-T-5080-25 and CONNECTORS 504264 and 504265).											
			LINE, relay valve to reservoir (Use TUBING 44-T-5080-30 and CONNECTOR 504266).											
H006-0268310		144576	LOCKNUT, pipe, $\frac{3}{8}$ in (air brake power pipe line).	ea	4	%						**		H-6 # X
H006-0229219		192050	NIPPLE, pipe, $\frac{1}{4}$ x $\frac{7}{8}$ (close) (cut-out cock)	ea	2	%						**		H-6 # X
H006-0272465		192075	NIPPLE, pipe, $\frac{1}{2}$ x $1\frac{1}{2}$ (brake line)	ea	2	%						**		H-6 # X
H006-0504259		504259	NUT, ball sleeve compression tube fitting, $\frac{3}{8}$ in (brake line).	ea	8	%						**		H-6 # X
H006-0346200		504260	NUT, ball sleeve compression tube fitting, $\frac{1}{2}$ in (brake line).	ea	2	%						**		H-6 # X

H001-4027581	214267	NUT, hex, 1/2-20NF-2 (brake chamber yoke).	ea	2	%								H-1	X
H001-0823006	114787	PIN, clevis, 1/2 x 1 3/4 (brake chamber push rod yoke).	ea	2	%								H-1	X
H001-0811052	103385	PIN, cotter, 1/8 x 1.	ea	2	%								H-1	X
0850-210812		PLATE, pressure, chamber (Issue until stock is exhausted, then use CHAMBER BWE-220371).	ea	1	%								G-9	X
H001-4027521	221157	NUT, hex, 5/16-24NF-2.	ea	8	%								H-1	X
H001-5453841	181596	SCREW, cap, 5/16-24NF-3 x 7/8.	ea	8	%								H-1	X
H006-0283905	219190	PLUG, pipe, 1/4 in (relay emergency valve).	ea	1	%								H-6	X
H006-0283910	219198	PLUG, pipe, 3/8 in (relay emergency valve (1), reservoir (2)).	ea	3	%								H-6	X
H006-0538824	538824	RING, packing, air brake hose coupling.	ea	2	%								H-6	X
0850-215892		ROD, brake chamber (Issue until stock is exhausted, then use CHAMBER BWE-220371).	ea	2	%								G-9	X
H006-0504398	504398	SLEEVE, air brake hose connector.	ea	8	%								H-6	X
H006-0504261	504261	SLEEVE, ball, compression tube fitting, 3/8 in (brake line).	ea	7	%								H-6	X
H006-0504262	504262	SLEEVE, ball, compression tube fitting, 1/2 in (brake line).	ea	2	%								H-6	X
0850-212328		SPRING, brake chamber (Used with CHAMBER BWE-220371) (Issue until stock is exhausted, then use KIT BWE-221373).	ea	1									G-9	X
D024-5238212	A238212	STRAINER, air brake filter (Issue until stock is exhausted, then use KIT BWE-221378).	ea	2									M-5	X
H006-0386100	504272	TEE, tube, 3/8 in (brake line).	ea	2	%								H-6	X
H006-0504335	504335	TEE, tube, 3/8 in (brake line).	ea	2	%								H-6	X
H006-0504329	504329	TEE, tube, 3/8 in (brake line).	ea	2	%								H-6	X
H006-0504333	504333	TEE, tube, 1/2 in (brake line).	ea	2	%								H-6	X
0850-215703		TEE, tubing, brake line (3/8 x 3/8 x 1/2).	ea	1			1	1	1	1	4		G-9	X
G116-1882400		TEE, tubing, brake line (manifold type, 3/8 x 1/4 x 1/4).	ea	1			1	1	1	1	4		G-9	X
H007-0218110	44-T-5080-25	TUBING, seamless, size 3/8 in (brake line).	ft	†	%								H-7	X
H007-0218135	44-T-5080-30	TUBING, seamless, size 1/2 in (brake line).	ft	†	%								H-7	X
G098-2400442		UNION, emergency repair, brake hose.	ea	1	%			1	1	1	9		G-9	X
H006-0388100	504270	UNION, tube, 3/8 in (brake line).	ea	2	%								H-6	X
G160-0427267	7014961	VALVE, relay emergency, assy.	ea	1				1	1	1	9		G-9	X
H001-4027541	225831	NUT, hex, 3/8-24NF-2.	ea	2									H-1	X
H001-5027131	213928	SCREW, cap, 3/8-24NF-2 x 1.	ea	2									H-1	X
H001-7025741	120382	WASHER, lock, 3/8 in.	ea	4									H-1	X
G116-1882431		YOKE, brake chamber, w/PIN, assy.	ea	2	%			1	1	1	4		G-9	X
G671-7001677	7001677	YOKE, push rod end.	ea	2	%			1	1	1	9		M-5	X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS	
							STOCK GUIDE PER 100 MAJOR ITEMS	MED MAINT	HV MAINT	DEPOT 30 DAYS	GUIDE PER 100 MAJOR ITEMS	STOCK (1 YR) MAINT	PER 100 UNIT ASSY RE-BUILDS		PER 100 MAJOR ITEM RE-BUILDS
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued															
GROUP 12—BRAKES—Continued															
1209.3—Air Reservoir															
G160-0125865	BWE-205267	7205012	BRACKET, air reservoir.....	ea	2							10		X	
H101-0191850		191850	BOLT, sq-hd, 3/8-16NC-2 x 6.....	ea	2							**		X	
H001-4026541		220071	NUT, hex, 3/8-16NC-2.....	ea	2							**		X	
H001-7025741		120382	WASHER, lock, 3/8 in.....	ea	2							**		X	
H006-0100805		7205007	COCK, drain, 1/4 in male pipe end.....	ea	1	0%						**		X	
		A159378													
H006-0283910		219198	PLUG, pipe, 3/8 in.....	ea	2	0%						**		X	
G160-0367615	BWE-215660	B169300	RESERVOIR, air, assy.....	ea	1							5		X	
GROUP 13—WHEELS, HUBS, AND DRUMS															
1311—Wheels															
H012-6128640		705337	CONE, tapered roller bearing, No TIM-5557 (includes rollers and cage, SR, type TS, 2.6875 bore, 2.0355 width) (inner and outer).	ea	4	0%		1	1	6	3	72	100		H-12 # X
H012-6212620		706783	CUP, tapered roller bearing, No TIM-5520 (SR, type TS, 4.7343 OD, 1.4375 width) (inner and outer).	ea	4	0%		1	1	6	3	72	100		H-12 # X
G116-0302200	TD-AT6880	7698578	NUT, adjusting, bearing, inner.....	ea	2	0%		1	1	2	1	18	30		G-9 # X
		A168829													
G508-6143571	TD-T3564	B166563	NUT, lock, wheel hub bearing.....	ea	2	0%		1	1	2	1	18	30		M-5 # X
H014-0537805		537805	NUT, cap, hex, S, cd or zn-pltd, 1 1/8-16NF-2 (stud, outer right).	ea	10	0%		6	4	12	8	150	50		H-14 # X
H014-0537808		537808	NUT; cap, hex, S, olive-drab, 1 1/8-16NF-2 LH (stud, outer left).	ea	10	0%		6	4	12	8	150	50		H-14 # X

H014-0537809	537809	NUT, cap, S, cd or zn-pltd, 3/4-16NF-2 inner thread, 1 1/8-16NS-3 outer thread (stud, inner right).	ea	10	%	6	4	12	8	150	50	H-14 # X
H014-0537810	537810	NUT, cap, S, cd or zn-pltd, 3/4-16NF-2 LH, inner thread, 1 1/8-16NS-3 LH, outer thread (stud inner left).	ea	10	%	6	4	12	8	150	50	H-14 # X
H001-4171800	117054	NUT, hex, 3/4-16NF-3 (wheel to hub stud, inner).	ea	20	%						**	H-1 # X
G509-0367750	TD-1205M117	RETAINER, bearing felt washer, inner	ea	2	%	2	2	4	2	45	100	G-9 # X
G509-0367785	TD-1205L116	RETAINER, bearing felt washer, outer	ea	2	%	2	2	4	2	45	100	G-9 # X
G509-7701108	BW-21863E4	RING, locking, wheel	ea	4	%	1	1	1	1	18	20	G-9 # X
H014-0537941	537941	STUD, shoulder, alloy-S, 3/4-16NF-2 x 1 1/32 LH nut end x 3/4-16NF-2 x 1 31/32 stud end (left).	ea	10	%	1	1	3	2	40	60	H-14 # X
H014-0537944	537944	STUD, shoulder, alloy-S, 3/4-16NF-2 x 1 1/32 nut end x 3/4-16NF-2 x 1 31/32 stud end (right).	ea	10	%	1	1	3	2	40	60	H-14 # X
G102-0307225	TD-T3840	WASHER, axle or cross beam spindle	ea	2	%	1	1	1	1	18	20	M-5 # X
G509-0443017	TD-1229W283	WASHER, bearing (felt)	ea	2	%	2	1	3	2	36	40	G-9 # X
G510-0180654	TD-5X139	WASHER, bearing (felt)	ea	2	%	2	1	3	2	36	40	G-9 # X
G545-5577518	BW-44480	WHEEL, disk (24 x 8.37, 10 hole, 1 1/4 in bolt circle).	ea	5	%	1	1	1	1	7	10	G-9 # X
1312—Hubs and Drums												
G213-7085163	TD-3262E31	CAP, hub	ea	2	%	1	1	1	1	9	10	G-9 # X
8500-2X43	TD-2X43	SCREW, 1/2-13 x 1 3/8	ea	12	%	1	1	5	2	54	60	G-9 # X
H001-7025801		WASHER, lock, 1/2 in	ea	12	%						**	H-1 # X
G067-3140084	TD-1107C29	COVER, brake drum inspection hole	ea	2	%	1	1	1	1	10	10	M-5 # X
H101-0214384		SCREW, cap, 3/8-16NC-2 x 1/2	ea	2	%						**	H-1 # X
H001-7025741		WASHER, lock, 3/8 in	ea	2	%						**	H-1 # X
G509-0156602	TD-3219D1460	DRUM, brake	ea	2	%	1	1	1	1	10	18	G-9 # X
G509-0193817	TD-2208A105	GASKET, hub cap	ea	2	%	1	1	4	2	45	100	G-9 # X
G509-0221026	TD-A333W179	HUB, w/bearing CUPS, assy	ea	2	%	1	1	1	1	16	16	G-9 # X
8500-B43-333	TD-B43-333	HUB, w/DRUM, left, assy (Issue until stock is exhausted, then use HUB TD-A333 W179 and DRUM TD-3219D1460).	ea	1	%							G-9 # X
8500-B42-333	TD-B42-333	HUB, w/DRUM, right, assy (Issue until stock is exhausted, then use HUB TD-A333W179 and DRUM TD-3219D1460).	ea	1	%							G-9 # X
G587-7365806	TD-B41-333	HUB, w/STUDS, left, assy (Issue until stock is exhausted, then use HUB TD-A333 W179).	ea	1	%							G-9 # X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS			GUIDE PER 100 MAJOR ITEMS		PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
							MED MAINT	HV MAINT	DEPOT 30 DAYS	MAINT (1 YR)	STOCK (1 YR)			
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 13—WHEELS, HUBS, AND DRUMS—Continued														
1312—Hubs and Drums—Continued														
G587-7365807	TD-B40-333 W179	7365807	HUB, w/STUDS, right, assy (Issue until stock is exhausted, then use HUB TD-A333W179).	ea	1	%	1	1	2	1	18	20	†	G-9 # X
G509-0386500	TCA-7-15-3 TD-3280D30		SLINGER, oil, brake drum	ea	2	%	1	1	2	1	18	20		G-9 # X
1313—Tires and Tubes														
H014-0520944		520944	CAP, tire valve, screwdriver type	ea	4	1	2	2	8	4	90	400		H-14 # X
H014-0501229		501229	CORE, tire valve (Box of 5)	ea	4	1	2	2	8	4	90	200		H-14 # X
G525-7701730	DWC-1425 SV-30804 SV-8706	7701730	HOSE, air, extension (For inflation of inner tire).	ea	1	%	1	1	1	1	9	5		G-9 # X
H014-0514440		514440	TIRE, pneumatic, truck and bus, 10 ply, regular tread, 9.00-20 (new).	ea	5	%	2	2	8	4	90	100		H-14 # X
H014-0519444		519444	TUBE, pneumatic, tire, truck and bus, 9.00-20 (new).	ea	5	%	2	2	8	4	90	100		H-14 # X
GROUP 15—FRAME AND BRACKETS														
1506—King Pins														
G712-7067973	TCA-2-52-14 TCA-2-52-9 LFM-B1406 HLH-T417H FF-651305 AMB-15353	7067973	PIN, king	ea	1		1	1	1	1	4	10		G-9 X

1507.15—Landing Gear

G587-7365814	HLH-H27	7365814	ARM, hand crank	ea	1	1	1	1	1	9	5	G-9	X
H001-4026541		220071	NUT, hex, $\frac{3}{8}$ -16NC-2	ea	1						**	H-1	X
H001-5026811		213746	SCREW, cap, $\frac{3}{8}$ -16NC-2 x 2 $\frac{1}{2}$	ea	1						**	H-1	X
H001-7045591		120388	WASHER, plain, $\frac{3}{8}$ in.	ea	2						**	H-1	X
G587-7365809	HLH-H324	7365809	AXLE, support leg	ea	1	1	1	1	1	4	5	G-9	X
H101-0220073		220073	NUT, hex, $\frac{1}{2}$ -13NC-2	ea	4						**	H-1	X
H101-0213833		213833	SCREW, cap, $\frac{1}{2}$ -13NC-2 x 3 $\frac{1}{2}$	ea	4						**	H-1	X
H001-7025801		120384	WASHER, lock, $\frac{1}{2}$ in.	ea	4						**	H-1	X
H012-0709690		709690	BEARING, ball, No NC-610- $\frac{1}{4}$ (thrust, banded type, ungr, sp, 1.018 bore, 1.750 OD, 0.625 width) (operating shaft (1); hand crank shaft (1)).	ea	2	1	1	1	1	9	15	H-12	X
G530-7366620	HLH-H316	7366620	BEARING, bushing type, support leg, upper	ea	2	1	1	1	1	9	16	G-9	X
G587-7365810	HLH-H204	7365810	BEARING, thrust, operating shaft, rear	ea	1	1	1	1	1	4	8	G-9	X
H001-4026541		220071	NUT, hex, $\frac{3}{8}$ -16NC-2	ea	1						**	H-1	X
H101-0217178		217178	SCREW, cap, $\frac{3}{8}$ -16NC-2 x 4	ea	1						**	H-1	X
H001-7025741		120382	WASHER, lock, $\frac{3}{8}$ in.	ea	1						**	H-1	X
G588-7365811	HLH-H305B	7365811	BOLT, hinge, support leg, w/NUT, assy.	ea	2	1	1	1	1	9	18	G-9	X
G530-7366643	HLH-H215	7366643	BOX, miter gear	ea	1	1	1	1	1	4	10	G-9	X
4410-H322	HLH-H322		BRACE, back, support leg	ea	2	1	1	1	1	5	10	G-9	X
G587-7365812	HLH-H327	7365812	BRACE, cross, support leg	ea	2	1	1	1	1	5	10	G-9	X
H101-0220073		220073	NUT, hex, $\frac{1}{2}$ -13NC-2	ea	5						**	H-1	X
H101-0217179		217179	SCREW, cap, $\frac{1}{2}$ -13NC-2 x 1 $\frac{1}{4}$	ea	5						**	H-1	X
H001-7025801		120384	WASHER, lock, $\frac{1}{2}$ in.	ea	5						**	H-1	X
4410-H26	HLH-H26		BRACKET, crank shaft	ea	1						5	G-9	X
4410-H201A	HLH-H201A		BRACKET, guide, operating shaft	ea	1						10	G-9	X
4410-H202	HLH-H202		BRACKET, mounting, operating shaft housing.	ea	1						5	G-9	X
4410-H303B	HLH-H303B		BRACKET, support leg to frame	ea	2						5	G-9	X
H001-4027581		214267	NUT, hex, $\frac{1}{2}$ -20NF-2	ea	8						**	H-1	X
H101-0214192		214192	SCREW, cap, $\frac{1}{2}$ -20NF-2 x 1 $\frac{1}{2}$	ea	8						**	H-1	X
H001-7025801		120384	WASHER, lock, $\frac{1}{2}$ in.	ea	8						**	H-1	X
4410-H72	HLH-H72		CAP, support leg axle wheel	ea	2	1	1	1	1	9	16	G-9	X
H001-4026541		220071	NUT, hex, $\frac{3}{8}$ -16NC-2	ea	2						**	H-1	X
H101-0213752		213752	SCREW, cap, $\frac{3}{8}$ -16NC-2 x 3	ea	2						**	H-1	X
H001-7025741		120382	WASHER, lock, $\frac{3}{8}$ in.	ea	2						**	H-1	X
4410-H114	HLH-H114		COUPLING, hand crank shaft to miter gear stub shaft.	ea	1	1	1	1	1	4	10	G-9	X
H001-4026541		220071	NUT, hex, $\frac{3}{8}$ -16NC-2	ea	2						**	H-1	X
H001-5026811		213746	SCREW, cap, $\frac{3}{8}$ -16NC-2 x 2 $\frac{1}{2}$	ea	2						**	H-1	X
H001-7025741		120382	WASHER, lock, $\frac{3}{8}$ in.	ea	2						**	H-1	X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO, BTRY, OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	MAINT	STOCK (1 YR)	GUIDE PER 100 MAJOR ITEMS	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 15—FRAME AND BRACKETS—Continued														
1507.15—Landing Gear—Continued														
G560-7366742	HLH-H218	7365813	COVER, dust, operating shaft housing	ea	1		1	1	1	1	5	8		G-9
H101-0127738		127738	SCREW, drive, No 10 x 1/2	ea	2							**		H-1
H001-5150131		120628	SCREW, mach, 1/4-20NC-2 x 1/2	ea	1							**		H-1
H001-7025681		120380	WASHER, lock, 1/4 in.	ea	1							**		H-1
H001-7043681		120392	WASHER, plain, 1/4 in.	ea	1							**		H-1
4410-H215A	HLH-H215A		COVER, miter gear box	ea	1			1	1	1	4	5		G-9
H101-0131303		131303	BOLT, sq-hd, 5/16-18NC-2 x 1	ea	2							**		H-1
H101-0120373		120373	NUT, sq, 5/16-18NC-2	ea	2							**		H-1
H001-7043711		120393	WASHER, plain, 5/16 in.	ea	2							**		H-1
4410-H227	HLH-H227		CRANK, hand, assy (Includes ARM and HANDLE)	ea	1							10		G-9
H001-4026541		220071	NUT, hex, 3/8-16NC-2	ea	1							**		H-1
H001-5026811		213746	SCREW, cap, 3/8-16NC-2 x 2 1/2	ea	1							**		H-1
H001-7045591		120388	WASHER, plain, 3/8 in.	ea	2							**		H-1
45-F-448-200		45-F-448-200	FITTING, lubr, 1/8-27NPT (support leg)	ea	2							**		K-3
G587-7365815	HLH-H37	7365815	GASKET, miter gear box cover	ea	1						9	20		G-9
4410-H106	HLH-H106		GEAR, miter (operating shaft (1), stub shaft (1))	ea	2						4	10		G-9
G575-7365745	HLH-H653	7365745	HANDLE, hand crank arm	ea	1						9	15		G-9
H101-0220073		220073	NUT, hex, 1/2-13NC-2	ea	1							**		H-1
H101-0426993		426993	SCREW, cap, 1/2-13NC-2 x 6	ea	1							**		H-1
H001-7045651		120390	WASHER, plain, 1/2 in.	ea	1							**		H-1
G530-7366621	HLH-H122	7366621	HOLDER, hand crank	ea	1						9	16		G-9
G530-7366622	HLH-H217	7366622	HOUSING, operating shaft	ea	1							5		G-9
H001-4026541		220071	NUT, hex, 3/8-16NC-2	ea	1							**		H-1
H101-0217178		217178	SCREW, cap, 3/8-16NC-2 x 4	ea	1							**		H-1
H001-7025741		120382	WASHER, lock, 3/8 in.	ea	1							**		H-1
4410-H31	HLH-H31		KEY, gib, operating shaft miter gear	ea	1						9	20		G-9

H001-0518035																			X
4410-H321L	HLH-H321L	113782	KEY, Woodruff, 1/4 x 1 (hand crank shaft)	ea	1														H-1
4410-H321R	HLH-H321R		LEG, support, lower left	ea	1							1		1					G-9
H101-0548093		548093	LEG, support, lower right	ea	1							1		1					G-9
H101-0220085		220085	BOLT, carriage, 5/8-11NC-2 x 3 1/2	ea	4													**	H-1
H001-7025861		121574	NUT, hex, 5/8-11NC-2	ea	4													**	H-1
4410-H320A	HLH-H320A		WASHER, lock, 5/8 in.	ea	4													**	H-1
H101-0220073		220073	LEG, support, upper, w/BEARING, assy.	ea	2							1		1				10	G-9
H101-0213833		213833	NUT, hex, 1/2-13NC-2	ea	4													**	H-1
H001-7025801		120384	SCREW, cap, 1/2-13NC-2 x 3 1/2	ea	4													**	H-1
4410-H205A	HLH-H205A		WASHER, lock, 1/2 in.	ea	4													**	H-1
H101-0220088		220088	NUT, guide, operating shaft	ea	1							1		1				10	G-9
H101-0219760		219760	NUT, hex, 1-8NC-2 (support leg hinge bolt)	ea	2					%								**	H-1 #
G665-7366554	HLH-H214C	7366554	NUT, jam, 1-14NF-2 (miter gear)	ea	1													**	H-1
H001-0811134		179097	PIN, hinge, back brace to guide bracket	ea	1						1		1					14	G-9
4410-H323	HLH-H323		PIN, cotter, 3/8 x 4 in.	ea	3													**	H-1
H001-0811099		103420	PIN, hinge, back brace to support leg	ea	2							1		1				18	G-9
H001-0824048		103597	PIN, cotter, 1/4 x 1 1/2	ea	2													**	H-1
4410-H201B	HLH-H201B		PIN, taper, No 3 x 1 3/4 (miter gear)	ea	1													**	H-1
4410-H216	HLH-H216		ROLLER, operating shaft guide bracket	ea	4						1	1	2	1		18	20	G-9	
4410-H209A	HLH-H209A		SHAFT, operating shaft guide bracket	ea	1						1	1	1	1		9	16	G-9	
4410-H212	HLH-H212		SHAFT, hand crank	ea	1						1	1	1	1		9	14	G-9	
H101-0131048		131048	SHAFT, operating, support leg (screw type)	ea	1						1	1	1	1		4	8	G-9	
G665-7366558	HLH-H36	7366558	SHAFT, stub, miter gear	ea	1						1	1	1	1			**	H-1 #	
G665-7366559	HLH-H39	7366559	WASHER, lock, 1 in (support leg hinge bolt nut).	ea	2					%								12	G-9
G545-7703994	HLH-H314	7703994	WASHER, spacing, operating shaft miter gear.	ea	2						1	1	1	1		9	14	G-9	
G545-7368205	OL-2903	7368205	WASHER, thrust, operating shaft miter gear.	ea	1						1	1	1	1		9	14	G-9	
G545-7368206	OL-2757	7368206	WHEEL, disk, support leg axle	ea	2					%						5	10	G-9 #	
G545-7368193	OL-106	7368193	GROUP 16—SPRINGS AND SHOCK ABSORBERS																
G545-7368196	KY-P3441L	7368196	1601.23—Main Springs																
G545-7368197	KY-P3441R	7368197	BOLT, center	ea	2						1						36	20	# X
G545-7368201	OL-2906	7368201	BOLT, "U," main and auxiliary spring	ea	4					%		1					54	30	# X
G545-7368202	OL-2905	7368202	BRACKET, axle, lower	ea	2					%		1					9	8	# X
H001-4026541		220071	BRACKET, axle, upper, left	ea	1					%		1					4	5	# X
H101-0217178		217178	BRACKET, axle, upper, right	ea	1					%		1					4	5	# X
45-F-448-200		45-F-448-200	CLIP, leaf, large	ea	4					%		1				18	20	# X	
G545-7368203	OL-2901	7368203	CLIP, leaf, small	ea	4					%		1			18	20	20	# X	
			NUT, hex, 3/8-16NC-2	ea	8					%								**	H-1
			SCREW, cap, 3/8-16NC-2 x 4	ea	8					%								**	H-1
			FITTING, lubr, 1/8-27NPT (spring hanger)	ea	4					%								**	K-3
			LEAF, No 1	ea	2					%		1					9	12	X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS GO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	STOCK GUIDE PER 100 MAJOR ITEMS	STOCK (1 YR)	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS		
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 16—SPRINGS AND SHOCK ABSORBERS—Continued														
1601.23—Main Springs—Continued														
G545-7368192	OL-2902	7368192	LEAF, No 2	ea	2		1	1	1	1	9	12		X
H101-0218585		218585	NUT, hex, 7/16-20NF-2 (center bolt)	ea	2	%						**		H-1
H001-4026641		220086	NUT, hex, 3/4-10NC-2 ("U" bolt)	ea	8	%						**		H-1
G545-7368195	OL-104	7368195	SEAT, "U" bolt	ea	2	%	1	1	1	1	9	8		X
G545-7368194	OL-2749	7368194	SPACER, auxiliary to main spring	ea	2	%	1	1	1	1	5	6		X
G545-7368204	OL-2909	7368204	SPACER, leaf clip	ea	12	%	1	1	3	1	32	24		X
G545-7362776	OL-M2712	7362776	SPRING, main, assy	ea	2	%	1	1	1	1	9	8		X
H101-0131046		131046	WASHER, lock, 3/4 in ("U" bolt)	ea	8	%						**		H-1
1602—Auxiliary Springs														
G545-7368210	OL-2913	7368210	BOLT, center	ea	2	%	1	1	2	1	18	24		X
G545-7368207	OL-2914	7368207	CLIP, leaf	ea	4	%	1	1	1	1	9	16		X
G545-7368208	OL-2910	7368208	LEAF, No 1	ea	2		1	1	1	1	11	18		X
G545-7368209	OL-2911	7368209	LEAF, No 2	ea	2		1	1	1	1	9	16		X
H101-0218585		218585	NUT, hex, 7/16-20NF-2 (center bolt)	ea	2	%						**		H-1
G545-7362777	OL-H2712	7362777	SPRING, auxiliary, assy	ea	2	%	1	1	1	1	9	16		X
1605.21—Radius Rods														
G665-7366537		7366537	BEARING, bushing type, front (swivel)	ea	2	%	1	1	1	1	9	15		X
G545-7368190	OL-2760	7368190	BEARING, bushing type, rear	ea	2	%	1	1	1	1	9	15		X
G545-7368188	OL-2709	7368188	BOLT (sleeve or swivel)	ea	4	%	.2	2	2	2	18	30		X
H001-0125071		125071	NUT, castle, 7/8-14NF-2 (rear pin)	ea	4	%						**		H-1
H101-0125079		125079	NUT, castle, 1-14NF-2 (adjusting sleeve bolt (2), swivel bolt (2))	ea	4	%						**		H-1
H101-0220095		220095	NUT, hex, 1 1/4-7NC-2 (adjusting sleeve bolt)	ea	2	%						**		H-1
H001-0811056		103389	PIN, cotter, 1/8 x 2 (rear pin nut (2), sleeve bolt nut (2))	ea	4	%						**		H-1
G545-7368191	OL-2758	7368191	PIN, front	ea	2	%	1	1	1	1	9	15		X

X
X
X
X
X

M-5 # X
M-5 # X
H-1 # X
H-1 # X
H-1 # X
H-1 # X

H-2 # X
H-1 # X

H-1 # X
H-1 # X
H-1 # X

H-1 # X
H-1 # X
H-1 # X

H-1 # X
H-1 # X

H-1 # X
H-1 # X
H-1 # X
H-1 # X

15
15
15
15
15

40
40
**
**
**
**

10
64

48
64
12

192
6
108

20
32

48
24
100
32

9
9
9
9
9

36
36

70
48

32
56
8

128
4
96

16
24

32
16
90
28

1
1
1
1
1

2
2

7
5

3
6
1

13
1
10

2
2

3
2
9
3

1
1
1
1
1

3
3

18
12

8
14
2

32
1
24

4
6

8
4
23
7

1
1
1
1
1

1
1

9
6

4
7
1

16
1
12

2
3

4
2
11
3

1
1
1
1
1

1
1

9
6

4
7
1

16
1
12

2
3

4
2
12
4

%
%
%
%
%

%
%
%
%
%
%

%
%

%
%
%

%
%
%

%
%

%
%
%
%

2
2
2
2
2

4
4
16
16
16
16

†
†

†
†
†

†
†
†

†
†

†
†
†
†

ea
ea
ea
ea
ea

ea
ea
ea
ea
ea
ea

ea
ea

ea
ea
ea

ea
ea
ea

ea
ea

ea
ea
ea
cc

PIN, rear
ROD, radius, w/BEARING, assy
SLEEVE, connecting
SPACER, outer
SWIVEL, w/BEARING, assy

GROUP 22—MISCELLANEOUS ACCESSORIES

2202—Reflectors

REFLECTOR, amber, 4½ in diam
REFLECTOR, ruby, 4½ in diam
NUT, hex, ¼-20NC-2
SCREW, mach, ¼-20NC-2 x 7/8
SCREW, tapping, No 10 x 1¼ in
WASHER, lock, ¼ in

GROUP 23—GENERAL USE STANDARDIZED PARTS

2304.1—Standard Hardware, etc.

BALL, S, grade A, 5/16 in
BOLT, carriage, rd-hd, sq-nk, S, cd or zn-pltd, w/nut, 5/8-11NC-2 x 3½
BOLT, carriage, rd-hd, sq-nk, S, cd or zn-pltd, w/nut:
¼-20NC-2 x 3½
5/8-16NC-2 x 2¼
BOLT, hex-hd, regular series, S, cd or zn-pltd, 3/4-16NF-2 x 4¼
BOLT, hex-hd, s-fin, alloy-S, cd or zn-pltd:
3/8-24NF-2 x 2
½-20NF-2 x 4
BOLT, hex-hd, s-fin, S, cd or zn-pltd, 3/8-24NF-2 x 1¼
BOLT, sq-hd, unfin, S:
½-13NC-2 x 2¾
½-13NC-2 x 3¼
BOLT, sq-hd, unfin, S, cd or zn-pltd:
5/16-18NC-2 x 1
5/16-18NC-2 x 2
3/8-16NC-2 x 1
3/8-16NC-2 x 3

7368214
7368211
7368212
7368213
7368187

506102
506101
220069
133046
161930
120380

147487
548093

548017
548036
428838

223676
223715
223673

109224
109226

131303
426924
191845
190882

OL-2759
OL-2800
OL-2708
OL-2804
OL-P2950
KY-P2950

G545-7368214
G545-7368211
G545-7368212
G545-7368213
G545-7368187

H017-0506102
H017-0506101
H001-4026501
H001-5150171
H101-0161930
H001-7025681

H002-0100243
H101-0548093

H101-0548017
H101-0548036
H101-0428838

H101-0223676
H101-0223715
H101-0223673

H101-0109224
H101-0109226

H101-0131303
H101-0426924
H101-0191845
H101-0190882

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) CO. BTRY. OR TRP. ORGN ALWS	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	GUIDE PER 100 MAJOR ITEMS	STOCK MAINT (1 YR)	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
<p>FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued</p> <p>GROUP 23—GENERAL USE STANDARDIZED PARTS—Continued</p> <p>2304.1—Standard Hardware, etc.—Continued</p>														
H101-0426932		426932	BOLT, sq-hd, unfin, S, cd or zn-pltd—Continued	ea	†	%	13	12	25	10	100	120		H-1 # X
H101-0191850		191850		ea	†	%	3	2	5	2	20	24		H-1 # X
H101-0426937		426937		ea	†	%	6	6	12	5	48	60		H-1 # X
H101-0426938		426938		ea	†	%	1	1	2	1	6	8		H-1 # X
H101-0148334		148334		ea	†	%	3	2	5	2	18	24		H-1 # X
H101-0432757		432757		ea	†	%	1	1	1	1	4	8		H-1 # X
<p>BUSHING, bz, type 1 (material):</p>														
H001-2012820		542045	1 x 1 1/4 x 1 3/4 long	ea	†	%	7	7	14	6	56	48		H-1 # X
H001-2012880		542048	1 x 1 1/4 x 2 1/2 long	ea	†	%	4	3	7	3	28	24		H-1 # X
H001-2012920		542050	1 x 1 1/4 x 3 long	ea	†	%	11	10	21	8	84	72		H-1 # X
<p>BUSHING, pipe, shoulder, MI, glvd:</p>														
H006-0210030		144035	1/4 x 1/8	ea	†	%	7	7	14	6	56	48		H-6 # X
H106-0144039		144039	1/2 x 3/8	ea	†	%	4	3	7	3	28	24		H-6 # X
H006-0100805		7205007	COCK, drain, spring key, tee-handle, br, 1/4 in male pipe end.	ea	†	%	2	2	4	1	14	12		H-6 # X
H006-0101045		A159378 504395	CONNECTOR, air brake hose, 1/4 in male pipe end, assy.	ea	†	%	6	6	12	5	48	60		H-6 # X
H006-0570054		570054	CONNECTOR, tube, compression, ball sleeve, air service, br, 3/8 in tube, 3/8 in female pipe end, assy.	ea	†	%	8	7	15	6	60	75		H-6 # X
<p>CONNECTOR, tube, compression, ball sleeve, air service, br:</p>														
H006-0312600		504264	3/8 in tube, 1/4 in male pipe end, assy	ea	†	%	6	6	12	5	48	60		H-6 # X
H006-0312620		504265	3/8 in tube, 3/8 in male pipe end, assy	ea	†	%	2	1	3	1	12	15		H-6 # X
H006-0312640		504266	1/2 in tube, 3/8 in male pipe end, assy	ea	†	%	3	3	6	2	24	30		H-6 # X
H006-0501658		501658	COUPLING (half), air brake hose, assy	ea	†	%	4	3	7	3	28	24		H-6 # X

Part No.	Description	Q'ty	Unit	Material	Weight	Length	Width	Height	Notes
H006-0221505	COUPLING, pipe, reducing, MI, glvd. RH:		ea	H-6	28	7	3	4	
H006-0221510	3/8 x 1/4		ea	H-6	14	4	1	2	
45-E-8902	1/2 x 3/8		ea	K-3	40	10	4	5	
H006-0262500	ELBOW (body), lubr fitting, angle 90 deg, 1/8-27NPT male thds, 1/8-27NPT female thds.		ea	H-6	56	14	6	7	
H006-0264442	ELBOW, pipe, stght, 45 deg, MI, glvd 1/4 in.		ea	H-6	24	7	3	4	
H006-0264042	ELBOW, pipe, stght, 90 deg, br, 1/4 in.		ea	H-6	24	7	3	4	
H006-0265110	ELBOW, pipe, street, 90 deg, br, 3/8 in.		ea	H-6	12	4	1	2	
H006-0265475	ELBOW, pipe, street, 90 deg, MI, glvd: 1/4 in.		ea	H-6	24	7	3	4	
H006-0265480	3/8 in.		ea	H-6	24	7	3	4	
H006-0504375	ELBOW, tube, compression, ball sleeve, air service, 45 deg, br, 1/2 in tube, 3/8 in male pipe end assy.		ea	H-6	36	6	2	3	
H006-0504255	ELBOW, tube, compression, ball sleeve, air service, 90 deg, br:		ea	H-6					
H006-0504257	3/8 in tube, 1/4 in male pipe end, assy		ea	H-6	18	3	1	2	
H006-0504258	3/8 in tube, 3/8 in male pipe end, assy		ea	H-6	18	3	1	2	
H006-0504363	1/2 in tube, 3/8 in male pipe end, assy		ea	H-6	18	3	1	2	
H006-0504361	ELBOW, tube, extra long, compression, ball sleeve, air service 90 deg, br, 1/2 in tube, 3/8 in male pipe end, assy.		ea	H-6	18	3	1	2	
45-F-406-150	ELBOW, tube, long, compression, ball sleeve, air service 90 deg, br, 1/2 in tube, 3/8 in male pipe end, assy.		ea	K-3	90	15	6	8	
45-F-448-200	FITTING, lubr, hydraulic type, angle 45 deg, 1/4-28NS male, lgh overall 7/8 in.		ea	K-3	330	55	22	28	
45-F-449-90	FITTING, lubr, hydraulic type, stght, 1/8-27NPT male.		ea	K-3	120	20	8	10	
45-F-451	FITTING, lubr, hydraulic type, stght, 1/4-28NS male.		ea	K-3	60	10	4	5	
45-F-479-985	FITTING, lubr, pressure vent relief, 14 to 15 lb relief pressure, 1/8-27NPT male.		ea	K-3	240	40	16	20	
H006-0504397	GASKET, air brake hose connector		ea	H-6	200	10	4	5	
H102-0150189	GASKET, annular, cop, oval section, 14-mm (spark plug).		ea	H-2	100	25	10	13	
H101-0543213	KEY, gib-hd, taper, square, S, 3/16 x 1 3/4		ea	H-1	60	10	4	5	
H001-0517025	KEY, square, rd-ends, S, 1/4 sq x 1		ea	H-1	60	10	4	5	
H001-0519346	KEY, square, sq-ends, S, 1/4 sq x 7/8		ea	H-1	120	20	8	10	
H001-0518012	KEY, Woodruff, ni-S:		ea	H-1	30	5	2	3	
H001-0518036	1/8 x 5/8 (No 405 or 5)		ea	H-1	30	5	2	3	
	1/4 x 1 (No 808 or 15)		ea	H-1	30	5	2	3	

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS		STOCK (1 YR) MAINT	GUIDE PER 100 MAJOR ITEMS	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS		
							MED MAINT	HV MAINT					DEPOT 30 DAYS	
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 23—GENERAL USE STAND-ARIZED PARTS—Continued														
2304.1—Standard Hardware, etc.—Continued														
H001-0518033		112139	KEY, Woodruff, S:	ea	†	%	5	5	10	4	40	60		H-1 # X
H001-0518035		113782	1/4 x 7/8 (No 807 or 8)	ea	†	%	20	20	40	16	160	240		H-1 # X
H006-0268020		144031	LOCKNUT, pipe, br, 1/2 in	ea	†	%	4	3	7	3	28	24		H-6 # X
H006-0268310		144576	LOCKNUT, pipe, MI, glvd, 3/8 in	ea	†	%	7	7	14	6	56	48		H-6 # X
H006-0229219		192050	NIPPLE, pipe, S, std, glvd:	ea	†	%	3	3	6	2	24	36		H-6 # X
H006-0273230		192075	1/2 x 1 1/2 (short)	ea	†	%	3	3	6	2	24	36		H-6 # X
H006-0504259		504259	NUT, ball sleeve compression tube fitting, air service, br:	ea	†	%	12	12	24	10	96	144		H-6 # X
H006-0346200		504260	3/8 in	ea	†	%	3	3	6	2	24	36		H-6 # X
H006-0104045		120487	1/2 in	ea	†	%	2	1	3	1	12	18		H-6 # X
H101-0125020		125020	NUT, castle, light, s-fin, S, cd or zn-pltd:	ea	†	%	20	20	40	16	160	320		H-1 # X
H101-0125027		125027	5/16-24NF-2	ea	†	%	3	2	5	2	20	40		H-1 # X
H101-0125043		125043	3/8-24NF-2	ea	†	%	28	28	56	22	224	336		H-1 # X
H001-4015621		120689	1/2-20NF-2	ea	†	%	32	32	64	26	256	384		H-1 # X
H101-0125063		125063	5/8-18NF-2	ea	†	%	8	8	16	6	64	96		H-1 # X
H101-0125071		125071	3/4-16NF-2	ea	†	%	40	40	80	32	320	480		H-1 # X
H101-0125079		125079	7/8-14NF-2	ea	†	%	98	97	195	78	780	1,170		H-1 # X
H101-0125088		125088	1-14NF-2	ea	†	%	5	5	10	4	40	60		H-1 # X
H101-0125104		125104	1 1/8-12NF-2	ea	†	%	20	20	40	16	160	240		H-1 # X
H101-0121978		121978	1 1/2-12NF-2	ea	†	%	4	4	8	3	32	48		H-1 # X
H001-4171800		117054	NUT, hex, light, s-fin, S:	ea	†	%	80	80	160	64	640	960		H-1 # X
			1/2-20NF-3, LH	ea	†	%	4	4	8	3	32	48		H-1 # X
			3/4-16NF-3	ea	†	%	80	80	160	64	640	960		H-1 # X

H001-4167501	120375	NUT, hex, light, s-fin, S, cd or zn-pltd:	ea	†	%	5	5	10	4	40	60	H-1	# X
H001-4167521	120367	1/4-20NC-2	ea	†	%	3	2	5	2	20	40	H-1	# X
H101-0121902	121902	1/4-28NF-2	ea	†	%	5	5	10	4	40	80	H-1	# X
H001-4167581	120377	1/4-28NF-3	ea	†	%	40	40	80	32	320	480	H-1	# X
H101-0123221	123221	3/8-16NC-2	ea	†	%	10	10	20	8	80	120	H-1	# X
H001-4167601	120369	3/8-16NC-3	ea	†	%	10	10	20	8	80	120	H-1	# X
H001-4171601	121932	3/8-24NF-2	ea	†	%	20	20	40	16	160	320	H-1	# X
H001-4167641	120370	3/8-24NF-3	ea	†	%	25	25	50	20	200	300	H-1	# X
H001-4171641	121949	7/16-20NF-2	ea	†	%	15	15	30	12	120	180	H-1	# X
H001-4171681	121965	7/16-20NF-3	ea	†	%	16	16	32	13	128	192	H-1	# X
H001-4167721	124634	1/2-20NF-3	ea	†	%	8	8	16	6	64	96	H-1	# X
H101-0109867	109867	9/16-18NF-2	ea	†	%	5	5	10	4	40	60	H-1	# X
H001-4179860	120701	NUT, hex, light, s-fin, S, 1 3/8-12NF-2	ea	†	%	20	20	40	16	160	240	H-1	# X
H101-0571235	571235	NUT, hex, light, s-fin, S, 1 3/8-12NF-2	ea	†	%	5	5	10	4	40	80	H-1	# X
H101-0571241	571241	NUT, hex, reg, s-fin, S, 1 3/8-12NF-2	ea	†	%	20	20	40	16	160	240	H-1	# X
H101-0427370	427370	NUT, hex, reg, s-fin, alloy-S, phos-ctd:	ea	†	%	10	10	20	8	80	120	H-1	# X
H001-4026501	220069	NUT, hex, reg, s-fin, S, cd or zn-pltd:	ea	†	%	68	67	135	54	540	810	H-1	# X
H001-4027501	218584	1/4-20NC-2	ea	†	%	18	17	35	14	140	280	H-1	# X
H001-4026521	220070	1/4-28NF-2	ea	†	%	40	40	80	32	320	480	H-1	# X
H001-4027521	221157	5/16-18NC-2	ea	†	%	28	27	55	22	220	440	H-1	# X
H001-4026541	220071	5/16-24NF-2	ea	†	%	285	285	570	228	2,280	3,420	H-1	# X
H001-4027541	225831	3/8-16NC-2	ea	†	%	220	220	440	176	1,760	3,520	H-1	# X
H101-0220072	220072	3/8-24NF-2	ea	†	%	4	4	8	3	32	48	H-1	# X
H101-0218585	218585	7/16-14NC-2	ea	†	%	110	110	220	88	880	1,320	H-1	# X
H101-0220073	220073	7/16-20NF-2	ea	†	%	114	114	228	91	912	1,368	H-1	# X
H001-4027581	214267	1/2-13NC-2	ea	†	%	748	748	1,496	598	5,984	8,976	H-1	# X
H101-0220085	220085	1/2-20NF-2	ea	†	%	28	28	56	22	224	336	H-1	# X
H101-0426754	426754	5/8-11NC-2	ea	†	%	334	344	688	275	2,752	4,128	H-1	# X
H001-4026641	220086	5/8-18NF-2	ea	†	%	16	16	32	13	128	192	H-1	# X
H101-0426099	426099	3/4-10NC-2	ea	†	%	60	60	120	48	480	720	H-1	# X
H101-0426767	426767	3/4-16NF-2	ea	†	%	20	20	40	16	160	240	H-1	# X
H101-0220088	220088	7/8-14NF-2	ea	†	%	12	12	24	10	96	144	H-1	# X
H101-0217216	217216	1-8NC-2	ea	†	%	80	80	160	64	640	960	H-1	# X
H101-0220095	220095	1-14NF-2	ea	†	%	4	4	8	3	32	48	H-1	# X
H101-0174554	174554	1 1/4-7NC-2	ea	†	%	4	4	8	3	32	48	H-1	# X
H101-0123554	123554	NUT, jam, hex, hv, s-fin, S, 1 1/2-6NC-3	ea	†	%	4	4	8	3	32	48	H-1	# X
H001-4185761	124944	NUT, jam, hex, light, s-fin, S, cd or zn-pltd:	ea	†	%	4	4	8	3	32	48	H-1	# X
H101-0427392	427392	1/2-13NC-3	ea	†	%	10	10	20	8	80	120	H-1	# X
H101-0427546	427546	5/8-18NF-2	ea	†	%	10	10	20	8	80	120	H-1	# X
		1 3/8-12NF-2	ea	†	%	10	10	20	8	80	120	H-1	# X
		NUT, jam, hex, reg, s-fin, S, 1 3/8-12NF-2	ea	†	%	10	10	20	8	80	120	H-1	# X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS			GUIDE PER 100 MAJOR ITEMS		PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
							MED MAINT	HV MAINT	DEPOT 30 DAYS	MAINT (1 YR)	STOCK (1 YR)			
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 23—GENERAL USE STANDARDIZED PARTS—Continued														
2304.1—Standard Hardware, etc.—Continued														
H101-0426096		426096	NUT, jam, hex, reg, s-fin, S, cd or zn-pltd:	ea	†	%	15	15	30	12	120	180		H-1 # X
H001-4018561		426097	3/8-16NC-2	ea	†	%	24	24	48	19	192	288		H-1 # X
H101-0426895		426895	1/2-13NC-2	ea	†	%	2	2	4	2	16	24		H-1 # X
H101-0427347		427347	5/8-11NC-2	ea	†	%	8	8	16	6	64	96		H-1 # X
H101-0219758		219758	3/4-16NF-2	ea	†	%	32	32	64	26	256	384		H-1 # X
H101-0219759		219759	7/8-14NF-2	ea	†	%	3	2	5	2	20	30		H-1 # X
H101-0219760		219760	1-14NF-2	ea	†	%	3	2	5	2	20	30		H-1 # X
H101-0219792		219792	1 1/4-12NF-2	ea	†	%	15	15	30	12	120	180		H-1 # X
H101-0503520		503520	NUT, jam, hex, slotted, light, s-fin, S, 1-14NF-2.	ea	†	%	5	5	10	4	40	60		H-1 # X
NUT, mach screw, hex, S, cd or zn-pltd:														
H001-4135581		134530	No 6 (0.138)-32NC-2	ea	†	%	36	36	72	29	288	432		H-1 # X
H001-4135621		120622	No 8 (0.164)-32NC-2	ea	†	%	168	168	336	134	1,344	2,016		H-1 # X
H001-4135661		120361	No 10 (0.190)-24NC-2	ea	†	%	72	72	144	58	576	864		H-1 # X
H001-4135681		120614	No 10 (0.190)-32NF-2	ea	†	%	3	3	6	2	24	36		H-1 # X
H001-4135741		134551	1/4-20NC-2	ea	†	%	40	40	80	32	320	480		H-1 # X
H001-4217681		125250	NUT, slotted, light, s-fin, S, cd or zn-pltd, 1/2-20NF-2.	ea	†	%	16	16	32	13	128	192		H-1 # X
H001-4220820		119258	NUT, slotted, light, thk, s-fin, S, 7/8-14NF-2.	ea	†	%	20	20	40	16	160	240		H-1 # X
NUT, slotted, light, thk, s-fin, S, cd or zn-pltd:														
H101-0125348		125348	3/8-24NF-2	ea	†	%	10	10	20	8	80	160		H-1 # X
H001-4220741		125384	5/8-18NF-2	ea	†	%	16	16	32	13	128	192		H-1 # X
NUT, sq, reg, unfin, S, cd or zn-pltd:														
H001-4029501		120372	1/4-20NC-2	ea	†	%	30	30	60	24	240	360		H-1 # X
H101-0120373		120373	5/16-18NC-2	ea	†	%	10	10	20	8	80	120		H-1 # X

H101-0120374	120374	$\frac{3}{8}$ -16NC-2	ea	†	%	18	17	35	14	140	210	H-1	# X
H101-0125536	125536	$\frac{1}{2}$ -13NC-2	ea	†	%	28	28	56	22	224	336	H-1	# X
H101-0125557	125557	$\frac{3}{4}$ -10NC-2	ea	†	%	4	4	8	3	32	48	H-1	# X
H001-4053501	503538	NUT, wing, hv, S, cd or zn-pltd, No 10 (0.190)-32NF-2.	ea	†	%	3	3	6	2	24	36	H-1	# X
H001-0823008	138142	PIN, clevis, S (dimensions shown are diam and lgh under head to center line of hole) $\frac{3}{4}$ x $1\frac{3}{4}$.	ea	†	%	8	8	16	6	64	96	H-1	# X
H001-0823006	114787	PIN, clevis, S, $\frac{1}{2}$ x $1\frac{13}{64}$	ea	†	%	8	8	16	6	64	96	H-1	# X
H101-0138080	138080	PIN, clevis, S, cd or zn-pltd, $\frac{1}{2}$ in x $1\frac{13}{64}$ *(dimensions shown are diam and lgh under head to center line of hole).	ea	†	%	24	24	48	19	192	288	H-1	# X
H001-0811037	103372	PIN, cotter, split, S: $\frac{3}{32}$ x $\frac{1}{2}$	ea	†	%	19	19	38	15	150	100	H-1	# X
H001-0811040	103374	$\frac{3}{32}$ x 1	ea	†	%	188	187	375	1,500	1,500	1,000	H-1	# X
H001-0811051	108630	$\frac{1}{8}$ x $\frac{7}{8}$	ea	†	%	19	19	38	15	150	100	H-1	# X
H001-0811052	103385	$\frac{1}{8}$ x 1	ea	†	%	244	244	488	195	1,950	1,300	H-1	# X
H001-0811053	103386	$\frac{1}{8}$ x $1\frac{1}{4}$	ea	†	%	75	75	150	60	600	400	H-1	# X
H001-0811054	103387	$\frac{1}{8}$ x $1\frac{1}{2}$	ea	†	%	525	525	1,050	420	4,200	2,800	H-1	# X
H001-0811055	103388	$\frac{1}{8}$ x $1\frac{3}{4}$	ea	†	%	94	94	188	75	750	500	H-1	# X
H001-0811056	103389	$\frac{1}{8}$ x 2	ea	†	%	469	469	938	375	3,750	2,500	H-1	# X
H001-0811065	103398	$\frac{5}{32}$ x $1\frac{1}{2}$	ea	†	%	75	75	150	60	600	400	H-1	# X
H001-0811067	103400	$\frac{5}{32}$ x 2	ea	†	%	75	75	150	60	600	400	H-1	# X
H001-0811068	103401	$\frac{5}{32}$ x $2\frac{1}{4}$	ea	†	%	38	37	75	30	300	200	H-1	# X
H001-0811077	103409	$\frac{3}{16}$ x $1\frac{1}{2}$	ea	†	%	94	94	188	75	750	500	H-1	# X
H001-0811079	103411	$\frac{3}{16}$ x 2	ea	†	%	282	281	563	225	2,250	1,500	H-1	# X
H001-0811080	103412	$\frac{3}{16}$ x $2\frac{1}{4}$	ea	†	%	75	75	150	60	600	400	H-1	# X
H001-0811081	103413	$\frac{3}{16}$ x $2\frac{1}{2}$	ea	†	%	38	37	75	30	300	200	H-1	# X
H001-0811088	108560	$\frac{7}{32}$ x $1\frac{1}{2}$	ea	†	%	38	37	75	30	300	200	H-1	# X
H001-0811099	103420	$\frac{1}{4}$ x $1\frac{1}{2}$	ea	†	%	94	94	188	75	750	500	H-1	# X
H001-0811100	103421	$\frac{1}{4}$ x $1\frac{3}{4}$	ea	†	%	38	37	75	30	300	200	H-1	# X
H001-0811101	103422	$\frac{1}{4}$ x 2	ea	†	%	75	75	150	60	600	400	H-1	# X
H001-0811104	103425	$\frac{1}{4}$ x $2\frac{3}{4}$	ea	†	%	75	75	150	60	600	400	H-1	# X
H001-0811122	179096	$\frac{5}{16}$ x 4	ea	†	%	38	37	75	30	300	200	H-1	# X
H001-0811134	179097	$\frac{3}{8}$ x 4	ea	†	%	57	56	113	45	450	300	H-1	# X
H101-0141287	141287	PIN, dowel, S, $\frac{1}{2}$ x $1\frac{1}{2}$	ea	†	%	16	16	32	13	128	192	H-1	# X
H001-0830462	103784	PIN, stght, chamfered, cold-fin-S, $\frac{1}{2}$ x 1	ea	†	%	8	8	16	6	64	96	H-1	# X
H101-0433229	433229	PIN, stght, sq-ends, cold-fin-S, $\frac{1}{2}$ x $2\frac{1}{8}$	ea	†	%	8	8	16	6	64	96	H-1	# X
H101-0188438	188438	PIN, stght, stght-groove, S, zn-pltd, $\frac{1}{4}$ x $1\frac{1}{2}$ PIN, stght, taper groove, S, cd or zn-pltd:	ea	†	%	12	12	24	10	96	144	H-1	# X
H101-0426311	426311	$\frac{3}{32}$ x $\frac{7}{16}$	ea	†	%	4	4	8	3	32	48	H-1	# X
H101-0142994	142994	$\frac{3}{8}$ x $2\frac{1}{4}$	ea	†	%	8	8	16	6	64	96	H-1	# X
H001-0824048	103597	PIN, taper, S, No 3 (0.219) x $1\frac{3}{4}$ in PLUG, expansion, S:	ea	†	%	4	4	8	3	32	48	H-1	# X
H006-0282430	501591	$\frac{5}{8}$ in diam	ea	†	%	10	9	19	7	72	100	H-6	# X
H006-0282490	541404	$1\frac{1}{8}$ in diam	ea	†	%	36	36	72	29	288	400	H-6	# X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS			GUIDE PER 100 MAJOR ITEMS		PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
							MED MAINT	HV MAINT	DEPOT 30 DAYS	MAINT (1 YR)	STOCK (1 YR)			
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 23—GENERAL USE STANDARDIZED PARTS—Continued														
2304.1—Standard Hardware, etc.—Continued														
H006-0283900		219188	PLUG, pipe, sq-hd, MI glvd:	ea	†	%	8	8	16	6	64	96		H-6 # X
H006-0283905		219190	1/8 in.	ea	†	%	2	2	4	2	16	24		H-6 # X
H006-0283910		219198	1/4 in.	ea	†	%	10	10	20	8	80	120		H-6 # X
H006-0538824		538824	3/8 in.	ea	†	%	13	12	25	10	100	200		H-6 # X
H001-0924067		110803	RING, packing, air brake hose coupling	ea	†	%	20	20	40	16	160	240		H-1 # X
H001-0924288		104111	RIVET, b-hd, S (annealed):	ea	†	%	48	48	96	38	384	576		H-1 # X
H001-0924329		110432	5/32 x 1 3/4	ea	†	%	48	48	96	38	384	576		H-1 # X
H001-0924357		104126	3/8 x 3/4	ea	†	%	16	16	32	13	128	192		H-1 # X
H001-0924363		104132	7/16 x 7/8	ea	†	%	20	20	40	16	160	240		H-1 # X
H001-0924364		104133	1/2 x 1 3/4	ea	†	%	138	138	276	110	1,041,656			H-1 # X
H001-0924366		104134	1/2 x 2	ea	†	%	4	4	8	3	32	48		H-1 # X
H001-0924368		105514	1/2 x 2 1/4	ea	†	%	12	12	24	10	96	144		H-1 # X
H101-0217282		217282	1/2 x 6	ea	†	%	2	2	4	2	16	24		H-1 # X
H001-1014166		224843	RIVET, b-hd, S (unannealed):	ea	†	%	1	1	2	1	8	12		H-1 # X
H001-1014169		224845	1/2 x 7/8	ea	†	%	1	1	2	1	8	12		H-1 # X
H101-0434003		434003	3/4-16NF-2 x 4	ea	†	%	1	1	2	1	8	12		H-1 # X
H101-0426983		426983	3/4-16NF-2 x 4 1/2	ea	†	%	1	1	2	1	8	12		H-1 # X
H101-0127877		127877	1-14NF-2 x 6 1/4	ea	†	%	1	1	2	1	8	12		H-1 # X
H001-5025501		214001	SCREW, cap, hex-hd, dld-f/c-pin, S, cd or zn-pltd, 3/8-24NF-2 x 3.	ea	†	%	10	10	20	8	80	120		H-1 # X
H101-0213691		213691	SCREW, cap, hex-hd, S, 7/16-20NF-3 x 7	ea	†	%	4	4	8	3	32	48		H-1 # X
H001-5025821		213880	SCREW, cap, hex-hd, S, cd or zn-pltd: 1/4-20NC-2 x 1/2	ea	†	%	9	9	18	7	70	100		H-1 # X
			1/4-20NC-2 x 4	ea	†	%	4	4	8	3	32	48		H-1 # X
			1/4-28NF-2 x 3/4	ea	†	%	9	9	18	7	70	100		H-1 # X

H001-5025841	213888	1/4-28NF-2 x 1	ea	†	%	7	7	14	6	56	80	H-1	X
H101-0213989	213989	1/4-28NF-2 x 2 3/4	ea	†	%	3	3	6	2	24	28	H-1	X
H001-5026101	214017	5/16-18NC-2 x 1/2	ea	†	%	4	4	8	3	32	48	H-1	X
H001-5026111	214018	5/16-18NC-2 x 5/8	ea	†	%	20	20	40	16	160	240	H-1	X
H001-5026121	216921	5/16-18NC-2 x 3/4	ea	†	%	4	4	8	3	32	48	H-1	X
H001-5026131	193990	5/16-18NC-2 x 7/8	ea	†	%	28	28	56	22	224	336	H-1	X
H101-0213700	213700	5/16-18NC-2 x 1 1/4	ea	†	%	2	2	4	2	16	24	H-1	X
H001-5026401	213896	5/16-24NF-2 x 1/2	ea	†	%	28	28	56	22	224	320	H-1	X
H101-0214384	214384	3/8-16NC-2 x 1/2	ea	†	%	41	40	81	32	324	360	H-1	X
H001-5026721	214386	3/8-16NC-2 x 3/4	ea	†	%	3	2	5	2	18	20	H-1	X
H001-5026781	213741	3/8-16NC-2 x 1 3/4	ea	†	%	14	14	28	11	112	128	H-1	X
H101-0213744	213744	3/8-16NC-2 x 2 1/4	ea	†	%	9	9	18	7	70	80	H-1	X
H001-5026811	213746	3/8-16NC-2 x 2 1/2	ea	†	%	9	9	18	7	70	80	H-1	X
H101-0213752	213752	3/8-16NC-2 x 3	ea	†	%	4	3	7	3	28	32	H-1	X
H101-0213754	213754	3/8-16NC-2 x 3 1/4	ea	†	%	3	2	5	2	20	24	H-1	X
H101-0213758	213758	3/8-16NC-2 x 3 3/4	ea	†	%	10	10	20	8	80	96	H-1	X
H101-0217178	217178	3/8-16NC-2 x 4	ea	†	%	75	75	150	60	600	720	H-1	X
H001-5420561	120233	3/8-16NC-3 x 1	ea	†	%	45	45	90	36	360	240	H-1	X
H001-5027111	213922	3/8-24NF-2 x 3/4	ea	†	%	4	4	8	3	32	36	H-1	X
H001-5027131	213928	3/8-24NF-2 x 1	ea	†	%	26	26	52	21	208	234	H-1	X
H001-5027141	213931	3/8-24NF-2 x 1 1/4	ea	†	%	14	14	28	11	112	126	H-1	X
H001-5027151	214098	3/8-24NF-2 x 1 1/2	ea	†	%	6	6	12	5	48	54	H-1	X
H001-5027161	214101	3/8-24NF-2 x 1 3/4	ea	†	%	1	1	2	1	8	12	H-1	X
H101-0215528	215528	3/8-24NF-2 x 2	ea	†	%	1	1	2	1	8	12	H-1	X
H101-0214107	214107	3/8-24NF-2 x 2 1/4	ea	†	%	7	7	14	6	56	84	H-1	X
H101-0214110	214110	3/8-24NF-2 x 2 1/2	ea	†	%	6	6	12	5	48	72	H-1	X
H101-0214113	214113	3/8-24NF-2 x 2 3/4	ea	†	%	2	2	4	2	16	24	H-1	X
H101-0214118	214118	3/8-24NF-2 x 3	ea	†	%	4	4	8	3	32	48	H-1	X
H101-0214125	214125	3/8-24NF-2 x 3 1/4	ea	†	%	1	1	2	1	8	12	H-1	X
H101-0214128	214128	3/8-24NF-2 x 3 1/2	ea	†	%	4	4	8	3	32	48	H-1	X
H101-0214131	214131	3/8-24NF-2 x 3 3/4	ea	†	%	1	1	2	1	8	12	H-1	X
H101-0214134	214134	3/8-24NF-2 x 4	ea	†	%	2	2	4	2	16	24	H-1	X
H101-0120608	120608	3/8-24NF-3 x 2 1/4	ea	†	%	1	1	2	1	8	16	H-1	X
H101-0213795	213795	7/16-14NC-2 x 4	ea	†	%	9	9	18	7	72	96	H-1	X
H101-0214146	214146	7/16-20NF-2 x 2	ea	†	%	6	6	12	5	48	64	H-1	X
H101-0214149	214149	7/16-20NF-2 x 2 1/4	ea	†	%	6	6	12	5	48	64	H-1	X
H101-0214154	214154	7/16-20NF-2 x 2 3/4	ea	†	%	2	1	3	1	12	16	H-1	X
H101-0214171	214171	7/16-20NF-2 x 4	ea	†	%	6	6	12	5	48	72	H-1	X
H101-0213797	213797	1/2-13NC-2 x 1	ea	†	%	2	2	3	1	10	12	H-1	X
H101-0217179	217179	1/2-13NC-2 x 1 1/4	ea	†	%	15	15	30	12	120	144	H-1	X
H101-0213830	213830	1/2-13NC-2 x 3/4	ea	†	%	11	10	21	8	84	112	H-1	X
H101-0213833	213833	1/2-13NC-2 x 3 1/2	ea	†	%	6	6	12	5	48	64	H-1	X
H101-0426991	426991	1/2-13NC-2 x 4 3/4	ea	†	%	3	3	6	2	24	32	H-1	X
H101-0426992	426992	1/2-13NC-2 x 5	ea	†	%	2	2	3	1	12	16	H-1	X
H101-0426993	426993	1/2-13NC-2 x 6	ea	†	%	2	2	3	1	12	16	H-1	X
H101-0122472	122472	1/2-13NC-3 x 2 1/2	ea	†	%	12	12	24	10	96	120	H-1	X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	GUIDE PER 100 MAJOR ITEMS	STOCK (1 YR) MAINT	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 23—GENERAL USE STANDARDIZED PARTS—Continued														
2304.1—Standard Hardware, etc.—Continued														
SCREW, cap, hex-hd, S, ed or zn-pltd—Continued														
H101-0213967		213967	1/2-20NF-2 x 1	ea	†	%	14	14	28	11	112	140		H-1 # X
H101-0213970		213970	1/2-20NF-2 x 1 1/4	ea	†	%	25	25	50	20	200	250		H-1 # X
H101-0214192		214192	1/2-20NF-2 x 1 1/2	ea	†	%	89	89	178	71	712	890		H-1 # X
H001-5028561		214194	1/2-20NF-2 x 1 3/4	ea	†	%	12	12	24	10	96	128		H-1 # X
H101-0214202		214202	1/2-20NF-2 x 2 3/4	ea	†	%	3	2	5	2	18	24		H-1 # X
H101-0214204		214204	1/2-20NF-2 x 3	ea	†	%	8	7	15	6	60	80		H-1 # X
H001-5028671		427154	1/2-20NF-2 x 4 1/2	ea	†	%	2	2	4	2	16	24		H-1 # X
H101-0427008		427008	1/2-20NF-2 x 5	ea	†	%	1	1	2	1	8	12		H-1 # X
H101-0124193		124193	1/2-20NF-3 x 3	ea	†	%	5	4	9	4	36	48		H-1 # X
H101-0214486		214486	5/8-11NC-2 x 1 1/4	ea	†	%	14	14	28	11	112	140		H-1 # X
H101-0429766		429766	5/8-11NC-2 x 3 1/2	ea	†	%	2	1	3	1	12	16		H-1 # X
H101-0429767		429767	5/8-11NC-2 x 3 3/4	ea	†	%	2	1	3	1	12	16		H-1 # X
H101-0429768		429768	5/8-11NC-2 x 4	ea	†	%	5	4	9	4	36	48		H-1 # X
H101-0430080		430080	5/8-18NF-2 x 1 1/4	ea	†	%	4	4	8	3	32	40		H-1 # X
H101-0430092		430092	5/8-18NF-2 x 1 1/2	ea	†	%	12	12	24	10	96	120		H-1 # X
H101-0429735		429735	5/8-18NF-2 x 3 1/2	ea	†	%	2	2	4	2	16	24		H-1 # X
H101-0429736		429736	5/8-18NF-2 x 3 3/4	ea	†	%	5	5	10	4	40	60		H-1 # X
H101-0544429		544429	5/8-18NF-2 x 5	ea	†	%	2	2	4	2	16	24		H-1 # X
H101-0427014		427014	3/4-16NF-2 x 1 3/4	ea	†	%	2	2	4	2	16	24		H-1 # X
H101-0426623		426623	3/4-16NF-2 x 2 3/4	ea	†	%	1	1	2	1	8	16		H-1 # X
H101-0429915		429915	1-8NC-2 x 5	ea	†	%	2	2	4	2	16	24		H-1 # X
SCREW, cap, hex-hd, S, 85,000 psi yield strength:														
H101-0215597		215597	7/16-14NC-2 x 1 1/8	ea	†	%	12	12	24	10	96	144		H-1 # X
H101-0186338		186338	1/2-20NF-3 x 5	ea	†	%	2	2	4	2	16	24		H-1 # X

SCREW, cap, hex-hd, S, 85,000 psi yield strength, cd or zn-pltd:

H101-0215408	215408	ea	†	%	4	4	8	3	32	48	H-1	#
H101-0215411	215411	ea	†	%	16	16	32	13	126	180	H-1	#
H001-5453841	181596	ea	†	%	9	9	18	11	112	160	H-1	#
H101-0214686	214686	ea	†	%	5	4	9	4	36	40	H-1	#
H101-0215450	215450	ea	†	%	16	16	32	13	126	140	H-1	#
H101-0215453	215453	ea	†	%	27	27	54	22	216	120	H-1	#
H001-5454441	180116	ea	†	%	27	27	54	22	216	240	H-1	#
H001-5455221	181635	ea	†	%	4	4	8	3	32	36	H-1	#
H101-0181675	181675	ea	†	%	6	6	12	5	48	64	H-1	#
H101-0426816	426816	ea	†	%	16	16	32	13	128	192	H-1	#
H101-0127738	127738	ea	†	%	3	2	5	2	20	40	H-1	#
H001-5125861	131974	ea	†	%	4	4	8	3	30	45	H-1	#
H001-5125891	131987	ea	†	%	8	7	15	6	60	90	H-1	#
H001-5128651	132264	ea	†	%	8	8	16	6	64	96	H-1	#
H001-5129241	132325	ea	†	%	24	24	48	19	192	288	H-1	#
H101-0428987	428987	ea	†	%	16	16	32	13	128	192	H-1	#
H001-5087951	133491	ea	†	%	90	90	180	72	720	1,080	H-1	#
H001-5091841	133901	ea	†	%	9	9	18	7	72	80	H-1	#
H101-0426643	426643	ea	†	%	6	6	12	5	48	80	H-1	#
H001-5863881	134422	ea	†	%	16	16	32	13	128	192	H-1	#
H001-1028661	101126	ea	†	%	15	15	30	12	120	180	H-1	#
H101-0191632	191632	ea	†	%	8	7	15	6	60	90	H-1	#
H001-5146481	132711	ea	†	%	15	15	30	24	240	360	H-1	#
H101-0132768	132768	ea	†	%	90	90	180	72	720	1,080	H-1	#
H101-0132776	132776	ea	†	%	45	45	90	36	360	540	H-1	#
H101-0132780	132780	ea	†	%	15	15	30	12	120	96	H-1	#
H001-5148281	120910	ea	†	%	90	90	180	72	720	1,080	H-1	#
H001-5150111	131375	ea	†	%	8	8	16	6	64	96	H-1	#
H001-5150131	120628	ea	†	%	6	6	12	5	48	72	H-1	#
H001-5150141	120583	ea	†	%	24	24	48	19	192	288	H-1	#
H001-5150151	133043	ea	†	%	16	16	32	13	128	192	H-1	#
H001-5150171	133046	ea	†	%	62	62	124	50	496	744	H-1	#
H101-0133138	133138	ea	†	%	4	4	8	3	32	48	H-1	#
H001-1040041	102905	ea	†	%	3	3	6	2	24	36	H-1	#

SCREW, set, sq-hd, cup-pt, S, 7/16-14NC-3 x 3/4.

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS			GUIDE PER 100 MAJOR ITEMS		PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS	
							MED MAINT	HV MAINT	DEPOT 30 DAYS	MAINT (1 YR)	STOCK			
FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued														
GROUP 23—GENERAL USE STANDARDIZED PARTS—Continued														
2304.1—Standard Hardware, etc.—Continued														
H101-0544490		544490	SCREW, set, sq-hd, cup-pt, cd or zn-pltd, 1/2-13NC-3 x 2.	ea	†	%	2	1	3	1	12	18		H-1 # X
H101-0544486		544486	SCREW, set, sq-hd, cup-pt, S, cd or zn-pltd, 3/8-16NC-3 x 1/2.	ea	†	%	2	1	3	1	12	18		H-1 # X
H101-0161798		161798	SCREW, tapping, cross-recess-bdg-hd, gimlet-pt, sheet metal thds, S, cd or zn-pltd: No 6 (0.138) x 1/2 in.	ea	†	%	68	67	135	54	540	540		H-1 # X
H101-0161930		161930	SCREW, tapping, cross-recess-bdg-hd, taper-pt, S, cd or zn-pltd: No 10 (0.190) x 1 1/4 in.	ea	†	%	68	67	135	54	540	540		H-1 # X
H101-0164405		164405	SCREW, wood, rd-hd, S: No 8 (0.164)-32NF-2 x 3/4.	ea	†	%	8	7	15	6	60	60		H-1 # X
H101-0164462		164462	SCREW, wood, rd-hd, S: No 10 (0.190)-24NC-2 x 1.	ea	†	%	60	60	120	48	480	480		H-1 # X
H001-1076145		171352	SCREW, tapping, rd-hd, fluted-taper-pt, S, cd or zn-pltd, No 8 (0.164)-32NC-2 x 3/8.	ea	†	%	150	150	300	120	1,200	1,200		H-1 # X
H001-1049029		101973	SLEEVE, air brake hose connector (hose connector, 3/8 in ID x 3/4 in OD hose).	ea	†	%	91	91	182	73	728	1,040		H-1 # X
H001-1049065		101998	SLEEVE, ball, compression tube fitting, air service, br: 3/8 in.	ea	†	%	14	14	28	11	112	160		H-1 # X
H006-0504398		504398	SLEEVE, ball, compression tube fitting, air service, br: 1/2 in.	ea	†	%	32	32	64	26	256	304		H-6 # X
H006-0504261		504261	TEE, tube, compression, ball sleeve, air service, br: 3/8 in.	ea	†	%	28	28	56	22	224	266		H-6 # X
H006-0504262		504262	TEE, tube, compression, ball sleeve, air service, br: 1/2 in.	ea	†	%	8	8	16	6	64	76		H-6 # X
H006-0504335		504335	ASSY, end, male pipe, 1/4 in.	ea	†	%	4	3	7	3	28	24		H-6 # X
H006-0504329		504329	ASSY, side, male pipe, 1/4 in.	ea	†	%	4	3	7	3	28	24		H-6 # X
H006-0504333		504333	ASSY, side, male pipe, 3/8 in.	ea	†	%	4	3	7	3	28	24		H-6 # X

H006-0386100	504272	TEE, tube, stght, compression, ball sleeve, air service, br, 3/8 in, assy.	ea	†	%	4	3	7	3	28	24	H-6	# X
H006-0388100	504270	UNION, tube, compression, ball sleeve, air service, br, 3/8 in, assy.	ea	†	%	4	3	7	3	28	24	H-6	# X
H001-7017561	121752	WASHER, lock, external teeth, reg, S, cd or zn-pltd:	ea	†	%	300	300	600	240	2,400	2,400	H-1	# X
H001-7017681	138489	No 8 (0.164)	ea	†	%	18	18	36	14	144	180	H-1	# X
H101-0131093	131093	WASHER, lock, hv, S, cd or zn-pltd:	ea	†	%	15	15	30	12	120	120	H-1	# X
H001-7018681	131098	No 4 (0.112)	ea	†	%	30	30	60	24	240	240	H-1	# X
H101-0131101	131101	1/4 in	ea	†	%	24	24	48	19	192	288	H-1	# X
H101-0131143	131143	1/2 in	ea	†	%	96	96	192	77	768	1,152	H-1	# X
H101-0131144	131144	7/8 in	ea	†	%	48	48	96	38	384	576	H-1	# X
H101-0180612	180612	1 in	ea	†	%	48	48	96	38	384	576	H-1	# X
H101-0180669	180669	WASHER, lock, internal teeth, hv, S, cd or zn-pltd:	ea	†	%	96	96	192	77	769	1,152	H-1	# X
H001-7021771	138538	3/4 in	ea	†	%	48	48	96	38	384	480	H-1	# X
H101-0138577	138557	7/8 in	ea	†	%	6	6	12	5	48	60	H-1	# X
H101-0138578	138578	1 1/8 in	ea	†	%	6	6	12	5	48	60	H-1	# X
H001-7023621	131183	WASHER, lock, light, S, cd or zn-pltd:	ea	†	%	8	7	15	6	60	60	H-1	# X
H001-7023681	121637	No 10 (0.190)	ea	†	%	30	30	60	24	240	240	H-1	# X
H001-7025591	121841	1/4 in	ea	†	%	30	30	60	12	120	120	H-1	# X
H001-7025621	120217	WASHER, lock, med, S, cd or zn-pltd:	ea	†	%	188	187	375	150	1,500	1,500	H-1	# X
H001-7025681	120380	No 8 (0.164)	ea	†	%	758	757	1,515	606	6,060	6,060	H-1	# X
H001-7025711	120214	No 10 (0.190)	ea	†	%	486	486	972	389	3,888	4,860	H-1	# X
H001-7025741	120382	1/4 in	ea	†	%	115	114	228	898	8,976	11,220	H-1	# X
H001-7025771	120383	5/16 in	ea	†	%	23	23	46	182	1,824	2,736	H-1	# X
H001-7025801	120384	3/8 in	ea	†	%	1,488	1,488	2,976	1,190	11,904	17,856	H-1	# X
H001-7025861	121574	7/16 in	ea	†	%	426	426	852	341	3,408	5,112	H-1	# X
H101-0131046	131046	1/2 in	ea	†	%	432	432	864	346	3,456	1,800	H-1	# X
H101-0131047	131047	5/8 in	ea	†	%	144	144	288	115	1,152	1,728	H-1	# X
H101-0131048	131048	7/8 in	ea	†	%	84	84	168	67	672	1,008	H-1	# X
H001-7043591	131015	1 in	ea	†	%	45	45	90	36	360	360	H-1	# X
H001-7043681	120392	WASHER, plain, SAE std, S, cd or zn-pltd:	ea	†	%	5	4	9	4	36	36	H-1	# X
H001-7043711	120393	No 8 (3/16 ID x 7/16 OD x 3/64 thk)	ea	†	%	32	32	64	26	256	256	H-1	# X
H001-7043741	120394	1/4 in (9/32 ID x 5/8 OD x 1/16 thk)	ea	†	%	16	16	32	13	128	128	H-1	# X
H001-7043771	120395	5/16 in (11/32 ID x 1 1/16 OD x 1/16 thk)	ea	†	%	32	32	64	26	256	256	H-1	# X
H001-7043481	121458	3/8 in (13/32 ID x 1 3/16 OD x 1/16 thk)	ea	†	%	8	8	16	6	64	64	H-1	# X
H001-7043861	131016	7/16 in (15/32 ID x 1 5/16 OD x 1/16 thk)	ea	†	%	8	8	16	6	64	64	H-1	# X
		9/16 in (19/32 ID x 1 3/16 OD x 3/32 thk)	ea	†	%	8	8	16	6	64	64	H-1	# X
		5/8 in (21/32 ID x 1 5/16 OD x 3/32 thk)	ea	†	%	8	8	16	6	64	64	H-1	# X

(1) STOCK NO.	(2) MFR'S PART NO.	(3) ORDNANCE PART NO.	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QUANTITY INCORPORATED IN UNIT	(7) ORGN ALWS CO. BTRY. OR TRP	(8) FIELD			(9) DEPOT		(10) INITIAL STOCKAGE GUIDE		(11) REFERENCE SYMBOLS
							STOCK GUIDE PER 100 MAJOR ITEMS	DEPOT 30 DAYS	STOCK GUIDE PER 100 MAJOR ITEMS	STOCK (1 YR)	PER 100 UNIT ASSY RE-BUILDS	PER 100 MAJOR ITEM RE-BUILDS		
			FIELD AND DEPOT MAINTENANCE ALLOWANCES—Continued											
			GROUP 23—GENERAL USE STANDARDIZED PARTS—Continued											
			2304.1—Standard Hardware, etc.—Continued											
			WASHER, plain, SAE std, S, cd or zn-pltd—Continued											
H001-7043981	-----	131019	1 in (1/16 ID x 2 OD x 1/8 thk)-----	ea	†	%	18	18	14	144	144	---	H-1	# X
H101-0172811	-----	172811	1 1/4 in (1 5/16 ID x 2 1/2 OD x 5/32 thk)-----	ea	†	%	12	12	10	96	96	---	H-1	# X
H101-0502242	-----	502242	WASHER, plain, special, S, 1 1/2 ID x 1 3/4 OD x 0.109 thk.	ea	†	%	8	7	6	60	60	---	H-1	# X
			WASHER, plain, US std, S, cd or zn-pltd:											
H001-7045491	-----	120385	No 10 (1/4 ID x 9/16 OD x 3/64 thk)-----	ea	†	%	96	96	76	764	764	---	H-1	# X
H001-7045591	-----	120388	3/8 in (7/16 ID x 1 OD x 5/64 thk)-----	ea	†	%	28	28	22	224	224	---	H-1	# X
H001-7045651	-----	120390	1/2 in (9/16 ID x 1 3/8 OD x 7/64 thk)-----	ea	†	%	12	12	10	96	96	---	H-1	# X
H001-7045801	-----	131002	1 in (1/16 ID x 2 1/2 OD x 5/32 thk)-----	ea	†	%	2	1	1	12	12	---	H-1	# X
H001-1810070	-----	221465	YOKE, rod end, adjustable, hv, S, 1/2-20NF-2.	ea	†	%	4	4	3	32	40	---	H-1	# X
			2304.2—Bulk Material											
H005-0812600	-----	15-C-2341	CABLE, automotive, low tension, rubber insulated, braided and lacquered jacket, glvd steel armored, sgle conductor stranded, AWG No 14, construction 19 x 27 tnd-cop.	ft	†	%	37	37	30	296	1,480	---	H-5	# X
			CABLE, automotive, low tension, rubber insulated, cotton braid, flame retardant, water and oil proof covering, sgle conductor, stranded:											
H005-0812465	-----	15-C-2213-150	AWG, No. 12, color white, tracer 3-black.	ft	†	%	13	12	10	100	500	---	H-5	# X

H005-0812455	15-C-2213-100	AWG No 14, color white, tracer 2-black	ft	‡	%	26	26	52	21	208	1,040	H-5 # X
H005-0812460	15-C-2213-125	AWG No 16, color white, tracer 1-black	ft	‡	%	50	50	100	40	400	2,000	H-5 # X
H005-0812550	15-C-2266	CABLE, automotive, low tension, varnished, cambric tape insulated, braided jacket, glvd, steel armor, 2 conductor, stranded, AWG No 14, construction 19 by 27 tnd-cop.	ft	‡	%	13	13	26	10	102	510	H-5 # X
H005-0100623	17-C-18035-95	CONDUIT, flexible, non-metallic, size: $\frac{1}{16}$ in.	ft	‡	%	90	90	180	72	720	960	H-5 # X
H005-0100624	17-C-18036-5	$\frac{1}{16}$ in.	ft	‡	%	12	11	23	9	90	120	H-5 # X
H007-0100405	33-H-787-125	HOSE, rubber, canvas covered, ID $\frac{3}{8}$ in, 5 ply.	ft	‡	%	75	75	150	60	600	1,200	H-7 # X
H007-0100720	44-P-1288	PIPE, S, seamless or welded, glvd, standard weight, iron pipe size $\frac{1}{2}$ in.	ft	‡	%	13	12	25	10	100	200	H-7 # X
H007-0218110	44-T-5080-25	TUBING, cop, seamless, soft annealed, size: $\frac{3}{8}$ in, OD 0.375 in, thickness of wall 0.035 in.	ft	‡	%	63	62	125	50	500	500	H-7 # X
H007-0218135	44-T-5080-30	$\frac{1}{2}$ in, OD 0.500 in, thickness of wall 0.035 in.	ft	‡	%	7	6	13	5	50	50	H-7 # X

MAINTENANCE TOOLS FOR ORDNANCE PERSONNEL

No special tools are required by ordnance organizations for the maintenance of 6-ton 2-wheel van semi-trailer (Olson, Model LV10).

NOTES

- NX Items marked NX are nonexpendable.
X Items marked X are expendable.
G-9 Item used in two or more G groups (automotive major items). It is stored, issued, and reviewed under its pertinent stock number.
M-5 This item is used on major items covered by two or more lettered groups. See ORD 13 SNL M-5 for additional application. It is stored, issued, and reviewed under its pertinent stock number.
‡ As required.
† Available for issue until stock is exhausted.
** See subgroup 2304.
% The percent symbol (%) indicates additional parts not carried by this category of maintenance, but which may be requisitioned when needed for replacement.
The number symbol (#) in the reference symbols column indicates those items authorized for direct replacement when required for **organizational maintenance**.
AG Adjutant General.
QMC Quartermaster Corps.

ALPHABETICAL INDEX

1. This index does not include certain parts, as follows:

a. Line items representing multi-use ordnance standard parts which are summarized and listed in alphabetical sequence within subgroups 2304.1 (Standard Hardware, etc.) and 2304.2 (Bulk Material).

b. Attaching or specially associated parts which are indented under the related primary line item and not otherwise listed within the same subgroup; such parts are found readily by referring to the immediate item which requires their use. To find the attaching parts for brake chamber, for example, locate CHAMBER in this index and refer to the referenced subgroup (1208) where the indented attaching parts (NUT, SCREW, and WASHER) will be found.

2. There are indexed individual alphabetized listings, however, of nonstandard parts if they are not accompanied in this catalog by the related primary item to which they pertain due to the latter being an unauthorized item and not available for listing in an ORD 8 to facilitate identification.

ITEM	GROUP	ITEM	GROUP
ADAPTER, service brake support.....	1202. 3	CAPS	
ADJUSTER, slack.....	1206	Hub.....	1312
ARM, landing gear hand crank.....	1507. 15	Landing gear support leg.....	1507. 15
AXLES		Tire, valve.....	1313
(BEAM).....	1101	Trailer coupling.....	0617
Landing gear support leg.....	1507. 15	CASE, trailer coupling socket.....	0617
Rear.....	1100	CHAIN, air brake dummy hose coupling.....	1208
BALL, slack adjuster worm shaft.....	1206	CHAMBER, air brake.....	1208
BEARINGS		CLAMPS	
Bushing type,		Air brake line.....	1208
Radius rod.....	1605. 21	Chassis wiring harness cable.....	0613. 1
Slack adjuster.....	1206	Trailer coupling cable.....	0617
Service brake.....	1202. 3	CLIPS	
Landing gear.....	1507. 15	Auxiliary spring.....	1602
BLADE, trailer coupling receptacle.....	0617	Chassis wiring harness.....	0613. 1
BLOCK, fuse.....	0608	Main spring.....	1601. 23
BODY, slack adjuster.....	1206	COLLAR, service brake camshaft.....	1202. 3
BOLTS		CONNECTORS	
Auxiliary spring.....	1602	Air brake line.....	1208
Landing gear support leg.....	1507. 15	Chassis wiring harness.....	0613. 1
Main and auxiliary spring.....	1601. 23	CORE, tire, valve.....	1313
Radius rod.....	1605. 21	COUPLINGS	
Trailer coupling.....	0617	Air brake air hose.....	1208
BOOT, air brake chamber.....	1208	Landing gear hand crank shaft.....	1507. 15
BOX, landing gear miter gear.....	1507. 15	COVERS	
BRACE, landing gear support leg.....	1507. 15	Brake drum inspection hole.....	1312
BRACKETS		Landing gear.....	1507. 15
Air brake reservoir.....	1209. 3	Slack adjuster body.....	1206
Landing gear.....	1507. 15	Trailer coupling electric brake.....	0617
Main spring axle.....	1601. 23	CRANK, hand, landing gear.....	1507. 15
Service brake camshaft and diaphragm.....	1202. 3	DIAPHRAGM, air brake.....	1208
Tail light.....	0609. 1	DOOR, light.....	0609. 1
Trailer coupling socket.....	0617	DRUM, brake.....	1312
BUSHINGS		FILTER, air, air brake.....	1208
Air brake line.....	1208	FITTING, air brake exhaust.....	1208
Service brake shoe anchor pin.....	1202. 3	FUSE, cartridge, glass tube.....	0608
CABLE, trailer coupling.....	0617		
CAMSHAFT, service brake.....	1202. 3		

ALPHABETICAL INDEX—Continued

ITEM	GROUP	ITEM	GROUP
GASKETS		PLATES	
Air brake.....	1208	Air brake chamber.....	1208
Hub cap.....	1312	Service brake shoe cam.....	1202.3
Landing gear miter gear box cover.....	1507.15	PLUGS	
Trailer coupling socket cover.....	0617	Chassis wiring harness lamp connector.....	0613.1
GEARS		Lamp connector.....	0609.1
Miter, landing gear.....	1507.15	Slack adjuster.....	1206
Slack adjuster.....	1206	Trailer coupling cable.....	0617
HANDLES		RECEPTACLE, twist lock.....	
Landing gear hand crank arm.....	1507.15		0608
Trailer coupling plug.....	0617	REFLECTOR, amber; and ruby.....	
HOLDER, landing gear hand crank.....			2202
	1507.15	RESERVOIR, air brake.....	
HOOKS			1209.3
Air brake dummy coupling.....	1208	RETAINER, wheel bearing.....	
Trailer coupling jumper cable spring.....	0617		1311
HOSES		RINGS	
Air.....	1313	Trailer coupling socket cover.....	0617
Air brake.....	1208	Wheel.....	1311
HOUSING, landing gear operating shaft.....		RODS	
	1507.15	Air brake chamber.....	1208
HUB, wheel.....		Radius.....	1605.21
	1312	ROLLER, landing gear operating shaft.....	
INSERT, trailer coupling socket.....			1507.15
	0617	SCREW, slack adjuster.....	
INSULATOR, trailer coupling.....			1206
	0617	SEAT, main spring.....	
KEY, landing gear operating shaft miter gear.....			1601.23
	1507.15	SHAFTS	
KITS		Landing gear.....	1507.15
Air brake quick release valve.....	1208	Slack adjuster worm.....	1206
Repair,		SHIELD, service brake.....	
Air brake.....	1208		1202.3
Slack adjuster.....	1206	SHIMS	
Trailer coupling.....	0617	Service brake camshaft and diaphragm bracket.....	1202.3
Trailer coupling socket and cover.....	0617	Service brake shoe.....	1202.3
LAMPS		SHOE, service brake.....	
Clearance light.....	0609.1		1202.3
Dome light.....	0609.2	SLEEVE, radius rod.....	
LAMP-UNIT, light.....			1605.21
	0609.1	SLINGER, oil, brake drum.....	
LEAVES			1312
Auxiliary spring.....	1602	SOCKET, trailer coupling.....	
Main spring.....	1601.23		0617
LEG, landing gear support.....		SPACERS	
	1507.15	Main spring.....	1601.23
LENS		Radius rod.....	1605.21
Clearance light.....	0609.1	SPRINGS	
Dome light.....	0609.2	Air brake chamber.....	1208
LIGHTS		Auxiliary.....	1602
Blackout.....	0609.1	Main.....	1601.23
Clearance.....	0609.1	Service brake shoe.....	1202.3
Dome.....	0609.2	Slack adjuster worm shaft.....	1206
LOCK, service brake.....		Trailer coupling cable support.....	0617
	1202.3	STRAINER, air brake filter.....	
NUTS			1208
Landing gear operating shaft.....	1507.15	STRAP, service brake shoe anchor pin.....	
Wheel.....	1311		1202.3
PINS		STUD, wheel.....	
Dowel, slack adjuster.....	1206		1311
King.....	1506	SUPPORT, service brake shoe.....	
Landing gear back brace.....	1507.15		1202.3
Radius rod.....	1605.21	SWITCHES	
Service brake.....	1202.3	Blackout and service light.....	0608
		Dome light.....	0608
		SWIVEL, radius rod.....	
			1605.21
		TEE, air brake line.....	
			1208
		TERMINAL, chassis wiring harness cable.....	
			0613.1
		TIRE, truck and bus.....	
			1313
		TUBE, truck and bus.....	
			1313
		TUBING, air brake line.....	
			1208
		UNION, air brake line.....	
			1208

ALPHABETICAL INDEX—Continued

ITEM	GROUP	ITEM	GROUP
VALVE, air brake relay emergency.....	1208	WHEELS	
WASHERS		Disk.....	1311
Landing gear operating shaft miter gear.....	1507. 15	Landing gear support leg axle.....	1507. 15
Service brake camshaft.....	1202. 3	WORM, slack adjuster gear.....	1206
Slack adjuster.....	1206	YOKE, air brake.....	1208
Trailer coupling socket.....	0617		
Wheel.....	1311		

ORDNANCE AND MANUFACTURERS' PART NUMBER INDEX

This index is prepared in strict numerical sequence; that is, all letters or dashes prefixed, suffixed, or interspersed in the numbers are disregarded. For instance, *TD-1246H60* is in sequence as *124660*, but the complete number, including the manufacturer's symbol as the prefix, is shown in the listing. All ordnance numbers appear with symbol prefix ORD. Ordnance standard part numbers are not included generally in this index because they refer to standard items which may appear in various groups or already have a common application in the supply system and are not necessarily peculiar within an index of this kind.

PART NO.	SUBGROUP	PART NO.	SUBGROUP	PART NO.	SUBGROUP
HLH-H26	1507.15	OL-2708	1605.21	TCA-7-30-2	1202.3
HLH-H27	1507.15	OL-2709	1605.21	TCA-7-30-3	1202.3
HLH-H31	1507.15	OL-H2712	1602	WEB-7323A	0617
HLH-H36	1507.15	OL-M2712	1601.23	HBL-7983	0608
HLH-H37	1507.15	GTT-2718	1208	SV-8706	1313
HLH-H39	1507.15	OL-2748	0609.1	WEB-11296A	0617
HLH-H72	1507.15	OL-2749	1601.23	WEB-11937	0613.1
OL-104	1601.23	OL-2757	1601.23	TD-15015	1202.3
HLH-H106	1507.15	OL-2758	1605.21	AMB-15353	1506
OL-106	1601.23	OL-2759	1605.21	TCA-17-13-6	0617
HLH-H114	1507.15	OL-2760	1605.21	TCA-17-13-7	0617
HLH-H122	1507.15	OL-2800	1605.21	TCA-17-5-95	1208
HLH-H201A	1507.15	OL-2804	1605.21	WEB-20102	0617
HLH-H201B	1507.15	OL-2901	1601.23	TD-T2090W-X-1	1100
HLH-H202	1507.15	OL-2902	1601.23	TCA-2-52-14	1506
HLH-H204	1507.15	OL-2903	1601.23	SV-30804	1313
HLH-H205A	1507.15	OL-2905	1601.23	BW-44480	1311
HLH-H209A	1507.15	OL-2906	1601.23	FF-60386	1101
HLH-H212	1507.15	OL-2909	1601.23	ORD C67935	1311
HLH-H214C	1507.15	OL-2910	1602	ORD C85464	1208
HLH-H215	1507.15	OL-2911	1602	ORD 103642	0609.2
HLH-H215A	1507.15	OL-2913	1602	WEB-110110	0617
HLH-H216	1507.15	OL-2914	1602	WEB-110242	0617
HLH-H217	1507.15	KY-P2950	1605.21	WEB-110243	0617
HLH-H218	1507.15	OL-P2950	1605.21	WEB-110247	0617
HLH-H227	1507.15	DM-2973	0608	WEB-110336	0617
TD-2X43	1312	WEB-3169	0617	WEB-110346	0617
TD-26X4	1202.3	WEB-3189	0617	WEB-110417	0617
TD-H303B	1507.15	WEB-3222	0617	WEB-110477B	0617
HLH-H305B	1507.15	KY-P3441L	1601.23	WEB-110589	0617
HLH-H314	1507.15	KY-P3441R	1601.23	WEB-110634	0617
HLH-H316	1507.15	WEB-3528	0617	TD-1107C29	1312
HLH-H320A	1507.15	TD-T3564	1311	WEB-110879	0617
HLH-H321L	1507.15	WEB-3695	0617	WEB-110880	0617
HLH-H321R	1507.15	WEB-3695E	0617	WEB-110880A	0617
HLH-H322	1507.15	WEB-3695ES	0617	WEB-110884	0617
HLH-H323	1507.15	WEB-3703	0617	WEB-110886	0617
HLH-H324	1507.15	WEB-3731	0617	WEB-110887	0617
HLH-H327	1507.15	TD-T3840	1311	WEB-110889	0617
HLH-T417H	1506	BSM-4532	0608	WEB-110898	0617
HLH-H653	1507.15	WEB-4951	0617	WEB-110907	0617
TD-10X39	1206	WEB-4952	0617	WEB-110913	0617
LFM-B1406	1506	TD-5X139	1311	WEB-110919	0617
DWC-1425	1313	KD-530-6V	0609.2	WEB-110970	0617
GE-1554	0609.2	HG-BA6455	0617	WEB-111015	0617
TD-15X79	1202.3	TD-AT6880	1311	WEB-111074	0617
TCA-17A3-1	1208	TCA-7-15-3	1312	ORD 117054	1311
LV-2431WENA	0609.2	HBL-7210	0608	ORD 120114	0608
TCA-2-52-9	1506	TCA-7-30-1	1202.3	ORD 120871	0613.1

ORDNANCE AND MANUFACTURERS' PART NUMBER INDEX—Continued

PART NO.	SUBGROUP	PART NO.	SUBGROUP	PART NO.	SUBGROUP
TD-1225G85	1202.3	BWE-212629	1206	ORD A238183	1208
TD-1245W75	1202.3	BWE-212630	1206	ORD A238202	1206
TD-1246H60	1202.3	BWE-212631	1206	ORD A238212	1208
ORD 125588	0609.1	BWE-212633	1206	ORD A238215	1208
TD-1259B28	1202.3	BWE-212715	1206	ORD B295030	0617
ORD A142726	1208	BWE-212716	1206	ORD A322959	0617
ORD A146155	1202.3	BWE-212741	1208	ORD A325611	0617
ORD A146156	1202.3	BWE-212930	1208	ORD A325612	0617
ORD A146178	1202.3	BWE-214151	1208	ORD A325613	0617
ORD B152752	0617	BWE-214173	1208	ORD A325614	0617
ORD A159546	1312	BWE-214174	1208	ORD A325615	0617
ORD A159739	1202.3	BWE-214232	1208	ORD A325616	0617
ORD A162441	0613.1	BWE-214233	1208	ORD A325617	0617
ORD B166563	1311	BWE-215660	1209.3	TD-3262E31	1312
ORD A168829	1311	BWE-215703	1208	TD-3280D30	1312
ORD B169300	1209.3	BWE-215771	1208	TD-A333W179	1312
ORD A173394	0617	BWE-215892	1208	ORD A334692	1208
ORD A173491	1206	BWE-216678	1208	ORD 500495	0617
TCA-17-5-128	1208	BWE-217919	1206	ORD 500497	0617
ORD A190691	0617	BWE-217920	1206	ORD 500703	0617
ORD A194872	1208	BW-21863E4	1311	ORD 500705	0617
ORD A196340	0617	GM-219594	0617	ORD 501229	1313
BWE-200001	1208	BWE-220353	1208	ORD 504406	0609.1
ORD 200079	0613.1	BWE-220371	1208	ORD 504413	0609.1
BWE-200406	1208	BWE-220636	1208	ORD 504417	0609.1
BWE-201225	1206	BWE-220862	1208	ORD 504420	0609.1
BWE-201271	1208	BWE-221022	1208	ORD 504423	0609.1
BWE-201326	1206	BWE-221053	1208	ORD 504430	0609.1
BWE-202588	1208	BWE-221087	1208	ORD 504432	0609.1
BWE-202639	1208	BWE-221135	1208	ORD 504444	0609.1
BWE-202690	1208	BWE-221365	1208	ORD 504445	0609.1
BWE-202692	1208	BWE-221366	1208	ORD 504446	0609.1
BWE-202693	1208	BWE-221368	1208	ORD 504447	0609.1
BWE-202695	1208	BWE-221371	1208	ORD 504450	0609.1
BWE-202696	1208	BWE-221373	1208	ORD 504451	0609.1
BWE-202697	1208	BWE-221376	1208	ORD 504453	0609.1
BWE-202698	1208	BWE-221378	1208	ORD 504454	0609.1
BWE-202699	1208	BWE-221382	1206	ORD 506008	0609.1
BWE-202735	1208	BWE-221385	1208	ORD 506010	0613.1
BWE-202738	1208	ORD B224620	1208	ORD 506101	0609.1
BWE-202744	1208	TD-2258A53	1202.3	ORD 506102	2202
BWE-202797	1208	ORD A228625	1208	ORD 506207	0613.1
BWE-202869	1208	ORD A237988	1208	ORD 506208	0613.1
BWE-203151	1208	ORD A237989	1208	ORD 506604	0608
BWE-203328	1208	ORD A238016	1208	ORD 507055	0613.1
BWE-203379	1208	ORD A238158	1208	ORD 507096	0613.1
BWE-204056	1208	ORD A238159	1208	ORD 514440	1313
BWE-204651	1208	ORD A238161	1208	ORD 514450	1313
BWE-205267	1209.3	ORD A238162	1208	ORD 519444	1313
BWE-205730	1208	ORD A238166	1208	ORD 520944	1313
BWE-205948	1208	ORD A238167	1208	KD-530-110V	0609.2
BWE-210768	1208	ORD A238168	1208	ORD 537805	1311
BWE-210812	1208	ORD A238169	1208	ORD 537808	1311
BWE-210893	1208	ORD A238170	1208	ORD 537809	1311
BWE-211367	1208	ORD A238172	1208	ORD 537810	1311
BWE-211379	1208	ORD A238175	1208	ORD 537941	1311
BWE-212294	1208	ORD A238176	1208	ORD 537944	1311
BWE-212295	1208	ORD A238179	1208	ORD 570088	0613.1
BWE-212328	1208	ORD A238180	1208		
BWE-212628	1206	ORD A238181	1208		

ORDNANCE AND MANUFACTURERS' PART NUMBER INDEX—Continued

PART NO.	SUBGROUP	PART NO.	SUBGROUP	PART NO.	SUBGROUP
ORD 570089	0613. 1	ORD 7067973	1506	ORD 7368194	1601. 23
FF-651305	1506	ORD 7071419	0617	ORD 7368195	1601. 23
ORD 705337	1311	ORD 7085130	1202. 3	ORD 7368196	1601. 23
ORD 706783	1311	ORD 7085131	1202. 3	ORD 7368197	1601. 23
ORD 709690	1507. 15	ORD 7085144	1202. 3	ORD 7368201	1601. 23
FF-901304	1206	ORD 7085160	1202. 3	ORD 7368202	1601. 23
FF-901306	1206	ORD 7085161	1312	ORD 7368203	1601. 23
CC-929442	1206	ORD 7085163	1312	ORD 7368204	1601. 23
TD-1199R434	1202. 3	ORD 7097079	1101	ORD 7368205	1601. 23
TD-A1199F760	1202. 3	ORD 7099667	1208	ORD 7368206	1601. 23
TD-1205L116	1311	ORD 7109345	1206	ORD 7368207	1602
TD-1205M117	1311	ORD 7109699	1208	ORD 7368208	1602
TD-1229D108	1202. 3	ORD 7165431	0613. 1	ORD 7368209	1602
TD-1229R122	1202. 3	ORD 7205012	1209. 3	ORD 7368210	1602
TD-A1229J166	1206	ORD 7330851	1206	ORD 7368211	1605. 21
TD-1229W283	1311	ORD 7362776	1601. 23	ORD 7368212	1605. 21
TD-2203J374	1202. 3	ORD 7362777	1602	ORD 7368213	1605. 21
TD-2203P432	1202. 3	ORD 7365745	1507. 15	ORD 7368214	1605. 21
TD-2203Q433	1202. 3	ORD 7365750	1202. 3	ORD 7368215	0608
TD-2203R434	1202. 3	ORD 7365806	1312	ORD 7368216	0608
TD-2208A105	1312	ORD 7365807	1312	ORD 7368217	0609. 1
TD-A3211Q953	1202. 3	ORD 7365809	1507. 15	ORD 7368219	0609. 2
TD-3236N690	1202. 3	ORD 7365810	1507. 15	ORD 7368220	0609. 2
TD-3268P146	1202. 3	ORD 7365811	1507. 15	ORD 7368221	0609. 2
TD-3299B522	1202. 3	ORD 7365812	1507. 15	ORD 7368222	0609. 2
TD-3299C523	1202. 3	ORD 7365813	1507. 15	ORD 7698344	0617
ORD 5577518	1311	ORD 7365814	1507. 15	ORD 7698533	1208
ORD 7000999	0617	ORD 7365815	1507. 15	ORD 7698578	1311
ORD 7001001	0617	ORD 7366032	1208	ORD 7698579	1311
ORD 7001002	0617	ORD 7366537	1605. 21	ORD 7701108	1311
ORD 7001003	0617	ORD 7366554	1507. 15	ORD 7703679	1100
ORD 7001004	0617	ORD 7366558	1507. 15	ORD 7703718	1208
ORD 7001005	0617	ORD 7366559	1507. 15	ORD 7703994	1507. 15
ORD 7001418	0617	ORD 7366620	1507. 15	ORD 7734210	1208
ORD 7001677	1208	ORD 7366621	1507. 15	ORD 7740869	1208
ORD 7001696	1202. 3	ORD 7366622	1507. 15	ORD 7741031	0617
ORD 7001749	1202. 3	ORD 7366639	0617	ORD 7741259	1206
ORD 7001751	1202. 3	ORD 7366643	1507. 15	TD-A1-3274J114	1101
ORD 7001756	1202. 3	ORD 7366661	0617	TD-2210B1640	1202. 3
ORD 7001769	1208	ORD 7366704	0608	TD-2210C1641	1202. 3
ORD 7002179	1206	ORD 7366821	1312	TD-22971L168	1202. 3
ORD 7002180	1206	ORD 7368061	1202. 3	TD-3219D1460	1312
ORD 7014891	1202. 3	ORD 7368187	1605. 21	TD-B40-333W179	1312
ORD 7014961	1208	ORD 7368188	1605. 21	TD-B41-333W179	1312
ORD 7014965	1208	ORD 7368189	1208	TD-B42-333W179	1312
ORD 7014966	1208	ORD 7368190	1605. 21	TD-B43-333W179	1312
ORD 7014992	1208	ORD 7368191	1605. 21	TD-B78-3274W23	1101
ORD 7014993	1208	ORD 7368192	1601. 23	TD-A27-3222B210	1202. 3
ORD 7014994	1208	ORD 7368193	1601. 23	TD-A28-3222B210	1202. 3

STOCK NUMBER INDEX

This index includes two types of stock numbers which are not intermixed—the SNL-prefix type (G545-7366704) and the stock-class-code (manufacturer's numerical symbol)-prefix type (9400-110589). These numbers are each arranged numerically by types. H-, J-, and K-group numbers are not included generally in this index because they refer to standard items which may appear in various groups or already have a common application in the supply system and are not necessarily peculiar within an index of this kind.

STOCK NO.	SUBGROUP	STOCK NO.	SUBGROUP	STOCK NO.	SUBGROUP
C039-5237988	1208	G508-6143571	1311	G530-7366643	1507. 15
C039-5237989	1208	G509-0101932	1206	G538-7368061	1202. 3
C039-5238016	1208	G509-0101933	1206	G544-0148520	0617
D024-5194872	1208	G509-0126373	1202. 3	G544-0169125	0617
D024-5238158	1208	G509-0126425	1202. 3	G544-0366830	0617
D024-5238159	1208	G509-0129085	1202. 3	G544-0583750	0617
D024-5238161	1208	G509-0129087	1202. 3	G544-0788832	0617
D024-5238162	1208	G509-0129094	1202. 3	G545-5577518	1311
D024-5238166	1208	G509-0131484	1202. 3	G545-7362776	1601. 23
D024-5238167	1208	G509-0131485	1202. 3	G545-7362777	1602
D024-5238168	1208	G509-0134581	1208	G545-7366704	0608
D024-5238169	1208	G509-0139830	1202. 3	G545-7368187	1605. 21
D024-5238170	1208	G509-0156602	1312	G545-7368188	1605. 21
D024-5238172	1208	G509-0193817	1312	G545-7368189	1208
D024-5238176	1208	G509-0221026	1312	G545-7368190	1605. 21
D024-5238179	1208	G509-0279846	1202. 3	G545-7368191	1605. 21
D024-5238180	1208	G509-0338702	1202. 3	G545-7368192	1601. 23
D024-5238181	1208	G509-0338707	1202. 3	G545-7368193	1601. 23
D024-5238183	1208	G509-0340200	1202. 3	G545-7368194	1601. 23
D024-5238212	1208	G509-0367750	1311	G545-7368195	1601. 23
G067-3140084	1312	G509-0367785	1311	G545-7368196	1601. 23
G074-0100007	0617	G509-0382004	1206	G545-7368197	1601. 23
G074-0100092	0617	G509-0382024	1202. 3	G545-7368201	1601. 23
G074-0100166	0613. 1	G509-0384371	1202. 3	G545-7368202	1601. 23
G098-2400442	1208	G509-0384372	1202. 3	G545-7368203	1601. 23
G098-5600050	1208	G509-0386500	1312	G545-7368204	1601. 23
G102-0307225	1311	G509-0389504	1206	G545-7368205	1601. 23
G116-0302200	1311	G509-0389792	1202. 3	G545-7368206	1601. 23
G116-1528034	1202. 3	G509-0443017	1311	G545-7368207	1602
G116-1540210	1202. 3	G509-5228623	1208	G545-7368208	1602
G116-1551600	1208	G509-7014965	1208	G545-7368209	1602
G116-1596014	1202. 3	G509-7099667	1208	G545-7368210	1602
G116-1767493	1208	G509-7701108	1311	G545-7368211	1605. 21
G116-1782011	1208	G510-0180654	1311	G545-7368212	1605. 21
G116-1784623	1206	G510-0384922	1202. 3	G545-7368213	1605. 21
G116-1827272	1208	G510-0384923	1202. 3	G545-7368214	1605. 21
G116-1827273	1208	G513-7330851	1206	G545-7368215	0608
G116-1843027	1202. 3	G518-7000999	0617	G545-7368216	0608
G116-1882400	1208	G518-7001001	0617	G545-7368217	0609. 1
G116-1882431	1208	G518-7001002	0617	G545-7368220	0609. 2
G117-0103900	0617	G518-7001003	0617	G545-7368221	0609. 2
G117-0107477	0617	G518-7001004	0617	G545-7368222	0609. 2
G147-0443074	0617	G518-7001005	0617	G545-7703994	1507. 15
G150-0232847	0617	G518-7001418	0617	G560-7366742	1507. 15
G159-5585464	1208	G525-7701730	1313	G571-7698344	0617
G160-0125865	1209. 3	G525-7741031	0617	G575-7097079	1101
G160-0367615	1209. 3	G530-7366620	1507. 15	G575-7365745	1507. 15
G160-0427267	1208	G530-7366621	1507. 15	G575-7365750	1202. 3
G160-0443031	1206	G530-7366622	1507. 15	G584-7740869	1208
G213-7085163	1312	G530-7366639	0617	G587-7365806	1312

STOCK NUMBER INDEX—Continued

STOCK NO.	SUBGROUP	STOCK NO.	SUBGROUP	STOCK NO.	SUBGROUP
G587-7365807	1312	G706-7703718	1208	4410-H201A	1507.15
G587-7365809	1507.15	G712-7067973	1506	4410-H201B	1507.15
G587-7365810	1507.15	0850-200406	1208	4410-202	1507.15
G587-7365812	1507.15	0850-201271	1208	4410-H205A	1507.15
G587-7365814	1507.15	0850-202588	1208	4410-H209A	1507.15
G587-7365815	1507.15	0850-210812	1208	4410-H212	1507.15
G588-7365811	1507.15	0850-210893	1208	4410-H215A	1507.15
G590-7698533	1208	0850-212328	1208	4410-H216	1507.15
G594-7366032	1208	0850-212715	1202.3	4410-H227	1507.15
G664-7366661	0617	0850-212716	1202.3	4410-H303B	1507.15
G665-7366537	1605.21	0850-214173	1208	4410-H320A	1507.15
G665-7366554	1507.15	0850-214232	1208	4410-H321L	1507.15
G665-7366558	1507.15	0850-215703	1208	4410-H321R	1507.15
G665-7366559	1507.15	0850-215771	1208	4410-H322	1507.15
G665-7734210	1208	0850-215892	1208	4410-H323	1507.15
G671-7001677	1208	0850-221371	1208	8500-2X43	1312
G671-7001696	1202.3	0850-221373	1208	8500-1245W75	1202.3
G671-7001749	1202.3	0850-221376	1208	8500-B42-333W179	1312
G671-7001751	1202.3	0850-221378	1208	8500-B43-333W179	1312
G671-7001756	1202.3	0850-221385	1208	9400-3695E	0617
G671-7002179	1206	4410-H26	1507.15	9400-20102	0617
G671-7002180	1206	4410-H31	1507.15	9400-110247	0617
G675-7703679	1100	4410-H72	1507.15	9400-110589	0617
G676-7014966	1208	4410-H106	1507.15	9400-111074	0617
G698-7741259	1206	4410-H114	1507.15		




Figure 1. Semitrailer, 6-ton, 2-wheel, 2-wheel, van (Olson, Model LV10).