TECHNICAL MANUAL

ORGANIZATIONAL MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

FOR

SIGNAL LAMP EQUIPMENTS

SE-11 AND SE-11A

(NSN 5850 00-407-6671)

HEADQUARTERS, DEPARTMENT OF THE ARMY

TECHNICAL MANUAL No. 11-5850-201-20P

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, 21 July 1977

ORGANIZATIONAL MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST FOR

SIGNAL LAMP EQUIPMENTS SE-11 AND SE-11A (NSN 5850-00-407-6671)

Current as of 11 May 1977

REPORTING OF ERRORS

You can improve this manual by recommending improvements using DA Form 2028-2 (Test) located in the back of the manual. Simply tear out the self addressed form, fill it out as shown on the sample, fold it where shown, and drop it in the mail.

If there are no blank DA Form 20282 (Test) in the back of your manual, use the standard DA Form 2028 (Recommended Changes to Publication and Blank Forms) and forward to the Commander, US Army Electronics Command, ATTN: DRSEL-MA-Q, Fort Monmouth, New Jersey 07703. In either case a reply will be furnished direct to you.

		Page	Figure
SECTION I.	INTRODUCTION	1	
II.	REPAIR PARTS LIST	5	
Group 00	Signal Lamp Equipment SE-11, SE-11A	5	1
. 01	Signal Lamp M-227, M-438	7	2, 3
	0101 Relay assembly (No parts authorized)		
	0102 Front hood (No parts authorized)		
02	Tripod LG-21 (No parts authorized)		
03	Cable Assembly, Power Electrical CD-701 (No parts authorized)		
SECTION III.	SPECIAL TOOLS LIST (NOT APPLICABLE)		
IV.	NATIONAL STOCK NUMBER AND PART NUMBER INDEX	10	

^{*}This manual supersedes TM 11-5850-201-20P, 2 February 1970.

SECTION I

1. Scope

This manual lists spares and repair parts; special tools; special test, measurement, and diagnostic equipment (TMDE), and other special support equipment required for performance of organizational maintenance of the SE-11 and SE-11A. It authorizes the requisitioning and issue of spares and repair parts as indicated by the source and maintenance codes.

2. General

This Repair Parts and Special Tools List is divided into the following sections:

- a. Section II. Repair Parts List. A list of spares and repair parts authorized for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in numeric sequence, with the parts in each group listed in figure and item number sequence.
- b. Section III. Special Tools List. Not applicable.
- c. Section IV. National Stock Number and Part Number Index. A list, in National item identification number (NIIN) sequence, of all National stock numbers (NSN) appearing in the listings, followed by a list, in alphameric sequence, of all part numbers appearing in the listings. National stock numbers and part numbers are cross-referenced to each illustration figure and item number appearance.

3. Explanation of Columns

- a. Illustration. This column is divided as follows:
 - (1) Figure number. Indicates the figure number of the illustration on which the item is shown.
 - (2) Item number. The number used to identify item called out in the illustration.
- b. Source, Maintenance, and Recoverability (SMR) Codes.
- (1) Source code. Source codes indicate the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are entered in the first and second positions of the Uniform SMR Code format as follows:

Code Definition

PA -Item procured and stocked for anticipated or known usage.

XD -A support item that is not stocked. When required, item will be procured through normal supply channels.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

- (2) Maintenance code. Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:
- (a) The maintenance code entered in the third position will indicate the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position will indicate one of the following levels of maintenance:

Code Application/Explanation

- O -Support items is removed, replaced, used at the organizational level.
- (b) The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). This position will contain one of the following maintenance codes:

Code Application/Explanation

- F -The lowest maintenance level capable of complete repair of the support item is the direct support level.
- Z -Nonreparable. No repair is authorized.
- (3) Recoverability code. Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the Uniform SMR Code format as follows:

 *Recoverability codes**

 *Definition**
- Z -Nonreparable item. When unserviceable, condemn and dispose at the level indicated in position 3.
- F -Reparable item. When uneconomically reparable, condemn and dispose at the direct support level.
- c. National Stock Number. Indicates the National stock number assigned to the item and will be used for requisitioning purposes.
- d. Part Number. Indicates the primary number used by the manufacturer (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications, standards, and inspection requirements to identify an item or range of items.

NOTE

When a stock numbered item is requisitioned, the repair part received may have a different part number than the part being replaced.

- e. Federal Supply Code for Manufacturer (FSCM). The FSCM is a 5 digit numeric code listed in SB 708-42 which is used to identify the manufacturer, distributor, or Government agency, etc.
- f. Description. Indicates the Federal item name and, if required, a minimum description to identify the item.
- g. Unit of Measure (U/M). Indicates the standard of the basic quantity of the listed item as used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation (e.g., ea., in, pr, etc). When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.
- h. Quantity Incorporated in Unit. Indicates the quantity of the item used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly.

4. Special Information

a. Usable on codes are shown in the description column. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are:

Code Used on ADX SE-11 ADY SE-11A

b. The following publication pertains to the SE-11 and SE-11A and its components:

TM 11-5850-201-12, Signal Lamp Equipments SE-11 and SE-11A

c. The illustrations in this manual are identical to those published in TM 11-5850-201-34P. Only those parts assigned the third position SMR maintenance code "C" or "O" are listed in the tabular listing; therefore, there may be a break in the item number sequence. Only illustrations containing organizational authorized items appear in this manual.

5. How to Locate Repair Parts

- a. When National stock number or part number is unknown.
- (1) *First.* Using the table of contents, determine the functional group within which the item belongs. This is necessary since illustrations are prepared for functional groups and listings are divided into the same groups.
 - (2) Second. Find the illustration covering the functional group to which the item belongs.
- (3) Third. Identify the item on the illustration and note the illustration figure and item number of the item.
 - (4) Fourth. Using the Repair Parts Listing, find the figure and item number noted on the illustration.
- b. When National stock number or part number is known
- (1) First. Using the Index of National Stock Numbers and Part Numbers, find the pertinent National stock number or part number. This index is in NIIN sequence followed by a list of part numbers in alphameric sequence, cross-referenced to the illustration figure and item number.
- (2) Second. After finding the figure and item number, locate the figure and item number in the repair parts list.

6. Abbreviations

Not applicable.

(Next printed page is 4)




Figure 1. Signal Lamp Equipment SE-11 and SE-11A.

SECTION II TM 11-5850-201-20P

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
ILLUST	RATION					DESCRIPTION		QTY
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM	USABLE ON CODE	U/M	INC IN UNIT
1	4	PAOFF	5850-00-498-8141	LG21	80058	GROUP 00 SIGNAL LAMP EQUIPMENT SE-11 AND SE-11A TRIPOD	EA	1
1	12	XDOFF	3630-00-496-6141	SCD8978	80063	CABLE ASSY, PWR.ELEC	EA	1 1




Figure 2. Signal Lamp M-227

SECTION II TM 11-5850-201-20P

(1)	(2)	(3)	(4)	(5)	(6)		(7)	(8)
ILLUST	RATION					DESCRIPTION			QTY
(a) FIG	(b) ITEM	SMR	NATIONAL STOCK	PART					INC IN
NO.	NO.	CODE	NUMBER	NUMBER	FSCM		USABLE ON CODE	U/M	
						GROUP 01 SIGNAL LAMP M227 AND M	438		
2	5	PAOZZ	6240-00-299-6767	UM61	80063	LAMP, INCANDESCENT	ADX	EA	1
2	6	XDOFF		SCD8971	80063	FRONT HOOD	ADX	EA	1




Figure 3. Signal Lamp M-438

SECTION II TM 11-5850-201-20P

(1)	(2)	(3)	(4)	(5)	(6)		(7)	(8)
ILLUSTI						DESCRIPTION			QTY
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM		USABLE ON CODE	U/M	INC IN UNIT
3 3	4 5	PAOZZ XDOFF	6240-00-299-6767	LM61 SCD173222	80063 80063	LAMP, INCANDESCENT FRONT HOOD	ADY ADY	EA EA	1
	3	XDOIT		30D173222	80003	TRONT HOOD	ADI		'

SECTION IV TM 11-5850-210-20P

NATIONAL STOCK NUMBER AND PART NUMBER INDEX

STOCK N	<u>UMBER</u>	FIGURE <u>NO</u> .	ITEM <u>NO.</u>	STO	OCK NUMBER		SURE NO.	ITEM <u>NO.</u>
6240-00-29 6240-00-29		2 3	5 4	5850-00-498-8141			1	4
PART NUMBER	FSCM	FIG. NO.	ITEM NO.	PART NO.	FSCM	FIG. NO.		ITEM NO.
LG21 LM16I	80058 80063	1 2	4 5	SCD17322	80063	3		5
LM161	80063	3	4	SCD8971 SCD8978	80063 80063	2 1		6 12

By Order of the Secretary of the Army:

BERNARD W. ROGERS General, United States Army Chief of Staff

Official:

PAUL T. SMITH
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)	MAAG (1)
COE (1)	USARMIŚ (1)
TSG (1)	USAERDAÀ (1)
USAARENBD (1)	USAERDAW (1)
DARCOM (1)	Sig FLDMS (1)
TECOM (2)	Units org under fol TOE:-1 ea.
USACC (4)	1-55
TRADOC (2)	1-56
OS Maj Comd (4)	1-165
MDW (1)	1-166
Armies (2)	1-167
Corps (2)	1-256
Instl (2) except	5-405
Ft Gillem (10)	5-408
Ft Gordon (10)	7-168
Ft Huachuca (10)	10-206
Ft Carson (6)	11-97
SAAD (30)	11-98
LBAD (14)	11-117
TOAD (14)	11-127
SHAD (3)	11-500(AA-AC)
HISA (Ft Monmouth) (8)	29-56
Ft Richardson (ECOM Ofc) (2)	29-134
Sv c Colleges (1)	29-136
USAICS (3)	31-105
USAADS (2)	31-107
USAFAS (2)	55-116
USAARMS (2)	55-128
USAIS (2)	55-129
USAES (2)	55-138

ARNG: State AG (3); Units-Same as Active Army except allowance is one (1) copy each.

USAR: None.

For explanation of abbreviations used, see AR 310-50.

	RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS
CAREFULLY	SOMETHING WRONG WITH PUBLICATION FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS) TON THIS FORM. TEAR IT OUT, FOLD IT IT IN THE MAIL. PUBLICATION DATE PUBLICATION TITLE
BE EXACT PIN-POINT WHERE IT IS	<u>, I </u>
PRINTED NAME, GRADE OR TITLE AND TEL	IN THIS SPACE, TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT.

I DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE. P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

THE METRIC SYSTEM AND EQUIVALENTS

'NEAR MEASURE

Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches

1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches

1 Kilometer = 1000 Meters = 0.621 Miles

YEIGHTS

Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces

1 Kilogram = 1000 Grams = 2.2 lb.

1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces

1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

SQUARE MEASURE

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches

1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet

1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

CUBIC MEASURE

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet

TEMPERATURE

 $5/9(^{\circ}F - 32) = ^{\circ}C$

212° Fahrenheit is evuivalent to 100° Celsius

90° Fahrenheit is equivalent to 32.2° Celsius


32° Fahrenheit is equivalent to 0° Celsius

 $9/5C^{\circ} + 32 = {\circ}F$

APPROXIMATE CONVERSION FACTORS

TO CHANGE	TO	MULTIPLY BY
Inches	Centimeters	2.540
Feet	Meters	0.305
Yards	Meters	
Miles	Kilometers	
Square Inches	Square Centimeters	
Square Feet	Square Meters	
Square Yards	Square Meters	0.836
Square Miles	Square Kilometers	2.590
Acres	Square Hectometers	
Cubic Feet	Cubic Meters	
Cubic Yards	Cubic Meters	
Fluid Ounces	Milliliters	
nts	Liters	
arts	Liters	
allons	Liters	
Ounces	Grams	
Pounds	Kilograms	
Short Tons	Metric Tons	
Pound-Feet	Newton-Meters	
Pounds per Square Inch	Kilopascals	
Miles per Gallon	Kilometers per Liter	
Miles per Hour	Kilometers per Hour	
•	•	

TO CHANGE	то	MULTIPLY BY
Centimeters	Inches	0.394
Meters	Feet	3.280
Meters	Yards	
Kilometers	Miles	
Square Centimeters	Square Inches	
Square Meters	Square Feet	
Square Meters	Square Yards	1 196
Square Kilometers	Square Miles	0.386
Square Hectometers	Acres	
Cubic Meters	Cubic Feet	
Cubic Meters	Cubic Yards	
Milliliters	Fluid Ounces	
Liters	Pints	
Liters	Quarts	
'ers	Gallons	
.ms	Ounces	
.ograms	Pounds	
Metric Tons.	Short Tons	
Newton-Meters	Pounds-Feet	
Kilopascals	Pounds per Square Inch .	
ometers per Liter	Miles per Square Inch .	9 254
meters per Hour	Miles per Gallon	
miecers per mour	Miles per Hour	U.OZI



PIN: 018564-000